

# SAFETY DATA SHEET

Print Date Dec-14-2016 Revision Date Dec-14-2016 **Revision Number** 

1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Product code Product name Product category

# 25468 Black Optimizer V Eco Solvent Ink for Roland (MAX 3 compatible)

1.2 Relevant identified uses of the substance or mixture and uses advised againstRecommended usePrinting operations

# 1.3 Details of the supplier of the safety data sheet

DATAPLOT GmbH Gutenbergstraße 15 D-24558 Henstedt-Ulzburg Germany Tel.: +49 4193-9950 Fax: +49 4193-995220

For further information, please contactContact personDataplot: +49 4193-9950E-mail addressinfo@dataplot.de

# 1.4 Emergency telephone number

Giftinformationszentrum Mainz, Germany Tel: +49 6131 19240

# Section 2: HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 Serious eye damage/eye irritation

Category 2 - (H319)

# 2.2 Label elements



Warning

Hazard Statements H319 - Causes serious eye irritation

# 2.3 Other Hazards

**General Hazards** 

No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Component	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.	Note
Diethylene glycol diethyl ether	203-963-7	112-36-7	30 - 60	Eye Irrit. 2 (H319)	No data available	
Propylene carbonate	203-572-1	108-32-7	10 - 30	Eye Irrit. 2 (H319)	No data available	
Carbon black	215-609-9	1333-86-4	1 - 5	Not Classified	No data available	1
Triethylene glycol monobutyl ether	205-592-6	143-22-6	1 - 5	Eye Dam. 1 (H318)	No data available	

Note

1. Substance with a Community workplace exposure limit

### Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

None under normal use conditions.

4.3 Indication of any immediate medical attention and special treatment needed Notes to Physician

Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable Extinguishing Media**

No information available.

### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

# Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor.

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

### 6.4 Reference to other sections

See Section 12 for more information.

# Section 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.

## 7.3 Specific end use(s)

Exposure Scenario	No information available.
Risk Management Methods	The information required is contained in this Safety Data Sheet.
(RMM)	

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### **Exposure limits**

Component	The United Kingdom
Carbon black	STEL: 7 mg/m <sup>3</sup>
1333-86-4	TWA: 3.5 mg/m <sup>3</sup>
Component	France
•	TWA/VME: 3.5 mg/m <sup>3</sup>
Carbon black	

Component	Spain
Carbon black	TWA/VLA-ED: 3.5 mg/m <sup>3</sup>
1333-86-4	-

Component	Portugal
Carbon black	TWA/VLE-MP: 3.5 mg/m <sup>3</sup>
1333-86-4	

Component	Finland
Carbon black	TWA: 3.5 mg/m <sup>3</sup>
1333-86-4	STEL: 7 mg/m <sup>3</sup>
Component	Denmark
Component Carbon black	Denmark TWA: 3.5 mg/m <sup>3</sup>

Component		Poland
Carbon black		A/NDS: 4.0 mg/m <sup>3</sup> total inhalable dust applies to Carbon
1333-86-4	black	containing Benzo(a)pyrene < 35 mg in 1 kg of Carbon black
Component		Norway
Carbon black		TWA: 3.5 mg/m <sup>3</sup>
1333-86-4		
Component		Ireland
Carbon black		TWA: 3 mg/m <sup>3</sup> inhalable
1333-86-4		STEL: 15 mg/m <sup>3</sup> calculated
Component		Australia TWA
Carbon black		TWA: 3 mg/m <sup>3</sup>
1333-86-4		
Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC)	No information available. No information available.	
8.2 Exposure controls Engineering Measures	etc. Controlled ventilation means air is	ntilation. Natural ventilation is from doors, windows supplied or removed by a powered fan. Users are nal Exposure Limits or other equivalent values. In itable respiratory equipment.
Personal protective equipment		
Eye/face Protection		or goggles). If splashes are likely to occur:. Wear ash stations and safety showers are close to the
Skin Protection		cluding boots, gloves, lab coat, apron or coveralls,
Respiratory Protection	If exposure limits are exceeded or irrita	tion is experienced, NIOSH/MSHA approved Respiratory protection must be provided in
General Hygiene Considerations	Handle in accordance with good indust eating, drinking or smoking. Wash cont	rial hygiene and safety practice. Wash hands before taminated clothing before reuse. Avoid contact with gloves and eye/face protection. Regular cleaning of

Environmental exposure controls No information available.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic phy Physical State	Liquid	Appearance	Colored
Odor	No information available	Odor Threshold	No information available
Property_	Values_	Remarks • Method	
pH		No data available	
Melting point/freezing point		No data available	
Boiling point/Boiling Range	> 149 °C / 300 °F		
Flash Point	64 °C / 147 °F	Closed cup (Minimum)	
Evaporation rate		No data available	
Flammability Limit in Air			
Upper flammability limit		No data available	
Lower flammability limit		No data available	
Vapor Pressure		No data available	

Vapor Density

**Specific Gravity** Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water **Autoignition Temperature Decomposition temperature** Kinematic viscosity **Dynamic viscosity Explosive Properties** No data available **Oxidizing Properties** No data available

0.99

No data available

### No data available

No data available No data available No data available No data available No data available No data available No data available

# Section 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

**Softening Point** 

No information available.

### 10.2 Chemical Stability

9.2 Other information

Stable under normal conditions.

### 10.3 Possibility of Hazardous Reactions

None under normal processing.

### 10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### 10.5 Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

### **10.6 Hazardous decomposition products**

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

# Section 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute Toxicity**

Inhalation	There is no data for this product.
Eye Contact	There is no data for this product.
Skin Contact	There is no data for this product.
Ingestion	There is no data for this product.

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 11,687.00 mg/kg

### Unknown Acute Toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component	Oral LD50
Diethylene glycol diethyl ether 112-36-7	= 4970 mg/kg (Rat)
Propylene carbonate 108-32-7	= 29000 mg/kg (Rat)

Carbon black 1333-86-4	> 15400 mg/kg (Rat)
Triethylene glycol monobutyl ether 143-22-6	= 5300 mg/kg (Rat)
Component	LD50 Dermal
Component Propylene carbonate 108-32-7	LD50 Dermal > 20 mL/kg ( Rabbit )

Skin corrosion/irritation	There is no data for this product.
Eye damage/irritation	There is no data for this product.
Sensitisation	There is no data for this product.
Mutagenic Effects	There is no data for this product.
Carcinogenic effects	There is no data for this product.
Reproductive Effects	There is no data for this product.
STOT - single exposure	There is no data for this product.
STOT - repeated exposure	There is no data for this product.
Aspiration hazard	There is no data for this product.

# Section 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

None known

### Unknown Aquatic Toxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Propylene carbonate 108-32-7	500: 72 h Desmodesmus subspicatus mg/L EC50
Triethylene glycol monobutyl ether 143-22-6	500: 72 h Desmodesmus subspicatus mg/L EC50
Component	Fish
Propylene carbonate 108-32-7	1000: 96 h Cyprinus carpio mg/L LC50 semi-static
Triethylene glycol monobutyl ether 143-22-6	2400: 96 h Pimephales promelas mg/L LC50 2400: 96 h Pimephales promelas mg/L LC50 static
Component	Crustacea
Propylene carbonate 108-32-7	500: 48 h Daphnia magna mg/L EC50
Triethylene glycol monobutyl ether 143-22-6	500: 48 h Daphnia magna mg/L EC50

# 12.2 Persistence and degradability

No information available.

### 12.3 Bioaccumulative potential

No information available.

Component	Partition coefficient
Propylene carbonate 108-32-7	0.48
Triethylene glycol monobutyl ether 143-22-6	0.51

## 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6 Other adverse effects.

No information available.

# Section 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Waste from Residues / Unus Products Contaminated Packaging

Waste from Residues / Unused Contain and dispose of waste according to local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14: TRANSPORT INFORMATION

ADR 14.2 Proper Shipping Name	Not Regulated Printing Ink
ICAO / IATA / IMDG / IMO	Not Regulated
14.2 Proper Shipping Name	Printing Ink

# Section 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

### International Inventories

For further information, please contact: Supplier (manufacturer/importer/downstream user/distributor)

### 15.2 Chemical Safety Assessment

No information available.

# Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

**Full text of H-Statements referred to under sections 2 and 3** H319 - Causes serious eye irritation H318 - Causes serious eye damage

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION		
TWA	TWA (time-weighted average)	
STEL	STEL (Short Term Exposure Limit)	
Ceiling	Maximum limit value	

Revision Date Dec-14-2016

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet