

DESIGNER'S COLLECTION

2023

Wir schaffen Begegnungen. Storytelling by Emblem.



UV-Latex-EcoSolvent
SAMPLEBOOK

 **EMBLEM**

Medienbeschreibung / Description of media

Inhalt

ADHESIVE FILM

Solvent Adhesion Film White	
Solvent Adhesion Film Clear	
Solvent Magic Grip	
Solvent Magic Grip Clear Neo III	
Solvent Ice Etch Film II	
Solvent Ice Etch Film II Basic	
Solvent Dusted Film Easy Bond	
Solvent Dusted Film	
Solvent Glas Decoration Film	
Polymeric Vinyl Glossy 80 C P	
Polymeric Vinyl Glossy 80 G P	
Polymeric Vinyl Glossy 80 G P Easy Bond	
Polymeric Vinyl Transparent Glossy 70 C P	
Polymeric Vinyl Matt 80 Grey Ultra	
Monomeric Vinyl Glossy 100 C P	
Monomeric Vinyl Glossy 100 C R	
Monomeric Vinyl Matt 100 C P	
Monomeric Vinyl Matt 100 C R	
Monomeric Vinyl Matt 100 C R Easy Pin	
Monomeric Vinyl Transparent Glossy 100 C R Easy Pin	
Monomeric Vinyl Glossy 100 G P	
Monomeric Vinyl Glossy 100 G R	
Monomeric Vinyl Glossy 100 G P Easy Bond	
Monomeric Vinyl Matt 100 G P	
Monomeric Vinyl Matt 100 G R	
Monomeric Vinyl Matt 100 G R Easy Bond	
Monomeric Vinyl Matt 100 Grey Ultra	
Walk On Sign II	
Walk On Sign C R Easy Bond	

4 BACKLIT

4 Solvent LUMAX II Backlit Film	19
5 Solvent Backlitfilm Lux Matt	19
5 Solvent Backlitfilm Lux Matt Light	20
6 Solvent Backlit Film	20
6 Solvent Clear Film	21

7 FILM

7 Solvent Presentation Film PP	21
8 Solvent Polypropylen 180	22
8 Solvent Polypropylen 200 GB	22
9 Solvent RollUp Film Silverback II	23
9 Excellence Film Pro 240 adhesive	23
10 Solvent Polypropylen 360	24
10 Solvent Polypropylen 450	24
11 Solvent POS Film Plus FR	25
11 Solvent Popup Film 410	25

12 BANNER

12 Solvent Banner Heavy Block Out 780 FR	26
13 Solvent Banner Block Out 610 FR	26
13 Solvent Value Banner Blockout FR II	27
14 Solvent Frontlit Banner 510 SM FR II	27
14 Production Banner 440 Semi Matt II	28
15 Solvent Multipurpose Banner 340 FR	28
15 Solvent Mesh High Quality FR	29

16 TEXTILE

16 Solvent Textile Banner Lite FR	30
17 Solvent Magic Textile II	30
18 Solvent Magic Salt & Pepper Textile 260	31
18 Solvent Textile Banner Heavy FR II	31
Contract Fabric Banner 320 Grey Back	32
Solvent Sticky Textile Banner Removable	32

CANVAS

Solvent Canvas III	33
Production Canvas 240 Matt	33

PAPER

Solvent BlueBack Professional II	34
Solvent BlueBack Professional III	34
Solvent BlueBack High Quality II	35
Solvent Perfect Billboard Paper High Quality 115	35
Solvent Value BlueBack	36
Latex UV BlueBack 115	36
Solvent WhiteBack Professional II	37
Solvent WhiteBack High Quality II	37
Solvent Backlit & Poster Paper	38
Solvent Perfect Poster Paper High Quality 150	38
Solvent Perfect Poster Paper 170	39
Solvent Value WhiteBack	39
Solvent Paper 135 Adhesive	40
Solvent Paper 150 FR	40
Solvent Paper 230 DS FR	41
Eco Recycle Paper 130	41
Solvent One For All Paper Satin 150 Neo	42
Solvent One For All Paper Satin 200 Neo	42
Solvent One For All Paper Glossy 150 Neo	43
Solvent One For All Paper Glossy 200 Neo	43
Solvent Poster Paper semi glossy	44

PHOTO PAPER

Solvent Photo Paper 230 Glossy	45
Solvent Photo Paper 230 Semi Glossy	45
Solvent Semi-Photo Paper Glossy	46
Solvent Semi-Photo Paper Semi Matt	46

WALL DECORATION

Solvent Wall Decoration 180	47
Solvent Wall Decoration 200	47
Latex-UV Wall Decoration 130 Neo	48
Latex-UV Wall Decoration 180 Neo	48

Solvent Adhesion Film White

soft PVC | white | clings | cadmium free | 150 µm

EMBLEM SOFADH ist eine weiß-opak glänzende Adhäsionsfolie aus PVC. Die Folie ist abgedeckt mit einem hochwertigen Liner. SOFADH ist bedruckbar mit Solvent-, UV- und EcoSolvent-Tinten. Die Adhäsionskraft wirkt auf der Rückseite oder auf der Druckseite. Die Folie kann rückstandsfrei entfernt werden und mehrfach wieder verwendet werden. Ggfls. kann die bedruckte Folie mit Wasser und Seife gereinigt werden, um die Adhäsionskraft zu erneuern. Die Haftkraft wirkt bei ebenen glatten Flächen, z.B. Fensterglas. Die Lebensdauer des SOFADH beträgt im Inneneinsatz bis zu 3 Jahren und im Ausseneinsatz bis zu 1 Jahr.

EMBLEM SOFADH is a white-opaque glossy cling PVC-film. SOFADH has a cast-coated liner. SOFADH can be printed on with solvent-, UV- and eco-solvent inks. The film clings on a plane smooth surface with prints side or back side without adhesive. SOFADH can be used multiple. If necessary the film can be cleaned with soap and water to renew the adhesion power. SOFADH leaves no residues. SOFADH has a durability of up to 3 years inside and up to 1 year outside.

Art.-Nr. / Prod.No.	SOFADH
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	selbstklebend opak / selfadhesive opaque
Medientyp / type of media	Film / film
Anwendungen / application media	Messe- und Ladenbau, Display / POS + exhibition stand, display
Varianten / variants	1372 mm



Solvent Adhesion Film Clear

soft PVC | transparent | clings | cadmium free | 150 µm

EMBLEM SOFADHCL ist eine klare glänzende Adhäsionsfolie aus PVC. Die Folie ist abgedeckt mit einem hochwertigen Liner. SOFADHCL ist bedruckbar mit Solvent- und Eco-Solvent- tinten. Die Adhäsionskraft wirkt auf der Rückseite oder auf der Druckseite. Die Folie kann rückstandsfrei entfernt werden und mehrfach wieder verwendet werden. Ggfls. kann die bedruckte Folie mit Wasser und Seife gereinigt werden, um die Adhäsionskraft zu erneuern. Die Haftkraft wirkt bei ebenen glatten Flächen, z.B. Fensterglas. Die Lebensdauer des SOFADHCL beträgt im Inneneinsatz bis zu 3 Jahren und im Ausseneinsatz bis zu 1 Jahr.

EMBLEM SOFADHCL is a clear glossy cling PVC-film. SOFADHCL has a cast-coated liner. SOFADHCL can be printed with solvent- und eco solvent inks. The film clings on a plane smooth surface with prints side or backside without adhesive. SOFADHCL can be used multiple. If necessary the film can be cleaned with soap and water to renew the adhesion power. SOFADHCL leaves no residues.

Art.-Nr. / Prod.No.	SOFADHCL
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	selbstklebend opak / selfadhesive opaque
Medientyp / type of media	Film / film
Anwendungen / application media	Messe- und Ladenbau, Display / POS + exhibition stand, display
Varianten / variants	1372 mm



Solvent Magic Grip

PP | high opacity | easily removeable | micro suction technology | 260 µm

EMBLEM Solvent Magic Grip basiert auf einem weißen Polypropylen Film mit sehr hoher Opazität. Dank der Micro Saugnapf Technologie auf der Rückseite haftet der Film auf glatten Oberflächen. Der Film ist einfach anzubringen und rückstandsfrei wieder ablösbar. Das propylen basierende Trägermaterial sorgt für eine ausgezeichnete Planlage des bedruckten Films und ermöglicht eine reibungslose Weiterverarbeitung. Typische Anwendungen sind kurzfristige Wechselwerbungen. EMBLEM SOMAGRI kann mit handelsüblichen EcoSolvent-, Solvent-, Latex- und UVC-Tinten bedruckt werden.

EMBLEM Solvent Magic Grip is based on a white polypropylene film with high opacity. The back side of the film adheres on smooth surfaces because of micro suction technology. It is easy to apply and to remove without residue. The printed film has an excellent flatness caused by the Propylene carrier. This allows a smooth processing. Typical applications are short term promotions. EMBLEM SOMAGRI is made for printing with common eco solvent-, solvent-, UVC- and latex-based inks.

Art.-Nr. / Prod.No.	SOMAGRI
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	beschichtet, opak/coated, opaque,
Medientyp / type of media	Polypropylen Film/ polypropylene film
Anwendungen / application media	gerade Flächen, Messe- und Ladenbau, Poster, Display / plain surface, POS + exhibition stand, poster, display-
Varianten / variants	1372 mm



Solvent Magic Grip Clear Neo III

PET | transparent | easily removable | residue free | 110 µm

new

EMBLEM Solvent Magic Grip Clear Neo III basiert auf einem transparentem Polyester Film mit einer glänzenden Beschichtung, die mit handelsüblichen EcoSolvent-, Solvent-, Latex- und UVC-Tinten bedruckt werden kann. Hinter dem Film liegende Objekte werden auf Grund seiner Klarheit sehr scharf dargestellt. Durch die innovative Magic Kleber Technologie haftet das EMBLEM Solvent Magic Grip Clear Neo III an glatten Flächen wie Glas. Der Film lässt sich einfach anbringen und kann weiterhin repositioniert und rückstandsfrei abgelöst werden.

EMBLEM Solvent Magic Grip Clear Neo III is based on a transparent polyester film with a glossy coating that can be printed with common eco solvent, solvent, latex and UVC inks. Objects behind the film are displayed very sharply due to its clarity. Thanks to the innovative Magic adhesive technology, EMBLEM Solvent Magic Grip Clear Neo III adheres to smooth surfaces such as glass. The film is easy to apply and can still be repositioned and removed without leaving any residue.

Art.-Nr. / Prod.No.	SOMAGRICLN2
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	glänzend, klar, beschichtet / glossy, clear, coated
Medientyp / type of media	Polyester Film/ polyester film
Anwendungen / application media	gerade Flächen, Messe- und Ladenbau, Poster, Display, Innenwerbung, Schaufensterwerbung/ plain surface, POS + exhibition stand, poster, display, interior design, shop window advertising
Varianten / variants	1370 mm




Solvent Ice Etch Film II

polymeric PVC | translucent | metal pigments | tiny air channels | B1 DIN 4102 | 80 µm

EMBLEM Solvent Ice Etch Film 2 ist eine transluzente Weich-PVC Folie für Dekorationen und Beschriftungen. Die seidenglanzende Oberfläche mit Metallpigmentierung verleiht dem Ice Etch Film 2 ein einzigartig edles Aussehen. Das EMBLEM SOICET2 kann mit Solvent-, ECO-Solvent, Latex und UVC-Tinten bedruckt werden. Für eine gute Planlage wurde der PVC-Film mit einem PE-stabilisierter Liner kombiniert. Zusätzlich prägt die Struktur des Liners feine Kanäle in den Kleber. Die feinen Luftkanäle im Kleber ermöglichen eine einfache Verarbeitung der Folie, z.B. das mühelose Herausstreichen von Luftblasen. Der EASY BOND Kleber wurde für die Trockenverklebung entwickelt. Wir empfehlen das SOICET2 im Innenbereich einzusetzen. Diese in der Europäischen Union produzierte Folie entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Solvent Ice Etch Film II is a translucent, soft PVC foil for decorations and captions. The satin surface with metal pigments gives the Ice Etch Film II a unique and noble finish. The EMBLEM SOICET2 can be printed with solvent, eco solvent, latex and UVC-based inks. For a good flatness the PVC film has been combined with a PE stabilizing liner. Additionally the fine structure of the liner shapes canals into the adhesive. These fine air canals in the adhesive allow an easy processing of the foil e.g. the easy crossing out of small air bubbles. EASY BOND adhesives have been design for dry application. We recommend using the SOICET2 indoors. This in the EU produced foil meets the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	SOICET2
Drucktechnologie / print technology	EcoSolvent, Solvent, Latex, UV-curable
Medieneigenschaften / property media	transluzent, selbstklebend / translucent, adhesive
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Werbung, Dekorationen und Sichtschutz auf Glas, Glastüren und Fenstern / Advertisements, decoration and visual protection on glass, glass doors and windows
Varianten / variants	1372 / 1600 mm




Solvent Ice Etch Film II Basic

polymeric PVC | translucent | metal pigments | wet application | B1 DIN 4102 | 80 µm

EMBLEM Solvent Ice Etch Film II Basic ist eine transluzente Weich-PVC Folie für Dekorationen und Beschriftungen. Die seidenglanzende Oberfläche mit Metallpigmentierung verleiht dem Ice Etch Film II Basic ein einzigartig edles Aussehen. Das EMBLEM SOICET2BASIC kann mit Solvent-, ECO-Solvent, Latex und UVC-Tinten bedruckt werden. Für eine gute Planlage wurde der PVC-Film mit einem gestrichenen Kraft Papier Liner kombiniert. Die Folie kann im Trockenverfahren oder Nassverfahren verarbeitet werden. Wir empfehlen das SOICET2BASIC im Innenbereich einzusetzen. Diese in der Europäischen Union produzierte Folie entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Solvent Ice Etch Film II Basic is a translucent, soft PVC foil for decorations and inscriptions. The satin surface with metal pigments gives the Ice Etch Film II Basic a unique and noble finish. The EMBLEM SOICET2BASIC can be printed with solvent, eco solvent, latex and UVC-based inks. For a good flatness the PVC film has been combined with a kraft paper liner. The film can be applied in a dry or wet process. We recommend using the SOICET2BASIC indoors. This in the EU produced foil meets the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	SOICET2BASIC
Drucktechnologie / print technology	EcoSolvent, Solvent, Latex, UV-curable
Medieneigenschaften / property media	transluzent, selbstklebend / translucent, adhesive
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Werbung, Dekorationen und Sichtschutz auf Glas, Glastüren und Fenstern / Advertisements, decoration and visual protection on glass, glass doors and windows
Varianten / variants	1372 / 1600 mm



Solvent Dusted Film Easy Bond

polymeric PVC | translucent | B1 DIN 4102 | tiny air channels | 80 µm

EMBLEM Solvent Dusted Film Easy Bond ist eine transluzente Weich-PVC Folie mit Ätztglas Optik für Dekorationen und Beschriftungen. Die seidenmatte Oberfläche verleiht dem Dusted Film ein hochwertiges Erscheinungsbild bei vollflächigen Anwendungen, bedruckt oder als Schriftzug.

Das EMBLEM SODUFEB wird als Dekorations- und Beschriftungsfolie bedruckt und unbedruckt eingesetzt. Es kann mit marktüblichen Solvent-, ECO-Solvent, Latex und UVC-Tinten bedruckt werden. Für eine gute Planlage wurde der PVC-Film mit einem PE-stabilisierten Liner kombiniert. Die Struktur des Liners prägt feine Kanäle in den Kleber. Diese Mikro-Luftkanäle ermöglichen eine einfache, saubere Trockenverklebung der Folie, Luftblasen können dabei mühelose herausgestrichen werden. Es hat die Prüfung auf Schwerentflammbarkeit nach DIN 4102-1 mit B1 bestanden.

EMBLEM Solvent Dusted Film Easy Bond is a translucent soft PVC film with etched glass optics for decoration and lettering. The silk-matt surface gives the Dusted Film a high-quality appearance for full-surface applications, printed or as lettering. The EMBLEM SODUFEB is used as decoration and lettering film printed and unprinted. It can be printed with commercially available solvent, ECO solvent, latex and UVC inks. For a good flatness the PVC film was combined with a PE-stabilized liner. The structure of the liner imprints tiny channels into the adhesive. These micro air channels allow for easy and clean dry application of the film, air bubbles can be easily removed.

Art.-Nr. / Prod.No.	SODUFEB
Drucktechnologie / print technology	EcoSolvent, Solvent, Latex, UV-curable
Medieneigenschaften / property media	transluzent, selbstklebend / translucent, adhesive
Medientyp / type of media	SK Film / adhesive film
Anwendungen / application media	Werbung, Glasdekore, Dekorationen und Sichtschutz auf Glas, Glastüren und Fenstern. / advertisements, glass ornaments, decoration and visual protection on glass, glass doors
Varianten / variants	1372 / 1600 mm



Solvent Dusted Film

polymeric PVC | translucent | B1 DIN 4102 | wet application | 80 µm

EMBLEM Solvent Dusted Film ist eine transluzente Weich-PVC Folie mit Ätztglas Optik für Dekorationen und Beschriftungen. Die seidenmatte Oberfläche verleiht dem Dusted Film ein hochwertiges Erscheinungsbild bei vollflächigen Anwendungen, bedruckt oder als Schriftzug.

Das EMBLEM SODUF wird als Dekorations- und Beschriftungsfolie bedruckt und unbedruckt eingesetzt. Es kann mit marktüblichen Solvent-, ECO-Solvent, Latex und UVC-Tinten bedruckt werden. Für eine gute Planlage wurde der PVC-Film mit einem gestrichenen Kraft Papier Liner kombiniert. Der geschlossene Kleberspiegel eignet sich auch zur Verklebung im Nassverfahren. Es hat die Prüfung auf Schwerentflammbarkeit nach DIN 4102-1 mit B1 bestanden.

EMBLEM Solvent Dusted Film is a translucent soft PVC film with etched glass optics for decoration and lettering. The silk-matt surface gives the Dusted Film a high-quality appearance for full-surface applications, printed or as lettering. The EMBLEM SODUF is used as decoration and lettering film printed and unprinted. It can be printed with commercially available solvent, ECO solvent, latex and UVC inks. For a good flatness the PVC film was combined with a kraft paper liner. The closed adhesive surface is also suitable for wet application.

Art.-Nr. / Prod.No.	SODUF
Drucktechnologie / print technology	EcoSolvent, Solvent, Latex, UV-curable
Medieneigenschaften / property media	transluzent, selbstklebend / translucent, adhesive
Medientyp / type of media	SK Film / adhesive film
Anwendungen / application media	Werbung, Glasdekore, Dekorationen und Sichtschutz auf Glas, Glastüren und Fenstern. / advertisements, glass ornaments, decoration and visual protection on glass, glass doors
Varianten / variants	1372 / 1600 mm



Solvent Glas Decoration Film

polyester | transparent | semi permanent adhesive | 120 µm

EMBLEM SOGDF (Solvent Glas Dekor Film) ist eine beschichtete, klare Polyesterfolie selbstklebend ausgerüstet mit einer transluzenten Folienabdeckung. Die Folie und der Kleber sind glasklar und werden vorzugsweise im Innenbereich auf Glasflächen angewendet. EMBLEM SOGDF kann nass und trocken verklebt werden und ist rückstandsfrei wieder ablösbar. Für Backlit Anwendungen kann der Film direkt auf eine Streuscheibe geklebt werden. Die glänzende Beschichtung kann mit Solvent-, ECO-Solvent, Latex und UVC-Tinten bedruckt werden.

EMBLEM Solvent Glas Decoration Film is a adhesive clear polyester film with a translucent release liner. Film and adhesive are crystal clear and are mainly used indoors on glass surfaces. EMBLEM SOGDF can be bonded wet and dry and removed without residues. As backlit it can be applied directly on light diffusion board.

The glossy coating is made for printing with common eco solvent-, solvent-, UV curable- and latex-based inks.

Art.-Nr. / Prod.No.	SOGDF
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	transluzent, transparenter Kleber, selbstklebend / translucent, transparent adhesive, adhesive
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Messe- und Ladenbau / POS + exhibition stand
Varianten / variants	1067 / 1372 mm



Polymeric Vinyl Glossy 80 C P

polymeric PVC | white | transparent adhesive | B1 DIN 4102 | 80 µm

EMBLEM Polymeric Vinyl Glossy 80 C P besteht aus einer glänzenden, weißen, polymeren Weich-PVC Folie. Der hochwertige PE-Liner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Auf dem POVIGL80CP können mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten wasserfeste Drucke erstellt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der transparente, permanente Kleber lässt sich während der Verklebung gut repositionieren. Typische Anwendungen sind mittelfristige Werbebotschaften im Innen- und Außenbereich sowie Displays und Bautafeln.

EMBLEM Polymeric Vinyl Glossy 80 C P consists of a glossy, white, polymeric soft PVC film. The high-quality PE-liner provides a good dimensional stability during the further processing. On the POVIGL80CP waterproof prints can be made with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, high-quality and detailed prints can be produced on the film. The transparent permanent adhesive can be easily repositioned during the application. The closed adhesive surface is also suitable for application in wet processes. Typical applications are medium-term indoor and outdoor advertising messages, displays and construction panels.

Art.-Nr. / Prod.No.	POVIGL80CP
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	easy bond, wasserfest, grauer Kleber, selbstklebend / easy bond, waterproof, transparent adhesive
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Fahrzeugbeschriftung, gerade Flächen Fahrzeugteilverklebung mit Wölbung, Messe- und Ladenbau, Außenwerbung / car signage plain surface, car curvature signage, POS + exhibition stand, out-of-home advertising
Varianten / variants	1050 / 1370 / 1520 / 1600 mm



Polymeric Vinyl Glossy 80 G P

polymeric PVC | white | grey adhesive | permanent | B1 DIN 4102 | 80 µm

EMBLEM Polymeric Vinyl Glossy 80 G P besteht aus einer glänzenden, weißen, polymeren Weich-PVC Folie. Der hochwertige PE-Liner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Auf dem POVI80GP können mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten wasserfeste Drucke erstellt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der permanente Kleber lässt sich während der Verklebung gut repositionieren und deckt durch seine graue Einfärbung kontrastreiche Untergründe hervorragend ab. Der geschlossene Kleberspiegel eignet sich auch zur Verklebung im Nassverfahren.

EMBLEM Polymeric Vinyl Glossy 80 G P consists of a glossy, white, polymeric soft PVC film. The high-quality PE-liner provides a good dimensional stability during the further processing. On the POVI80GP waterproof prints can be made with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, high-quality and detailed prints can be produced on the film. The permanent adhesive can be easily repositioned during the application and its grey colouring covers high-contrast substrates excellently.

Art.-Nr. / Prod.No.	POVI80GP
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	wasserfest, grauer Kleber, selbstklebend, schwer entflammbar / waterproof, grey adhesive, flame retardant
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Fahrzeugbeschriftung, gerade Flächen Fahrzeugteilverklebung mit Wölbung, Messe- und Ladenbau, Außenwerbung / car signage plain surface, car curvature signage, POS + exhibition stand, out-of-home advertising
Varianten / variants	762 / 1050 / 1370 / 1520 / 1600 mm



Polymeric Vinyl Glossy 80 G P Easy Bond

polymeric PVC | white | grey adhesive | perm. | air channels | B1 DIN 4102 | 80 µm

EMBLEM Polymeric Vinyl Glossy 80 G P Easy Bond besteht aus einer glänzenden, weißen, polymeren Weich-PVC Folie. Der hochwertige PE-Liner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Die Micro-Luft-Kanäle im Kleber erlaubt eine schnellere Verarbeitung ohne Luftblasen. Die Micro-Strukturen des Klebers zeichnen sich nicht im Druckbild ab. Der graue permanente Kleber lässt sich während der Verklebung gut repositionieren und deckt kontrastreiche Untergründe hervorragend ab. Auf dem POVI80GP Easy Bond können mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten wasserfeste Drucke erstellt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden.

EMBLEM Polymeric Vinyl Glossy 80 G P Easy Bond consists of a glossy, white, polymeric soft PVC film. The high-quality PE-liner provides a good dimensional stability during the further processing. The micro air channels in the adhesive allow a faster processing without air bubbles. The micro-structures of the adhesive are not visible in the printed image. The grey permanent adhesive can be easily repositioned during application and covers high-contrast substrates excellently. POVI80GP Easy Bond can be used to create prints with standard eco solvent, solvent, latex and UVC inks.

Art.-Nr. / Prod.No.	POVI80GP Easy Bond
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	easy bond, wasserfest, grauer Kleber, selbstklebend, schwer entflammbar / easy bond, waterproof, grey adhesive, flame retardant
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Fahrzeugbeschriftung, gerade Flächen Fahrzeugteilverklebung mit Wölbung, Messe- und Ladenbau, Außenwerbung / car signage plain surface, car curvature signage, POS + exhibition stand, out-of-home advertising
Varianten / variants	762 / 1050 / 1370 / 1520 / 1600 mm



Polymeric Vinyl Transparent Glossy 70 C P

polymeric PVC | transparent | permanent adhesive | B1 DIN 4102 | 70 µm

EMBLEM Polymeric Vinyl Transparent Glossy 70 C P besteht aus einer glänzenden, transparenten, polymeren Weich-PVC Folie. Der hochwertige PE-Liner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Auf dem POVITG-70CP können mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten wasserfeste Drucke erstellt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der transparente, permanente Kleber lässt sich während der Verklebung gut repositionieren. Der geschlossene Kleberspiegel eignet sich auch zur Verklebung im Nassverfahren.

EMBLEM Polymeric Vinyl Transparent Glossy 70 C P consists of a glossy, transparent, polymeric soft PVC film. The high-quality PE-liner provides a good dimensional stability during the further processing. On the POVITG70CP waterproof prints can be made with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, high-quality and detailed prints can be produced on the film. The transparent permanent adhesive can be easily repositioned during the application. The closed adhesive surface is also suitable for application in wet processes.

Art.-Nr. / Prod.No.	POVITG70CP
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	easy bond, wasserfest, grauer Kleber, selbstklebend / easy bond, waterproof, grey adhesive
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Fahrzeugteilverklebung mit Wölbung, Messe- und Ladenbau, Außenwerbung / car signage plain surface, car curvature signage, POS + exhibition stand, out-of-home advertising
Varianten / variants	1050 / 1370 / 1520 / 1600 mm



Polymeric Vinyl Matt 80 Grey Ultra

polymeric PVC | matt white | grey adh. | high adh. strength | 80 µm

new

EMBLEM Polymeric Vinyl Matt 80 Grey Ultra besteht aus einer weißen, polymeren Weich-PVC Folie. Die hohe Klebkraft und der hohe Kleberauftrag erlauben eine exzellente Haftung auf schwierigen Untergründen. Dazu gehören unter anderem apolare Kunststoffoberflächen wie bei Polypropylen (PP) und Polyethylen (PE). Auch können leichte Unebenheiten in der Oberflächenstruktur von Holzplatten oder ähnlichem ausgeglichen werden. Die hohe Opazität des grau eingefärbten Klebers deckt kontrastreiche Untergründe hervorragend ab. Das POVIMA80GU ist für die Bedruckung mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten geeignet. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Polymeric Vinyl Matt 80 Grey Ultra is a white, polymeric soft PVC film. The high adhesive strength and the high adhesive thickness allow excellent adhesion to difficult substrates. These include non-polar plastic surfaces such as polypropylene (PP) and polyethylene (PE). Slight roughness in the surface structure of wooden boards or similar can also be compensated for. The high opacity of the grey coloured adhesive provides excellent coverage of high-contrast substrates. The POVIMA80GU is suitable for printing with commercially available EcoSolvent, Solvent, Latex and UVC inks. This product, manufactured in Germany, complies with EU Regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	POVIMA80GU
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	grauer Kleber, selbstklebend / grey adhesive, selfadhesive
Medientyp / type of media	Weich-PVC, polymer / soft PVC film, polymeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	1370 mm



Irrtümer vorbehalten, es gelten unsere allgemeinen Geschäftsbedingungen.

Monomeric Vinyl Glossy 100 C P

monomeric PVC | glossy white | transp. perm. adhesive | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Glossy 100 C P besteht aus einer glänzenden, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Das MOVIGL100CP kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der transparente Kleber lässt sich während der Verklebung gut repositionieren. Der geschlossene Kleberspiegel eignet sich auch zur Verklebung im Nassverfahren. Die Folie entspricht der Brandschutzklasse B1 nach DIN 4102-1 und kann damit auch in Innenräumen eingesetzt werden. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Glossy 100 C P consists of a glossy white monomeric soft PVC film. The high quality kraftliner provides a good dimensional stability during further processing. The MOVIGL100CP can be printed with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, highquality and detailed prints can be produced on the film. The transparent adhesive can be easily repositioned during the application. The closed adhesive surface is also suitable for wet process application. The film complies with fire protection class B1 according to DIN 4102-1 and can therefore also be used indoors. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIGL100CP
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	transparent, wasserfest, transparenter Kleber, selbstklebend / transparent, waterproof, transparent glue, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	760 / 1050 / 1370 / 1600 mm



Monomeric Vinyl Glossy 100 C R

monomeric PVC | glossy white | transp. rem. adh. | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Glossy 100 C R besteht aus einer glänzenden, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Das MOVIGL100CR kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der transparente, semipermanente Kleber lässt sich während der Verklebung gut repositionieren. Die Folie lässt sich nach kurzfristiger Anwendung von vielen glatten und festen Untergründen problemlos entfernen. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Glossy 100 C R consists of a glossy white monomeric soft PVC film. The high quality kraftliner provides a good dimensional stability during further processing. The MOVIGL100CR can be printed with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, highquality and detailed prints can be produced on the film. The transparent, semi permanent adhesive can be easily repositioned during the application. The vinyl can be removed easily from many smooth and firm substrates after short term use.

Art.-Nr. / Prod.No.	MOVIGL100CR
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	transparent, wasserfest, transparenter Kleber, selbstklebend / transparent, waterproof, transparent glue, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	1050 / 1370 mm



Literal mistakes and errors excepted, our general terms and conditions apply.

Monomeric Vinyl Matt 100 C P

monomeric PVC | matt white | transp. perm. adhesive | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Matt 100 CP besteht aus einer matten, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Das MOVIMA100CP kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der transparente Kleber lässt sich während der Verklebung gut repositionieren. Der geschlossene Kleberspiegel eignet sich auch zur Verklebung im Nassverfahren. Die Folie entspricht der Brandschutzklasse B1 nach DIN 4102-1 und kann damit auch in Innenräumen eingesetzt werden. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Matt 100 C P consists of a matt white monomeric soft PVC film. The high quality kraftliner provides a good dimensional stability during further processing. The MOVIMA100CP can be printed with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, high-quality and detailed prints can be produced on the film. The transparent adhesive can be easily repositioned during the application. The closed adhesive surface is also suitable for wet process application. The film complies with fire protection class B1 according to DIN 4102-1 and can therefore also be used indoors. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIMA100CP
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	transparent, wasserfest, transparenter Kleber, selbstklebend / transparent, waterproof, transparent glue, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	760 / 1050 / 1370 / 1600 mm




Monomeric Vinyl Matt 100 C R

monomeric PVC | matt white | grey adhesive | removable | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Matt 100 C R besteht aus einer matten, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Das MOVIMA100CR kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der transparente, semipermanente Kleber lässt sich während der Verklebung gut repositionieren. Die Folie lässt sich nach kurzfristiger Anwendung von vielen glatten und festen Untergründen problemlos entfernen. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Matt 100 C R consists of a matt white monomeric soft PVC film. The high quality kraftliner provides a good dimensional stability during further processing. The MOVIMA100CR can be printed with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, high quality and detailed prints can be produced on the film. The transparent, semi permanent adhesive can be easily repositioned during the application. The vinyl can be removed easily from many smooth and firm substrates after short term use. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIMA100CR
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	transparent, wasserfest, transparenter Kleber, selbstklebend / transparent, waterproof, transparent glue, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	1050 / 1370 mm



Monomeric Vinyl Matt 100 C R Easy Pin

monomeric PVC | matt white | adhesive dots | removable | 100 µm

EMBLEM Monomeric Vinyl Matt 100 C R Easy Pin besteht aus einer weißen, monomeren Weich-PVC Folie mit matter Oberfläche. Das Besondere an dieser Folie ist der punktförmig aufgetragene Kleber. Dadurch wird es möglich die bedruckte Folie ohne Werkzeuge und im trockenen Zustand blasenfrei anzubringen. Gerne werden die Easy Pin Medien eingesetzt als Fenstergrafik, für saisonale Einzelhandelswerbung und für kurzfristige Anwendungen im Innenbereich. Viele glatte Oberflächen eignen sich als Untergrund für EMBLEM MOVIMA100CREP. Ein einfaches und leichtes Entfernen von den meisten Oberflächen wird durch den semipermanenten Kleber gewährleistet. Der semipermanente Kleber lässt sich während der Verklebung gut repositionieren. Die Folie kann auch kurzfristig im Außenbereich eingesetzt werden.

EMBLEM Monomeric Vinyl Matt 100 C R Easy Pin consists of a white, soft, monomeric PVC foil with a matt finish. This makes the foil very easy to handle and ensures bubble-free bonding. A special feature of this foil is the adhesive backing that is covered with small adhesive dots. This makes it possible to avoid the need for tools and prevents air bubbles from forming by using the dry application technique. Easy Pin media can be readily used as window graphics, for seasonal advertising in retail establishments and for short term use in interior areas. Many smooth surfaces will provide a suitable base for EMBLEM MOVIMA100CREP. The semi-permanent adhesive ensures that the sticker is easy to remove from most surfaces and is also easy to reposition as you attach it to your chosen surface. The foil can also be used outdoors for short periods of time.

Art.-Nr. / Prod.No.	MOVIMA100CREP
Drucktechnologie / print technology	Solvent, UV, EcoSolvent, Latex
Medieneigenschaften / property media	opak, transparenter Kleber, selbstklebend / opaque, transparent adhesive, selfadhesive
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Schaufensterwerbung, Messe- und Ladenbau, Display, Außenwerbung / window graphics, POS + exhibition stand, display
Varianten / variants	1370 mm



Monomeric Vinyl Transparent Glossy 100 C R Easy Pin

monomeric PVC | glossy transparent | adhesive dots | removable | 100 µm

EMBLEM EMBLEM Monomeric Vinyl Transparent Glossy 100 C R Easy Pin besteht aus einer transparenten, monomeren Weich-PVC Folie mit glänzender Oberfläche. Das Besondere an dieser Folie ist der punktförmig aufgetragene Kleber. Dadurch wird es möglich die bedruckte Folie ohne Werkzeuge und im trockenen Zustand blasenfrei anzubringen. Gerne werden die Easy Pin Medien eingesetzt als Fenstergrafik, für saisonale Einzelhandelswerbung und für kurzfristige Anwendungen im Innenbereich. Viele glatte Oberflächen eignen sich als Untergrund für EMBLEM MOVITG100CREP. Ein einfaches und leichtes Entfernen von den meisten Oberflächen wird durch den semipermanenten Kleber gewährleistet. Der semipermanente Kleber lässt sich während der Verklebung gut repositionieren.

EMBLEM Monomeric Vinyl Transparent Glossy 100 C R Easy Pin consists of a transparent monomeric soft PVC foil with a glossy finish. A special feature of this foil is the adhesive backing that is covered with small adhesive dots. This makes it possible to avoid the need for tools and prevents air bubbles from forming by using the dry application technique. Easy Pin media can be easily used as window graphics, for seasonal advertising in retail establishments and for short term use in interior areas. Many smooth surfaces will provide a suitable base for EMBLEM MOVITG100CREP. The semi-permanent adhesive ensures that the sticker is easy to remove from most surfaces and is also easy to reposition as you attach it to your chosen surface.

Art.-Nr. / Prod.No.	MOVITG100CREP
Drucktechnologie / print technology	Solvent, UV, EcoSolvent, Latex
Medieneigenschaften / property media	transparent, transparenter Kleber, selbstklebend / transparent, transparent adhesive, selfadhesive
Medientyp / type of media	SK-Film / adhesive film
Anwendungen / application media	Schaufensterwerbung, Messe- und Ladenbau, Display, Außenwerbung / window graphics, POS + exhibition stand, display
Varianten / variants	1370 mm



Monomeric Vinyl Glossy 100 G P

monomeric PVC | glossy white | grey perm. adh. | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Glossy 100 G P besteht aus einer glänzenden, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Das MOVIGL100GP kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der graue permanente Kleber lässt sich während der Verklebung gut repositionieren und deckt kontrastreiche Untergründe hervorragend ab. Die Folie entspricht der Brandschutzklasse B1 nach DIN 4102-1 und kann damit auch in Innenräumen eingesetzt werden. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Glossy 100 G P consists of a glossy white monomeric soft PVC film. The high quality kraft liner provides a good dimensional stability during further processing. The MOVIGL100GP can be printed with standard eco solvent, solvent, latex and UVC inks. Due to the excellent colour reproduction and special drying properties, high quality and detailed prints can be produced on the film. The grey pigmented adhesive covers subsurfaces in an excellent way and can be repositioned well. The closed adhesive surface is also suitable for wet process application. The film complies with fire protection class B1 according to DIN 4102-1 and can therefore also be used indoors. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIGL100GP
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	grauer Kleber, selbstklebend / grey adhesive, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	760 / 1050 / 1370 / 1600 mm



Monomeric Vinyl Glossy 100 G R

monomeric PVC | glossy white | grey adhesive | removable | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Glossy 100 G R besteht aus einer glänzenden, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Das MOVIGL100GR kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der graue, semipermanente Kleber lässt sich während der Verklebung gut repositionieren und deckt kontrastreiche Untergründe hervorragend ab. Die Folie lässt sich nach kurzfristiger Anwendung von vielen glatten und festen Untergründen problemlos entfernen. Die Folie entspricht der Brandschutzklasse B1 nach DIN 4102-1 und kann damit auch in Innenräumen eingesetzt werden. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Glossy 100 G R is a glossy, white, monomeric soft-vinyl film. The high quality kraft liner provides a good dimensional stability during further processing. Due to the excellent colour reproduction and special drying properties, high quality and detailed prints can be produced on the film. The grey pigmented, semi permanent adhesive covers subsurfaces in an excellent way and can be easily repositioned during the application. The vinyl can be removed easily from many smooth and firm substrates after short term use. The closed adhesive surface is also suitable for wet process application. The film complies with fire protection class B1 according to DIN 4102-1 and can therefore also be used indoors. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIGL100GR
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	grauer Kleber, selbstklebend, ablösbar / grey adhesive, selfadhesive, removable
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Leuchtkasten, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	1050 / 1370 / 1600 mm



Irrtümer vorbehalten, es gelten unsere allgemeinen Geschäftsbedingungen.

Monomeric Vinyl Glossy 100 G P Easy Bond

monomeric PVC | glossy white | grey perm. adh. | air channels | B1 DIN 4103 | 100 µm

EMBLEM Monomeric Vinyl Glossy 100 G P Easy Bond besteht aus einer weißen, monomeren Weich-PVC Folie mit glänzender Oberfläche. Der hochwertige PE-Liner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Die Micro-Luft-Kanäle im Kleber erlaubt eine schnellere Verarbeitung ohne Luftblasen. Die Micro-Strukturen des Klebers zeichnen sich nicht im Druckbild ab. Das MOVIGL100GPB kann mit handelsüblichen Eco-Solvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der graue permanente Kleber lässt sich während der Verklebung gut repositionieren und deckt kontrastreiche Untergründe hervorragend ab. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Vinyl Glossy 100 G P Easy Bond is a glossy, white, monomeric soft-vinyl film. The quality PE liner ensures good dimensional stability during further processing. The micro air channels allow a faster processing without air bubbles. The micro channel structure is not visible on the printed surface. Detailed, high quality prints can be produced on the vinyl because of its brilliant color reproduction and supreme drying characteristics. The grey pigmented adhesive covers subsurfaces in an excellent way and can be repositioned well. The film complies with fire protection class B1 according to DIN 4102-1 and can therefore also be used indoors. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIGL100GPB
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	Luftkanäle, grauer Kleber, selbstklebend / air channels, grey adhesive, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	1050 / 1370 mm



Monomeric Vinyl Matt 100 G P

monomeric PVC | matt white | grey adh. | permanent | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Matt 100 G P besteht aus einer matten, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Das MOVIMA100GP kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der graue permanente Kleber lässt sich während der Verklebung gut repositionieren und deckt kontrastreiche Untergründe hervorragend ab. Die Folie entspricht der Brandschutzklasse B1 nach DIN 4102-1 und kann damit auch in Innenräumen eingesetzt werden. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Matt 100 G P is a matt, white, monomeric soft-vinyl film. The quality kraft liner ensures good dimensional stability during further processing. The MOVIMA100GP can be printed with common solvent, eco solvent, UVC and latex inks. Due to the excellent colour reproduction and special drying properties, high-quality and detailed prints can be produced on the film. The grey pigmented adhesive can be easily repositioned during the application and covers subsurfaces in an excellent way. The closed adhesive surface is also suitable for wet process application. The film complies with fire protection class B1 according to DIN 4102-1 and can therefore also be used indoors. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIMA100GP
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	grauer Kleber, selbstklebend / grey adhesive, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Leuchtkasten, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	1050 / 1370 / 1600 mm



Monomeric Vinyl Matt 100 G R

monomeric PVC | matt white | grey adh. | removable | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Matt 100 G R besteht aus einer matten, weißen, monomeren Weich-PVC Folie. Der hochwertige Kraftliner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der graue, semipermanente Kleber lässt sich während der Verklebung gut repositionieren und deckt kontrastreiche Untergründe hervorragend ab. Die Folie lässt sich nach kurzfristiger Anwendung von vielen glatten und festen Untergründen problemlos entfernen. Die Folie entspricht der Brandschutzklasse B1 nach DIN 4102-1 und kann damit auch in Innenräumen eingesetzt werden. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Matt 100 G R is a matt, white, monomeric soft-vinyl film. The quality kraft liner ensures good dimensional stability during further processing. Due to the excellent colour reproduction and special drying properties, high-quality and detailed prints can be produced on the film. The grey pigmented, semi permanent adhesive can be easily repositioned during the application and covers subsurfaces in an excellent way. The vinyl can be removed easily from many smooth and firm substrates after short term use. The closed adhesive surface is also suitable for wet process application. The film complies with fire protection class B1 according to DIN 4102-1 and can therefore also be used indoors. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIMA100GR
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	grauer Kleber, selbstklebend, ablösbar / grey adhesive, selfadhesive, removable
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, lightbox, art print, POS + exhibition stand, poster, display, out-of-home advertising
Varianten / variants	1050 / 1370 / 1600 mm



Monomeric Vinyl Matt 100 G R Easy Bond

monomeric PVC | matt white | grey rem. adh. | air channels | B1 DIN 4102 | 100 µm

EMBLEM Monomeric Vinyl Matt 100 G R Easy Bond besteht aus einer weißen, monomeren Weich-PVC Folie mit matter Oberfläche. Der hochwertige PE-Liner sorgt für eine gute Dimensionsstabilität während der Weiterverarbeitung. Die Micro-Luft-Kanäle im Kleber erlaubt eine schnellere Verarbeitung ohne Luftblasen. Die Micro-Strukturen des Klebers zeichnen sich nicht im Druckbild ab. Durch die ausgezeichnete Farbwiedergabe und besonderen Trocknungseigenschaften können hochwertige und detailreiche Drucke auf der Folie erzeugt werden. Der graue semipermanente Kleber lässt sich während der Verklebung gut repositionieren und deckt kontrastreiche Untergründe hervorragend ab. Die Folie lässt sich nach kurzfristiger Anwendung von vielen glatten und festen Untergründen problemlos entfernen. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Matt 100 G R Easy Bond is a matt, white, monomeric soft-vinyl film. The quality PE liner ensures good dimensional stability during further processing. The micro air channels allow a faster processing without air bubbles. The micro channel structure is not visible on the printed surface. The grey pigmented, semi permanent adhesive covers subsurfaces in an excellent way and can be repositioned well. The vinyl can be removed easily from many smooth and firm substrates after short term use. This article produced in Germany complies with the EU regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIMA100GREB
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	Luftkanäle, grauer Kleber, selbstklebend, ablösbar / air channels, grey adhesive, selfadhesive, removable
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, lightbox, art print, POS + exhibition stand, poster, display, out-of-home advertising
Varianten / variants	1050 / 1370 mm



Monomeric Vinyl Matt 100 Grey Ultra

monomeric PVC | matt white | grey adh. | high adh. strength | 100 µm

new

EMBLEM Monomeric Vinyl Matt 100 Grey Ultra besteht aus einer weißen, monomeren Weich-PVC Folie. Die hohe Klebkraft und der hohe Kleberauftrag erlauben eine exzellente Haftung auf schwierigen Untergründen. Dazu gehören unter anderem apolare Kunststoffoberflächen wie bei Polypropylen (PP) und Polyethylen (PE). Auch können leichte Unebenheiten in der Oberflächenstruktur von Holzplatten oder ähnlichem ausgeglichen werden. Die hohe Opazität des grau eingefärbten Klebers deckt kontrastreiche Untergründe hervorragend ab. Das MOVIMA100GU ist für die Bedruckung mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten geeignet. Dieses in Deutschland produzierte Erzeugnis entspricht der EU Verordnung 1907/2006 (REACH).

EMBLEM Monomeric Vinyl Matt 100 Grey Ultra is a white, monomeric soft PVC film. The high adhesive strength and the high adhesive thickness allow excellent adhesion to difficult substrates. These include non-polar plastic surfaces such as polypropylene (PP) and polyethylene (PE). Slight roughness in the surface structure of wooden boards or similar can also be compensated for. The high opacity of the grey coloured adhesive provides excellent coverage of high-contrast substrates. The MOVIMA100GU is suitable for printing with commercially available EcoSolvent, Solvent, Latex and UVC inks. This product, manufactured in Germany, complies with EU Regulation 1907/2006 (REACH).

Art.-Nr. / Prod.No.	MOVIMA100GU
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	grauer Kleber, selbstklebend / grey adhesive, selfadhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	gerade Flächen, Display, Außenwerbung / plain surface, display, out-of-home advertising
Varianten / variants	1370 mm



Walk On Sign II

monomeric PVC | white | embossed | anti slip R9 | B1 DIN 4102-14 | 100 µm

Durch farbbintensive Drucke erhält Fußbodenwerbung mit EMBLEM Walk On Sign II die volle Aufmerksamkeit der Besucher. Eine schnelle und kostengünstige Produktion kann mit dem Walk On Sign II umgesetzt werden, da eine Lamination nach dem Druck nicht notwendig ist. Der semi-permanenter Kleber ermöglicht eine gute Repositionierbarkeit beim Verkleben der Folie und ein leichtes Ablösen am Ende der Werbekampagne. Das Walk On Sign II ist rutschhemmend zertifiziert nach DIN 51130. Bei der Prüfung wurde die Bewertungsklasse R9 erreicht. Das Produkt kann somit als Fußbodenwerbung in Einkaufszentren und Supermärkte eingesetzt werden, abhängig von den lokalen Vorgaben. Die Werbebotschaft kann für bis zu 3 Monate im Innenbereich genutzt werden - je nach Belastung. Das Produkt ist REACH und RoHS konform.

Floor advertising with EMBLEM Walk On Sign II gets the full attention of the visitors by colour-intensive prints. A fast and cost-efficient production can be realized with the Walk On Sign II, because a lamination after printing is not necessary. The semi-permanent adhesive allows a good repositioning when applying the film and an easy removal at the end of the advertising campaign. The Walk On Sign II is certified slip-resistant according to DIN 51130 and achieved the rating class R9 in the test. The product can therefore be used as floor advertising in shopping centres and supermarkets, depending on local requirements. The advertising message can be used indoors for up to 3 months - depending on the degree of stress. The product is REACH and RoHS compliant.

Art.-Nr. / Prod.No.	WOS2
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	weiß, transparenter semipermanenter Kleber / white, transparent semi permanent adhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	Fußbodenwerbung, Display / floor advertising, displays
Varianten / variants	1370 mm



Walk On Sign C R Easy Bond

monomeric PVC | white | embossed | anti slip R9 DIN 51130 | 160 µm

EMBLEM Walk On Sign C R Easy Bond besteht aus einer strukturierten, weißen, monomeren Weich-PVC Folie für die Bedruckung. Als Fußbodenwerbung kann die Folie ohne Laminat eingesetzt werden. Durch farbbintensive Drucke erhält Fußbodenwerbung mit EMBLEM Walk On Sign C R Easy Bond die volle Aufmerksamkeit der Besucher. Der semi-permanenter Kleber ermöglicht eine gute Repositionierbarkeit beim Verkleben der Folie und ein leichtes Ablösen am Ende der Werbekampagne. Das Walk On Sign C R Easy Bond ist rutschhemmend zertifiziert nach DIN 51130. Die Werbebotschaft kann für bis zu 3 Monate im Innenbereich genutzt werden - je nach Belastung. Die erhöhte Klebermenge und die High Tack Komponente erlaubt eine Verklebung auf vielen Oberflächen, auch wenn die Oberflächenstruktur nicht perfekt plan ist. Dies europäische Produkt ist REACH konform.

EMBLEM Walk On Sign C R Easy Bond is made of a textured, white, monomeric soft PVC film for printing. The film can be used as floor advertising without laminate. With colour-intensive prints, floor advertising with EMBLEM Walk On Sign C R Easy Bond gets the full attention of all visitors. The semi-permanent adhesive allows good repositioning when the film is applied and easy removal at the end of the advertising campaign. The Walk On Sign C R Easy Bond is slip-resistant certified according to DIN 51130 and the advertising message can be used indoors for up to 3 months - depending on the traffic load. The increased amount of adhesive and the high tack component allows bonding to many surfaces, even if the surface structure is not perfectly flat. This European product is REACH compliant.

Art.-Nr. / Prod.No.	WOSCREB
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	weiß, transparenter semipermanenter Kleber / white, transparent semi permanent adhesive
Medientyp / type of media	Weich-PVC, monomer / soft PVC film, monomeric
Anwendungen / application media	Fußbodenwerbung, Display / floor advertising, displays
Varianten / variants	1370 / 1600 mm




Solvent LUMAX II Backlit Film

polyester | semi matt | bright white | translucent | 205 µm

EMBLEM SOLUMAX2 ist ein transluzenter Backlit Film, der auf einem klarem farbneutralem Polyester Film basiert. Die hochweiße Beschichtung sorgt für gute Kratzfestigkeit und intensive Farben mit und ohne Hintergrundbeleuchtung - Day & Night. Die wasserfeste Beschichtung des Backlit ermöglicht einen hohen Tintenauftrag. In der Durchleuchtung zeichnet sich das SOLUMAX2 durch einen hohen Weißgrad und intensive Farben aus. Eine gleichmäßige Lichtstreuung wird durch die Mattierung auf der Druckseite erzeugt, die für optimale Farbgradationen und eine neutrale Wiedergabe von Graustufen sorgt. Daher beeinflussen kleine Kratzer auf der Rückseite, die bei der Weiterverarbeitung entstehen können, nicht die Durchleuchteigenschaften des Backlit Film und gewähren zusammen mit der hervorragenden Planlage eine hohe Produktionsicherheit.

EMBLEM SOLUMAX2 is a translucent backlit film based on a clear and colorless polyester film. The bright white coating causes a good scratch resistance and brilliant color reproduction with and without backlight – Day & Night. The water-resistant coating of the backlit film enables a high ink level and good scratch resistance. In transillumination, the SOLUMAX2 is characterised by a high degree of whiteness and intense colours. An even light diffusion is created by the matting on the print side, which ensures optimal colour gradations and a neutral reproduction of greyscales. Therefore, small scratches on the reverse side, which can occur during further processing, do not affect the backlit film's transillumination properties and together with the excellent flatness, ensure a high level of production reliability.

Art.-Nr. / Prod.No.	SOLUMAX2
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	transluzent milchig / translucent white
Medientyp / type of media	Backlit / backlit
Anwendungen / application media	Leuchtkästen, beleuchtete Displays und Graphic-Art / backlight boxes, frames, displays and graphic-art
Varianten / variants	1100 / 1370 / 1520 mm



Solvent Backlitfilm Lux Matt

polyester | matt | translucent | frontprint | 200 µm

Der EMBLEM Solvent Backlitfilm SOBALUX-M ist ein transluzenter Polyester Film mit hochweißer, matter Oberfläche, der als Frontlit bedruckt für hinterleuchtete Anwendungen wie Leuchtkästen im Innen- und Außenbereich eingesetzt wird. Der EMBLEM Solvent Backlitfilm Lux zeichnet sich durch brillante Farben, eine hervorragende Planlage und gute Trocknungseigenschaften aus. Das spezielle Coating des Films wurde für die Verwendung von Solvent, EcoSolvent, UV und Latex Tinten entwickelt.

EMBLEM Solvent Backlitfilm SOBALUX-M is a translucent polyester film with bright white matt coating for backlight application indoor and outdoor. The specific surface of SOBALUX-M permits a good ink coverage as well as brilliant colours, excellent flatness and good drying time. The special coating is developed for solvent, eco-solvent, UV curable and latex inks.

Art.-Nr. / Prod.No.	SOBALUX-M
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	transluzent / translucent
Medientyp / type of media	Backlit / backlit
Anwendungen / application media	Leuchtkästen, Messe- und Ladenbau, Display, Außenwerbung / lightbox, POS + exhibition stand, display, out-of-home advertising
Varianten / variants	762 / 914 / 1067 / 1270 / 1372 / 1524 mm



Solvent Backlitfilm Lux Matt Light

polyester | matt | translucent | frontprint | 160 µm

EMBLEM Solvent Backlitfilm Lux light ist ein transluzenter Polyester Film mit hochweißer matter Oberfläche, der als Frontlit bedruckt für hinterleuchtete Anwendungen wie Leuchtkästen im Innen- und Außenbereich eingesetzt wird. Er zeichnet sich durch sein geringes Gewicht aus.

Das spezielle Coating des Films wurde für die Verwendung von Solvent, EcoSolvent, UV und Latex Tinten entwickelt. Der EMBLEM Solvent Backlitfilm Lux zeichnet sich durch brillante Farben, eine hervorragende Planlage und gute Trocknungseigenschaften aus.

EMBLEM Solvent Backlitfilm Lux light is a translucent polyester film with bright white matt coating for backlight application indoor and outdoor. It is light in weight. The specific surface of SOBALUX-M-light permits a good ink coverage as well as brilliant colours, excellent flatness and good drying time. The special coating is developed for solvent, eco-solvent, UVC and latex inks.

Art.-Nr. / Prod.No.	SOBALUX-M-Light
Drucktechnologie / print technology	UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	transluzent / translucent
Medientyp / type of media	Polyester
Anwendungen / application media	Leuchtkasten, Messe- und Ladenbau, Display, Außenwerbung / lightbox, POS + exhibition stand, display, out-of-home advertising
Varianten / variants	1372 / 1524 mm



Solvent Backlit Film

polyester | glossy | translucent | frontprint | 220 µm

SOBF ist eine glänzende, transluzente Polyester Folie (Frontprint) für Leuchtkasten-Anwendungen im Innen- und Außenbereich. Die Folie ist ausgelegt für hochwertige Drucke mit Tinten auf Lösungsmittelbasis. EMBLEM SOBF zeichnet sich durch hohe Dimensionsstabilität und brillante, wasserbeständige Drucke aus.

SOBF is a glossy, translucent polyester film (front print) for illuminated displays for indoor and outdoor use. The foil is designed for top-quality prints with solvent inks. It is characterised by extreme dimensional stability and brilliant water-resistant prints.

Art.-Nr. / Prod.No.	SOBF
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	transluzent, glänzend / translucent, glossy
Medientyp / type of media	Backlit / backlit
Anwendungen / application media	Leuchtkasten, Messe- und Ladenbau / lightbox POS + exhibition stand
Varianten / variants	762 / 914 / 1067 / 1270 / 1372 / 1524 mm




Solvent Clear Film

polyester | glossy | cristal clear | PVC free | 195 µm

EMBLEM Solvent Clear Film ist eine klare, glänzende Folie mit einseitiger Spezialbeschichtung für Solvent und EcoSolvent-Tinten. Auf diesem Film werden wasserfeste Drucke von besonders hoher Farbbrillanz und Intensität erzielt. Die spezielle Zusammensetzung der Basisfolie gewährleistet eine sehr gute Planlage. Die Folie ist speziell entwickelt für Einsätze im Bereich der Schaufensterwerbung, Displays, Etiketten etc.

EMBLEM SOCF is a glossy clear film with one-side coating for solvent and eco-solvent inks. The print is waterproof with brilliant colours. This special film has a good flatness and the typical use is glas-decoration, exhibitions, backlit.

Art.-Nr. / Prod.No.	SOCP
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	transparent, wasserfest / transparent, waterproof
Medientyp / type of media	Film / film
Anwendungen / application media	Leuchtkasten, Messe- und Ladenbau, Display, Außenwerbung / lightbox, POS + exhibition stand, display, out-of-home advertising
Varianten / variants	1067 mm



Solvent Presentation Film PP

polypropylen | semi glossy | tear resistant | PVC free | 170 µm

EMBLEM SOPFPP ist eine reissfeste Polypropylenfolie mit Spezialbeschichtung für Solvent und EcoSolvent Tinten. Die Beschichtung bietet die Möglichkeit, hochwertige Drucke in Präsentationsqualität zu erreichen, die sich durch geringe Reflektion auszeichnen. Das SOPFPP ist wasserfest und sehr kratzfest. Typische Anwendungen sind: RollUp Displays, Schilder im Innen- und Außenbereich, POS Werbung, Fotoreproduktion, Displays.

EMBLEM SOPFPP is a tear-resistant polypropylen film with a special coating for solvent and eco solvent inks. The coating allows brilliant photo quality printing, short drying time and high saturation. SOPFPP is fully waterproof and mostly scratch resistant. The coating allows high-end presentation quality with bright colours and a very good contrast.

The prints are characterized by minor reflections.

Typical applications are: RollUp displays, signs for in- and outdoor, POS advertisement, photoreproduction, displays.

Art.-Nr. / Prod.No.	SOPFPP
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	wasserfest, opak / waterproof, opaque
Medientyp / type of media	Film / film
Anwendungen / application media	Leuchtkasten, Messe- und Ladenbau, Display / lightbox, POS + exhibition stand, display
Varianten / variants	762 / 914 / 1067 / 1372 mm



Solvent Polypropylen 180

polypropylen | semi matt | block out | PVC free | 180 µm

EMBLEM SOPP180 ist ein spezialbeschichteter Polypropylen Verbund mit guter Planlage. Eine schwarze Sperrschicht im Verbund gewährleistet eine besonders hohe Opazität gegen Durchleuchtung von Hinten. Die reflexarme Beschichtung ermöglicht wasserfeste Drucke mit guter Kratzbeständigkeit und exzellenter Farbwiedergabe. Der Film ist besonders gut für den Einsatz in RollUp und Display Systemen geeignet. Die gute Dimensionsstabilität ermöglicht auch den problemlosen Einsatz in L-Banner Systemen.

EMBLEM SOPP180 is a special coated polypropylene compound with a good flatness. Its high opacity comes from a black layer inside the compound. The semi matt coating is featured by minor reflections, brilliant colours and a good scratch resistance. It can be printed on with usual eco solvent, solvent, latex and UV curable inks. The film is especially suitable for roll-up and display systems. Because of the good dimensional stability its the ideal solution for L-display systems.

Art.-Nr. / Prod.No.	SOPP180
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, Eco Solvent
Medieneigenschaften / property media	opak /opaque
Medientyp / type of media	Film/ film
Anwendungen / application media	Präsentationssysteme, RollUp, L-Banner, Display, Poster, Schilder / displays, roll-up systems, POS, poster, signs, exhibitions panels
Varianten / variants	914 / 1100 mm



Solvent Polypropylen 200 GB

polypropylen | semi matt | grey back | PVC free | 200 µm

new

EMBLEM Solvent Polypropylen 200 Grey Back basiert auf einem hochwertigen Polypropylen Film. Die reflexarme Beschichtung wurde für die Bedruckung mit Solvent-, EcoSolvent-, UVC- und Latextinten entwickelt. Die ermöglicht wasserfeste Drucke mit guter Kratzbeständigkeit und exzellenter Farbwiedergabe. Die hohe Opazität der grauen Rückseite blockiert ein Durchscheinen von der Rückseite. Auf Grund der guten Planlage und hervorragender Rolleigenschaften eignet sich das EMBLEM SOPP200GB besonders gut für den Einsatz in Roll Ups und Präsentationssystemen.

EMBLEM Solvent Polypropylene 200 Grey Back is based on a high quality polypropylene film. The low-reflection coating was developed for printing with solvent, eco solvent, UVC and latex inks. It enables waterproof prints with good scratch resistance and excellent colour reproduction. The high opacity of the grey reverse side blocks shining through from the reverse side. Due to its good flatness and excellent rolling properties, EMBLEM SOPP200GB is particularly suitable for use in roll ups and presentation systems.

Art.-Nr. / Prod.No.	SOPP200GB
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	PP, graue Rückseite, hohe Opazität / PP, grey back, high opacity
Medientyp / type of media	Film / film
Anwendungen / application media	Präsentationssysteme, RollUp, L-Banner, Display, Poster, Schilder / displays, roll-up systems, POS, poster, signs, exhibitions panels
Varianten / variants	914 / 1067 mm



Solvent RollUp Film Silverback II

polyester | semi matt | slightly structured | silver metallic back | 200 µm

EMBLEM SORFSB2 ist eine spezialbeschichteter PET Verbund mit guter Planlage. Die semimatte silbermetallische Rückseite gewährleistet eine besonders hohe Opazität gegen Durchleuchtung von Hinten. Die spezielle Beschichtung kann mit handelsüblichen Solvent-, EcoSolvent-, UV- und Latextinten bedruckt werden. Die reflexarme Oberfläche ermöglicht wasserfeste Drucke mit guter Kratzbeständigkeit und exzellenter Farbwiedergabe. Durch die gute Dimensionsstabilität des EMBLEM SORFSB2 rollen die Seitenränder nicht ein (Tubing). Die Zusammensetzung der Basisfolie gewährleistet hervorragende Rolleigenschaften bei der Verwendung in Präsentationssystemen.

EMBLEM Solvent RollUp Film Silverback 2 is a special coated PET compound with a good flatness. The silver metallic coloured back side is the reason for the high opacity of the material. Due to its non reflecting surface the coating allows brilliant colours and good scratch resistance. It can be printed on with usual eco solvent, solvent, latex and UV curable inks. Because of the good flatness EMBLEM SORFSB2 has no side curl (tubing). Therefore it is the ideal solution for roll-up systems.

Art.-Nr. / Prod.No.	SORFSB2
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	wasserfest, opak / waterproof, opaque
Medientyp / type of media	Film / film
Anwendungen / application media	Messe- und Ladenbau, Display, Außenwerbung / POS + exhibition stand, display, out-of-home advertising
Varianten / variants	914 / 1067 / 1270 mm




Excellence Film Pro 240 adhesive

PP/PET | semi matt | high opacity | PVC free | perm. transp. adhesive | 240 µm

EMBLEM Excellence Film PRO 240 adhesive basiert auf einem Verbund aus Polypropylen und Polyester Filmen mit Block Out Eigenschaften. Die hochwertige Beschichtung ermöglicht eine brillante Farbwiedergabe und wurde für die Lamination optimiert. Das EXFIPRO240 kann mit gängigen EcoSolvent, Solvent, Latex und UV Tinten bedruckt werden.

EMBLEM Excellence Film PRO 240 adhesive is based on a composite of polypropylene and polyester films with block out properties. The high-quality coating enables brilliant colour reproduction and has been optimised for lamination. EXFIPRO240 can be printed with common EcoSolvent, Solvent, Latex and UV inks.

Art.-Nr. / Prod.No.	EXFIPRO240
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	PP Verbund mit schwarzer Sperrschicht, transparenter Kleber / coated PP compound with black layer, transparent adhesive
Medientyp / type of media	Film / film
Anwendungen / application media	Innenbereich professionelle Foto- und Kunstpaneele Beschilderung / indoor professional photo and art panels signage
Varianten / variants	1270 mm



Solvent Polypropylen 360

PP and PET | semi matt | black out | good stiffness | PVC free | 365 µm

EMBLEM Solvent Polypropylen 360 ist ein dimensionsstabiler Verbund aus Polypropylen und Polyester. Eine schwarze Sperrschicht im Verbund gewährleistet eine besonders hohe Opazität gegen Durchleuchtung von Hinten. Durch eine leichte seidenmatte Struktur der Oberfläche sind die Drucke reflexarm. Eine brillante Farbwiedergabe und hohe Tintenaufträge sind durch die hochwertige Beschichtung möglich. Deshalb ist das EMBLEM Solvent Polypropylen 360 besonders gut für den Einsatz in PopUp Systemen geeignet. In Verbindung mit einem Sand oder Floorgraphics Laminat aus der EMBLEM MOLAM Serie wird die Steifigkeit noch erhöht. Das Produkt ist frei von PVC.

EMBLEM Solvent Polypropylene 360 is a dimensionally stable composite of polypropylene and polyester. A black barrier layer in the composite ensures a particularly high opacity against backlighting. Due to the light silk matt structure of the surface, the prints are low-reflective. Brilliant colour reproduction and high ink coverage are possible due to the high-quality coating. This is why EMBLEM Solvent Polypropylene 360 is particularly suitable for use in pop-up systems. In combination with a sand or floorgraphics laminate from the EMBLEM MOLAM series, the stiffness is increased even further. The product is free of PVC.

Art.-Nr. / Prod.No.	SOPP360
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, Eco Solvent
Medieneigenschaften / property media	PP Verbund mit schwarzer Sperrschicht / coated PP compound with black layer
Medientyp / type of media	Film / film
Anwendungen / application media	PopUp Systeme, Präsentations Systeme, Displays, Poster, Werbung im Innenbereich / pop up systems, presentation systems, displays, posters, indoor advertising
Varianten / variants	914 / 1067 / 1270 mm



Solvent Polypropylen 450

PP and PET | semi matt | block out | high stiffness | PVC free | 450 µm

EMBLEM Solvent Polypropylen 450 ist ein dimensionsstabiler Verbund aus Polypropylen und Polyester mit großer Stabilität. Durch eine leichte seidenmatte Struktur der Oberfläche sind die Drucke reflexarm. Die spezielle Beschichtung ermöglicht wasserfeste Drucke mit guter Kratzbeständigkeit, brillanter Farbwiedergabe und kann mit handelsüblichen Solvent-, EcoSolvent-, UVC- und Latextinten bedruckt werden. Das SOPP450 ist durch eine optische Sperrschicht lichtdicht und frei von PVC.

EMBLEM Solvent Polypropylene 450 is a polypropylene-polyester compound with high dimension stability. Its high opacity comes from a black layer in the compound. The slightly structured surface of the semi matt coating is featured by minor reflections, brilliant colours and good scratch resistance. It can be printed on with usual eco solvent, solvent, latex and UV curable inks. SOPP450 is lightproof and has a high stiffness. This product is free of PVC.

Art.-Nr. / Prod.No.	SOPP450
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	PP Verbund mit schwarzer Sperrschicht / coated PP compound with black layer
Medientyp / type of media	Film / film
Anwendungen / application media	Präsentations-Systeme, RollUp, L-Banner, Display, Poster Schilder / roll up, L-displays, displays, POS, posters, signs
Varianten / variants	914 / 1067 / 1524 mm



Solvent POS Film Plus FR

rigid PVC | semi matt | waterproof | B1 DIN 4102 | French M1 | 300 µm

EMBLEM SOPFPR ist eine weiße Hart-PVC-Folie für UV und lösemittelhaltige Tinten. Die Drucke sind wasserbeständig und erzielen eine brillante Farbwiedergabe auf der semimatten Oberfläche. Die Trocknung des bedruckten Mediums ist stark abhängig von den Tinten und der Tintenmenge. Beim Bedrucken der Folie im Rolle-zu-Rolle-Verfahren sollte die bedruckte Bahn möglichst schnell wieder entrollt werden, um ganz durchzutrocknen.

Diese Folie lässt sich im Innen- und im Außenbereich einsetzen. SOPFPR ist ösbar und klebbar.

EMBLEM SOPFPR is a tear-resistant polypropylenfilm with a special coating for solvent and eco-solvent inks. The coating allows brilliant photo quality printing, short drying time and high saturation. SOPFPR is fully waterproof and mostly scratch resistant. The coating allows high-end presentation quality with bright colours and a very good contrast.

The prints are characterized by minor reflections. Typical applications are: RollUp displays, signs for in- and outdoor, POS advertisement, photoreproduction, displays.

Art.-Nr. / Prod.No.	SOPFPR
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	schwer entflammbar, opak / flame retardant, opaque
Medientyp / type of media	Film / film
Anwendungen / application media	Leuchtkasten, Messe- und Ladenbau, Plakat, Display / lightbox, POS + exhibition stand, display, bill
Varianten / variants	1050 / 1372 mm



Solvent Popup Film 410

rigid PVC | matt | high opacity | B1 DIN 4102 | 410 µm

EMBLEM SOPF410 ist eine spezialbeschichteter Hart-PVC Film mit hoher Festigkeit. Die reflexarme Beschichtung kann mit handelsüblichen Solvent-, EcoSolvent- und UVC-Tinten bedruckt werden und ermöglicht wasserfeste Drucke mit guter Kratzbeständigkeit und exzellenter Farbwiedergabe. Durch die hohe Festigkeit ist das EMBLEM SOPF410 bestens geeignet zur Herstellung von PopUp Systemen.

EMBLEM SOPF410 is a special coated rigid PVC film with high stability. The coating is featured by minor reflections, brilliant colours and good scratch resistance. It can be printed on with common eco solvent-, solvent- and UVC--based inks. Typical applications for SOPF410 are popup systems, displays, posters, signs, exhibition panels. The high stiffness makes EMBLEM SOPF410 the ideal solution for popup application.

Art.-Nr. / Prod.No.	SOPF410
Drucktechnologie / print technology	Mild Solvent, UVC, Solvent, EcoSolvent
Medieneigenschaften / property media	matt, weiß, beschichtet, flammhemmend ausgerüstet / matt, white, coated, flame retardant treatment
Medientyp / type of media	Film / film
Anwendungen / application media	Displays, Poster, PopUp Systeme, Schilder, Messe- und Ladenbau / displays, posters, popup systems, signs, exhibition panels
Varianten / variants	914 / 1067 mm



Solvent Banner Heavy Block Out 780 FR

PVC | cast coated | semi matt | 2 side printable | B1 DIN 4102 | 780 g/m²

Das EMBLEM Solvent Banner Block Out 780 FR hat durch das graue Basisgewebe eine besonders hohe Opazität, so dass hinter dem Banner liegende Flächen optimal abgedeckt werden und Drucke von der Rückseite nicht durchscheinen. Das Banner SOBBO780FR kann beidseitig mit gängigen Solvent, EcoSolvent, Latex und UV-Tinten bedruckt werden. Es hat eine gute Planlage und wurde in einem aufwendigem Prozess als gegossenes Banner hergestellt. Das SOBBO780FR kann vielseitig für mittel- und langfristige Banneranwendungen eingesetzt werden, da es eine hohe Witterungs- und UV-Beständigkeit besitzt. Es kann auch in Innenräumen verwendet werden, da es der Brandschutzklasse B1 entspricht. Das SOBBO780FR kann mit den richtigen Werkzeugen geöst, verschweißt oder vernäht werden.

EMBLEM Solvent Banner Block Out 780 FR with its grey basic fabric guarantees high opacity. Areas behind are covered perfectly. Prints from the back do not show through. With common solvent-, eco solvent-, latex- and UV-inks you can print on both sides of our SOBBO780FR. As a cast banner it has an optimal flatness. Because of its resistance to weather and to UV-radiation it is versatilely applicable for middle- and long-term use. It corresponds to fire protection classification B1. So it can be used in interiors. The SOBBO780FR can be eyed, welded and sewed. During finishing the user has to make sure that adequate tools are used.

Art.-Nr. / Prod.No.	SOBBO780FR
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	schwer entflammbar, opak, mit Sperrschicht / flame retardant, opaque, with barrier layer
Medientyp / type of media	Banner / banner
Anwendungen / application media	Messe- und Ladenbau, Außenwerbung / POS + exhibition stand, out-of-home advertising
Varianten / variants	762 / 1067 / 1372 / 1600 mm



Solvent Banner Block Out 610 FR

PVC | semi coated | semi matt | 2 side printable | B1 DIN 4102 | 610 g/m²


EMBLEM Solvent Banner Block Out 610 FR ist ein mittelschweres PVC-Banner mit einer grauen Sperrschicht. Diese Sperrschicht verhindert störendes Durchleuchten selbst bei hellem Licht. Die druckseitig kalandrierte, matt weiße Oberfläche bildet durch die feine Gewebebasis eine gleichmäßige Deckschicht, die hervorragende Druckergebnisse ermöglicht. Das Banner SOBBO610FR kann beidseitig mit gängigen Solvent-, EcoSolvent-, Latex- und UVCTinten bedruckt werden, wobei die Rückseite produktionsbedingt etwas matter ist. Das EMBLEM SOBBO610FR kann vielseitig für kurz- und mittelfristige Banneranwendungen eingesetzt werden. Es kann auch in Innenräumen verwendet werden, da es der Brandschutzklasse B1 entspricht.

Hauptanwendung sind kurz- bis mittelfristige Werbebotschaften im Innen- und Außenbereich.

EMBLEM Solvent Banner Block Out 610 FR is a medium weight PVC banner with a grey barrier layer. This barrier prevents unwanted illumination from back even in bright light. The fine fabric base forms a uniform cover layer and enables excellent printing results on the calendared, matt-white surface. You can print on both sides. The back is a little more matt what is related from production process.

EMBLEM SOBBO610FR is versatilely applicable for short- and middle-term use. It corresponds to fire protection classification B1. So it can be used in interiors.

Art.-Nr. / Prod.No.	SOBBO610FR
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	schwer entflammbar, opak, mit Sperrschicht / flame retardant, opaque, with barrier layer
Medientyp / type of media	Banner / banner
Anwendungen / application media	Messe- und Ladenbau, Außenwerbung / POS + exhibition stand, out-of-home advertising
Varianten / variants	1100 / 1370 / 1600 / 3200 mm




Solvent Value Banner Blockout FR II

PVC | semi coated | semi matt | 2 side printable | B1 DIN 4102 | 440 g/m²

EMBLEM Solvent Value Banner BlockOut 440 FR II ist ein kalandriert beschichtetes PVC Banner mit einem Polyester Gewebekern. Eine graue Sperrschicht sorgt für eine hohe Opazität und verhindert störendes Durchleuchten selbst bei hellem Licht. Das Banner entspricht der Brandschutzklasse B1 und kann damit auch in Innenräumen eingesetzt werden. Die semimatt weiße, gleichmäßige Deckschicht ermöglicht hervorragende Druckergebnisse. Auch die matte Rückseite, die eine leichte Struktur aufweist, läßt sich gut bedrucken. Die leichte Struktur verhindert ein zusammenkleben des Banners im aufgerollten Zustand. Das EMBLEM Banner SOVBBO440FR2 kann beidseitig mit gängigen Solvent-, EcoSolvent-, Latex- und UVC-Tinten bedruckt werden.

EMBLEM Solvent Value Banner BlockOut 440 FR II is a calendered coated PVC banner based on polyester scrim. A grey layer guarantees high opacity and prevents even bright light from shining through. SOVBBO440FR2 corresponds to fire protection classification B1, so it can be used in interiors. The banner is flame retardant and can be used easily indoors. The semi matt white surface contributes to excellent printing results. The matt back is very well suited for printing. It has slightly structure which prevents a sticking together of the banner in the rolled-up state. You can print on both sides of SOVBBO440FR2 with common solvent-, eco solvent-, latex- and UVC-inks.

Art.-Nr. / Prod.No.	SOVBBO440FR2
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	schwer entflammbar, opak, mit Sperrschicht / flame retardant, opaque, with barrier layer
Medientyp / type of media	Banner / banner
Anwendungen / application media	Messe- und Ladenbau, Außenwerbung / POS + exhibition stand, out-of-home advertising
Varianten / variants	1100 / 1370 / 1600 mm



Solvent Frontlit Banner 510 SM FR II

semi coated PVC banner | semi matt | frontprint | B1 DIN 4102 | 510 g/m²

EMBLEM SOFBSM510FR2 ist ein vielseitig einsetzbares Frontlit Banner, das schwer entflammbar ist. Durch den hochwertigen Polyester Gewebekern wird eine hohe Reißfestigkeit erreicht. Die Oberfläche des Semi-Coated Banners ermöglicht eine brillante Wiedergabe der Druckfarben. Das Banner SOFB510SMFR2 kann mit gängigen Solvent, EcoSolvent, Latex und UV-Tinten bedruckt werden. Die Hauptanwendung für dieses Banner ist kurz- und mittelfristige Außenwerbung. Da SOFB510SMFR2 schwer entflammbar ist nach DIN 4102, kann es auch in Innenräumen eingesetzt werden.

EMBLEM SOFBSM510FR2 is a versatile frontlit banner that is flame retardant. A high tensile strength is achieved by the high-quality polyester fabric core. The surface of the semi-coated banner enables a brilliant reproduction of the printing inks. The SOFB510SMFR2 banner can be printed with common solvent, eco-solvent, latex and UV inks. The main application for this banner is short- and medium-term outdoor advertising. Since SOFB510SMFR2 is not easily flammable according to DIN 4102, it can also be used indoors.

Art.-Nr. / Prod.No.	SOFB510SMFR2
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	schwer entflammbar, opak / flame retardant, opaque
Medientyp / type of media	PVC beschichtetes Gewebe / PVC coated scrim
Anwendungen / application media	Messe- und Ladenbau, Außenwerbung / POS + exhibition stand, out-of-home advertising
Varianten / variants	1100 / 1370 / 1600 / 2200 / 2650 / 3200 mm




Production Banner 440 Semi Matt II

PVC | laminated | semi matt | 440 g/m²

EMBLEM PROBA440SM2 ist ein laminiertes PVC-Banner mit einem Polyester Gewebekern. Es wurde für die Bedruckung als Frontlit entwickelt. Die weiße, semimatte Deckschicht ermöglicht eine ausgezeichnete Farbwiedergabe. Die leichte Struktur der Rückseite verhindert ein Zusammenkleben des Banners im aufgerollten Zustand. Das EMBLEM Banner PROBA440SM kann mit gängigen Solvent-, EcoSolvent-, Latex- und UVC-Tinten bedruckt werden. Das Material ist ösbar, klebbar und nähbar. Es kann vielseitig für kurzfristige Werbung eingesetzt werden.

EMBLEM PROBA440SM2 is a laminated PVC banner with a brand polyester fabric core. It has been developed for using as frontlit. The white semi matt surface enables excellent color reproduction. The structure at the back prevents the banner of sticking together of the banner in the rolled-up state. The EMBLEM Banner PROBA440SM2 can be printed with common solvent, eco solvent, latex and UVC inks. The material can be eyed, welded, is stickable and sewable. The main use of this banner is short-term advertising.

Art.-Nr. / Prod.No.	PROBA440SM2
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	opak / opaque
Medientyp / type of media	Banner / banner
Anwendungen / application media	kurzfristige Werbebotschaften / short-term advertising
Varianten / variants	760 / 1100 / 1370 / 1520 / 1600 mm



Solvent Multipurpose Banner 340 FR

PVC banner | non curling | printable on two sides | FR M1/B1 | 340 g/m²

EMBLEM Solvent Multipurpose Banner 340 FR ist ein Frontlit Banner für anspruchsvolle Anwendungen. Basierend auf einem Hochleistungs-Polyester Gewebe hat das Banner eine hohe Dimensionsstabilität und Reißfestigkeit. Die matte Oberfläche des echten kalandrierten Banners minimiert Lichtreflexionen und zeigt eine leichte Struktur des Gewebes. Beide Seiten des EMBLEM SOMBA340FR lassen sich mit gängigen Solvent, EcoSolvent, Latex und UV-Tinten bedrucken und ermöglichen eine brillante Wiedergabe der Druckfarben. Da es keinen Curl Effekt hat, eignet es sich besonders für RollUps und freihängende Banner Anwendungen. Die Hauptanwendung für dieses Banner ist kurz- und mittelfristige Außenwerbung. Das EMBLEM SOMBA340FR wird in Europa produziert und ist schwer entflammbar ist nach DIN 4102-1.

EMBLEM Solvent Multipurpose Banner 340 FR is a frontlit banner for demanding applications. Based on a high performance polyester fabric, the banner has high dimensional stability and breaking strength. The matt surface of the authentic calendered banner minimizes light reflections and shows a light structure of the fabric. Both sides of the EMBLEM SOMBA-340FR can be printed with common solvent, eco-solvent, latex and UV inks and allow brilliant reproduction of the printing inks. As it has no curl effect, it is particularly suitable for roll-ups and free-hanging banner applications. The main application for this banner is short- and medium-term outdoor advertising. The EMBLEM SOMBA340FR is produced in Europe and is flame-retardant to DIN 4102-1,

Art.-Nr. / Prod.No.	SOMBA340FR
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	opak, kein Curl, reißfest, schwer entflammbar / opaque, no curl, tear-resistant, flame retardant
Medientyp / type of media	Banner / banner
Anwendungen / application media	Innen- und Außenwerbung, Werbung am POS, RollUps, Displays und Deckenhänger / indoor and outdoor advertising, POS advertising, roll-ups, displays and ceiling hangers
Varianten / variants	900 / 1100 / 1600 / 2500 mm



Solvent Mesh High Quality FR

PVC | coated mesh | semi matt | B1 DIN 4102 | 260 g/m²

EMBLEM SOMEHQFR ist ein PVC beschichtetes Netzgewebe mit gleichmäßiger Gewebestruktur. Das Gewebe des Banners basiert auf einem hochfestem Polyester Garn. Vorteile des SOMEHQFR sind die Lichtdurchlässigkeit - es hat einen Öffnungswert von ca. 17 % bei frontaler Ansicht - und das geringere Gewicht im Vergleich zu einem geschlossenem Banner. Der eingearbeitete Quervaden und die gleichmäßige Struktur sorgen für ein ausgezeichnetes Druckbild und eine überzeugende Optik. Das Netzbanner SOMEHQFR kann mit gängigen Solvent, EcoSolvent, Latex und UV-Tinten bedruckt werden. Das Medium ist rückseitig mit einer Trägerfolie kaschiert, die einen optimalen Schutz gegen das Durchschlagen von Tinte beim Druckvorgang bietet und den Einsatz von Druckern mit Ansaugtisch ermöglicht.

EMBLEM SOMEHQFR is a PVC coated mesh fabric with an even structure. The fabric of the banner is based on a high-strength polyester yarn. Advantages of the SOMEHQFR are the light transmission - it has an opening value of approx. 17% with frontal view - and the lower weight compared to a closed banner. The integrated cross fibre and the even structure ensure an excellent print image and a convincing appearance.

The mesh banner SOMEHQFR can be printed with common Solvent, EcoSolvent, Latex and UV inks. The medium is laminated on the back with a carrier foil, which offers an optimal protection against the penetration of ink during the printing process and enables the use of printers with suction table.

Art.-Nr. / Prod.No.	SOMEHQFR
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	mit Flammschutz ausgerüstet / with flame treatment
Medientyp / type of media	Banner / banner
Anwendungen / application media	Abspannung von Gerüsten und Zäunen, Werbebotschaften im Innen- und Außenbereich / covering scaffolds, indoor & outdoor promotional messages
Varianten / variants	1100 / 1372 / 1520 / 1600 / 3200 mm



Solvent Textile Banner Lite FR

polyester fabric | satin | frontprint | FR | 135 g/m²

SOTBLFR2 ist ein schwer entflammbarer Polyesterstoff der speziell für Bedruckung mit Lösemittel basierenden Tinten entwickelt wurde. Durch die seidengänzende Oberfläche werden hochwertige Drucke mit intensiven Farben und guten Kontrasten erreicht. SOTBLFR2 ist für Anwendungen im Innen- und Außenbereich geeignet. Das Material ist nährbar und ösbar.

EMBLEM SOTBLFR2 is a flame-retardant cloth especially made for solvent based inks. Associated with the satin-finishing this medium allows high-quality prints with intensive colours and well defined contrasts. SOTBLFR2 is suitable for in- and outdoor use. The material is sewable and can be eyed.

Art.-Nr. / Prod.No.	SOTBLFR2
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	schwer entflammbar opak / flame retardant, opaque
Medientyp / type of media	Textil / textile
Anwendungen / application media	Kunstdruck, Messe- und Ladenbau, Display / art print, POS + exhibition stand, display
Varianten / variants	762 / 1067 / 1372 / 1524 mm



Solvent Magic Textile II

polyester fabric | matt | frontlit and backlit prints | B1 DIN 4102 | 180 g/m²

EMBLEM Solvent Magic Textile II ist ein transluzentes Polyestergewebe für interior Design und textile Backlit Anwendungen. Es ermöglicht kräftige Farben bei durchleuchteten Anwendungen und als klassisches Frontlit-Textil. Bei der Verwendung als Backlit hat es gute Day&Night Eigenschaften.

Die Prüfung auf Schwerentflammbarkeit nach DIN 4102 hat das SOMATE2 mit B1 bestanden und kann problemlos in Innenräumen eingesetzt werden. Typische Anwendungen sind Messe- und Ladenbau, POS, Rahmen- und Spannsysteme, Leuchtkästen.

EMBLEM Solvent Magic Textile II is a translucent polyester fabric for interior design and textile backlit application. It allows bright colours with backlit applications and as a typical frontlit fabric. When used as a backlit it offers good Day & Night properties. EMBLEM SOMATE can be backlit well, the textile structure is barely visible and the coating is resistant to stress whitening.

The textile passed the test of the flammability (building class B1) according to DIN 4102-1 with the result B1 and can be used easily indoors. Typical applications are exhibition and shop building, POS, frame and tension systems, light boxes.

Art.-Nr. / Prod.No.	SOMATE2
Drucktechnologie / print technology	Latex, UVC, Solvent, EcoSolvent
Medieneigenschaften / property media	beschichtet, gewebt, schwer entflammbar / coated, woven, flame retardant
Medientyp / type of media	Textil/ textile
Anwendungen / application media	Rahmen- und Spannsysteme, Leuchtkästen, Messe- und Ladenbau, POS / frame and tension systems, lightbox, exhibition and shop building, POS
Varianten / variants	1372 / 1600 / 2500 / 2650 / 3200 mm



Solvent Magic Salt & Pepper Textile 260

polyester fabric | black out | salt & pepper back | B1 DIN 4102 | 260 g/m²

EMBLEM Solvent Magic Salt & Pepper Textil 260 ist ein hoch opakes Polyestergewebe für interior Design und Display Anwendungen. Es ermöglicht kräftige Farben als klassisches Frontlit-Textil mit Block out Funktion. Die seidenmatte Oberfläche weist eine hochwertige Beschichtung auf. Zusätzlich ist das SOMASP260 flammhemmend ausgerüstet. Typische Anwendungen sind Display Systeme, Rollup Banner, Messe- und Ladenbau, Wanddekorationen und Vorhänge.

EMBLEM Solvent Magic Salt & Pepper Textile 260 is a high opaque polyester fabric for interior design and textile backlit application. It allows excellent colors as a classic frontlit textile with block out function. The silky matt surface shows a high quality coating. Additionally SOMASP260 is flame retardant. Typical applications are display systems, rollup banner, trade fair and shop construction, POS, wall decorations and curtains.

Art.-Nr. / Prod.No.	SOMASP260
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, Latex, Eco Solvent
Medieneigenschaften / property media	beschichtet, gewebt, schwer entflammbar / coated, woven, flame retardant
Medientyp / type of media	Textil / textile
Anwendungen / application media	Display Systeme, RollUp, Messe- und Ladenbau, Wanddekoration, Vorhänge / display systems, rollup banners, trade fair and shop construction, POS, wall decorations and curtains
Varianten / variants	1067 / 1600 / 3200 mm



Solvent Textile Banner Heavy FR II

polyester fabric | matt | frontprint | B1 DIN 4102 | 245 g/m²

new

EMBLEM Solvent Textile Banner Heavy FR II basiert auf einem Polyestergewebe. Die wasserbasierende Beschichtung kann mit handelsübliche Eco Solvent, Solvent, Latex und UV Tinten bedruckt werden. Die reflexarme Beschichtung ermöglicht farbkraftige Drucke für Werbung. Das Textil kann vielseitig eingesetzt werden und überzeugt mit seiner klaren textilen Oberfläche und einer angenehm stabilen Haptik.

Es wird eingesetzt zum Beispiel für Werbung am POS, Messe- und Bühnendekoration, Displays und Flying Banner. Das EMBLEM SOTBHEFR2 ist PVC frei, enthält keine Phthalate und Schwermetalle. Es ist Reach konform gemäß der EU Verordnung 1907/2006.

EMBLEM Solvent Textile Banner Heavy FR II is based on a polyester fabric. The water-based coating can be printed with standard eco solvent, solvent, latex and UV inks. The low-reflective coating enables colourful prints for advertising. The textile can be used in many ways and convinces with its clear textile surface and a pleasant stable feel.

It is used, for example, for POS advertising, trade fair and stage decoration, displays and flying banners.

EMBLEM SOTBHEFR2 is PVC-free and contains no phthalates or heavy metals. It is Reach compliant according to EU Regulation 1907/2006.

Art.-Nr. / Prod.No.	SOTBHEFR2
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	beschichtet, gewebt, opak, PVC frei, Phthalat frei / coated, woven, opaque, PVC free,
Medientyp / type of media	Textil / textile
Anwendungen / application media	Werbung am POS, Messe- und Bühnendekoration, Displays und Flying Banner / POS advertising, trade fair and stage decoration, displays and flying banners
Varianten / variants	1067 / 1370 / 1520 mm




Contract Fabric Banner 320 Grey Back

polyester fabric | grey back | B1 DIN 4102 | 355 g/m²

Das EMBLEM Contract Fabric Banner 320 Grey Back ist ein PVC Banner für gewerbliche Nutzung mit textiler Struktur. Die graue Rückseite ermöglicht eine hohe Kontaktopazität. Somit werden Untergründe von dem Banner sehr gut abgedeckt. Die textile Struktur der Oberfläche reduziert Lichtreflexionen durch Beleuchtung und besitzt eine ausgezeichnete Farbwiedergabe. Es ist mit handelsüblichen Solvent, EcoSolvent, Latex und UV Tinten bedruckbar. Auf Grund dieser Vorteile und seinem geringen Gewicht wird das EMBLEM COFABA320GB eingesetzt für Wandbespannungen und Vorhänge im Objektgeschäft, Displays, Projektionsleinwand und als Canvas Alternative.

The EMBLEM Contract Fabric Banner 320 Grey Back is a PVC banner for commercial use with textile structure. The grey back enables a high contact opacity. Therefore substrates are covered very well by the banner. The textile structure of the surface reduces light reflections by illumination and has an excellent colour reproduction. It can be printed with standard solvent, eco solvent, latex and UV inks. Because of these advantages and its low weight, the EMBLEM COFABA320GB is used for wall coverings and curtains in contract business, displays, projection screens and as a canvas alternative.

Art.-Nr. / Prod.No.	COFABA320GB
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, Latex, Eco Solvent
Medieneigenschaften / property media	gewebte Basis, strukturierte PVC Beschichtung, graue Rückseite / woven base, structured PVC coating, grey back
Medientyp / type of media	Textil / textile
Anwendungen / application media	Wandbespannungen, Vorhänge, Displays, Projektionsleinwände und Leinwände in Hotelketten, Bürogebäuden, Schulen, Appartmenthäusern und anderen Objekten / wall coverings, curtains, displays, projection screens and canvases in hotel chains, office buildings, schools, apartment buildings and other objects
Varianten / variants	1600 / 3200 mm



Solvent Sticky Textile Banner Removable

polyester fabric | matt | adhesive | repositional | high opacity | 190 g/m²

Mit EMBLEM SOSTBAR lassen sich dekorative Wandgestaltungen und edle Messedekorationen verwirklichen. Dieses Textil ermöglicht eine detailreiche Farbwiedergabe durch eine feine Textilstruktur und ein auf aktuelle Tinten abgestimmtes Inkjet Coating. Einfachste Verarbeitung durch ein dimensionsstabiles Polyestergewebe und einen repositionierbaren Kleber. Edle Dekorationen im Innenbereich lassen sich mit EMBLEM SOSTBAR durch das selbstklebende Gewebe leicht und sauber umsetzen. EMBLEM Solvent Sticky Textil Banner Removable kann mit gängigen Solvent, EcoSolvent, Latex und UV Tinten bedruckt werden. Der Kleber des SOSTBAR ist so konzipiert, dass sich das Textil innerhalb von 6 Monaten rückstandsfrei von den meisten Untergründen entfernen lässt.

EMBLEM SOSTBAR is made for wall decoration and noble fair decoration. The fine textile surface structure and the special coating adapted for contemporary inks provide excellent colours. The dimensional stability of the fabric and the use of repositionable adhesive make easy processing possible. EMBLEM SOSTBAR allows clean and easy realisation of noble indoor decoration with adhesive textile. You can print on EMBLEM SOSTBAR with common eco solvent, solvent, UV and latex based inks. Due to the special adhesive EMBLEM SOSTBAR is residue-free removable from most subsurfaces within 6 month.

Art.-Nr. / Prod.No.	SOSTBAR
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	selbstklebend, opak / adhesive, opaque
Medientyp / type of media	Textil / textil
Anwendungen / application media	Tapete, Messe- und Ladenbau, Display / wallpaper, POS + exhibition stand, display
Varianten / variants	1067 / 1370 mm



Solvent Canvas III

poly-cotton | matt | slightly stretchy | weave 2:1 | 410 g/m²

EMBLEM SOCA3 basiert auf einem hochwertigen Leinwandgewebe. Durch die Polyester-Baumwoll Mischung erhält das Gewebe eine hohe Dimensionsstabilität. Wegen dieser Rohstoffauswahl gehören durchhängende Leinwände, bedingt durch schwankende Luftfeuchtigkeit, der Vergangenheit an. Dank des leicht dehnbaren Gewebes und der flexiblen Beschichtung kann das SOCA3 problemlos und ohne Weißbruch auf Spann- und Keilrahmen aufgezogen werden. Die reflexionsfreie Beschichtung auf der gleichmäßigen Gewebestruktur ermöglicht einen uneingeschränkten Einsatz in Galerien. Intensive Farben sind auf der warmweißen Beschichtung möglich.

EMBLEM SOCA3 is a high-quality canvas fabric. The combination of polyester and cotton ensures excellent dimensional stability of the fabric. Due to this selection of raw material, slack canvas caused by inconstant humidity is a thing of the past. Thanks to the slightly stretchy fabric and flexible coating, SOCA3 can be easily applied to canvas frame with no stress whitening. The reflection-free coating on the even fabric structure makes it ideal for use in galleries. The warm white coating produces intensive colours.

Art.-Nr. / Prod.No.	SOCA3
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	opak / opaque
Medientyp / type of media	Canvas Textil / canvas fabric
Anwendungen / application media	künstlerische Präsentationen, exklusiver Wandschmuck, Foto-Kunstobjekte, Kunstreproduktionen / art presentations, exclusive wall decoration, photo-art objects, art reproduction
Varianten / variants	1372 / 1524 mm



Production Canvas 240 Matt

polyester | matt | no stress whitening | weave 2:1 | 260 g/m²

EMBLEM PROCA240M basiert auf einem hochwertigen Polyestergewebe mit hoher Dimensionsstabilität. Die gleichmäßige Canvasstruktur ermöglicht hochwertige Drucke mit kräftigen Farben. Eine reibungslose Weiterverarbeitung wird durch die gute Planlage gewährleistet. Das PROCA240M kann dank seiner flexiblen Beschichtung problemlos auf Spann- und Keilrahmen aufgezogen werden, ohne den häufig auftretenden Weißbruch. Die Oberfläche ist reflexionsfrei und kann mit handelsüblichen Eco-Solvent, Solvent, Latex und UV Tinten bedruckt werden.

EMBLEM PROCA240M is based on a high quality polyester fabric with high dimensional stability. The consistent canvas structure allows quality prints with vibrant colours. A smooth further processing is ensured by the good flatness. The PROCA240M can be mounted easily onto stretcher frames without stress whitening because of its flexible coating. Furthermore it has a non reflecting surface and is made for printing with common eco solvent, solvent, latex and UVC based inks.

Art.-Nr. / Prod.No.	PROCA240M
Drucktechnologie / print technology	Mild Solvent, UV, Solvent, EcoSolvent, Latex
Medieneigenschaften / property media	opak / opaque
Medientyp / type of media	beschichtetes polyester Gewebe / polyester weave
Anwendungen / application media	künstlerische Präsentationen, exklusiver Wandschmuck, Foto-Kunstobjekte, Kunstreproduktionen / art presentations, exclusive wall decoration, photo-art objects, art reproduction
Varianten / variants	1070 / 1370 / 1520 mm



Solvent BlueBack Professional II

paper | matt | high opacity | water resistant | 120 g/m²

EMBLEM Solvent BlueBack PRO 2 ist ein matt weißes, barrieregestrichenes Papier für den Einsatz auf Druckern mit lösemitelbasierenden Tinten. Es ist aufgrund der ausgesprochen hohen Opazität, bedingt durch die blaue Rückseite, besonders gut für Plakatanwendungen im Innen- und Außenbereich geeignet. Bereits mit EcoSolvent Tinten werden fotorealistische Drucke erzielt. Die spezielle Oberfläche überzeugt durch eine gute Tintenaufnahme, sowie einer guten Farbbrillanz.

EMBLEM Solvent BlueBack PRO 2 is a matt, white, barrier coated paper for solvent based inks. Because of the high opacity, due to the blue back, it is an excellent medium for billboard applications in- and outdoor. With eco solvent inks you get photorealistic prints. The specific surface permits a good ink coverage and brilliant colours.

Art.-Nr. / Prod.No.	SOBBPRO2
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	barrieregestrichenes Papier, wasserfest / barrier coated Paper, water resistant
Medientyp / type of media	Papier, blueback/ paper blueback
Anwendungen / application media	Plakatwände / billboards
Varianten / variants	762 / 1067 / 1270 / 1372 / 1524 / 1626 mm



Solvent BlueBack Professional III

paper | satin | high opacity | water resistant | 135 g/m²

new

EMBLEM Solvent BlueBack Professional III ist ein weißes, nassfestes Papier mit blauer Rückseite. Es wurde entwickelt für Plakatwerbung im Innen- und Außenbereich. Die satin Oberfläche ermöglicht eine kontrastreiche und kräftige Farbwiedergabe ohne unangenehme Reflexionen bei Sonnenschein. Zusätzlich wird durch die Beschichtung eine schnelle Trocknung unterstützt. Es besitzt gute Eigenschaften beim Falten und hat eine gute Dimensionsstabilität und Nassfestigkeit. Das EMBLEM SOBBPRO3 hat durch die blau beschichtete Rückseite eine ausgezeichnete trocken Opazität, die darunter liegende Drucke abdeckt. Es kann mit handelsüblichen Eco-Solvent, Solvent, Latex und UV Tinten bedruckt werden. Aus Ökologischer Sicht ist SOBBPRO3 als reines Papierprodukt sehr umweltverträglich, es ist chlorfrei, säurefrei, PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent BlueBack Professional III is a white, wet-strength paper with blue backing. It was developed for indoor and outdoor billboard advertising. The satin surface enables a high-contrast and powerful colour reproduction without unpleasant reflections in sunshine. In addition, the coating supports fast drying. It has good properties when folded and has good dimensional stability and wet strength. EMBLEM SOBBPRO3 has excellent dry opacity due to the blue coated reverse side, which covers underlying prints. It can be printed with common eco solvent, solvent, latex and UV inks.

From an ecological point of view, SOBBPRO3 is very environmentally friendly as a pure paper product, it is chlorine-free, acid-free, PVC-free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOBBPRO3
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	opak, nassfest, blaue Rückseite/ wet strength, opaque, blue back
Medientyp / type of media	Papier / paper
Anwendungen / application media	Plakatwände / billboards
Varianten / variants	1067 / 1372 / 1600 mm



Solvent BlueBack High Quality II

paper | semi glossy | high opacity | water resistant | 120 g/m²

EMBLEM Solvent BlueBack HQ 2 ist ein semigläzendes, weißes, barrieregestrichenes Papier für den Einsatz auf Druckern mit lösemittelbasierenden Tinten. Es ist aufgrund der hohen Opazität, bedingt durch die blaue Rückseite, besonders gut für Plakatanwendungen im Innen- und Außenbereich geeignet. Bereits mit EcoSolvent Tinten werden fotorealistische Drucke erzielt. Es zeichnet sich insbesondere durch eine gute Farbsättigung und hervorragende Brillanz aus.

EMBLEM Solvent BlueBack HQ 2 is a white, semi glossy, barrier coated paper for solvent based inks. Because of the high opacity due to the blue back it is an excellent medium for billboard applications in- and outdoor. With eco solvent inks you get photorealistic prints. The specific surface permits a notable ink coverage and extreme brilliant colours. So it is the perfect medium for superior prints.

Art.-Nr. / Prod.No.	SOBBHQ2
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	wasserfest, opak, mit Sperrschicht / waterproof, opaque, with barrier layer
Medientyp / type of media	Papier / paper
Anwendungen / application media	Plakatwände / billboards
Varianten / variants	762 / 1067 / 1372 / 1524 / 1626 mm



Solvent Perfect Billboard Paper High Quality 115

paper | semi matt | wet strength | high opacity | affichen | 115 g/m²

EMBLEM Perfect Billboard Paper High Quality 115 ist ein semimattes, weißes Papier mit einer blaugrauen Rückseite. Das Produkt ist optimal abgestimmt für Plakatwerbung im Innen- und Außenbereich. Es besitzt gute Eigenschaften beim Falten und hat eine gute Dimensionsstabilität und Nassfestigkeit. Das EMBLEM SOPEBIHQ115 hat durch die blaugrau beschichtete Rückseite eine ausgezeichnete trocken und nass Opazität, die darunter liegende Drucke abdeckt. Außerdem verbessert diese spezielle Beschichtung die Haftung auf der Plakatwand. Drucke mit guten Kontrasten und kräftigen Farben werden durch die zweifache Beschichtung möglich. Auch eine schnelle Trocknung der Drucke wird durch die Beschichtung unterstützt. In Abhängigkeit von den Tinten tritt bei der Verarbeitung des EMBLEM SOPEBIHQ115 kaum Weißbruch auf. SOPEBIHQ115 ist als reines Papierprodukt sehr umweltverträglich, es ist PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Economic Billboard Paper 115 is a semi-matt white paper with a blue-grey back. The product is optimally matched for indoor and outdoor billboard advertising. It has good folding properties and good dimensional stability and wet strength. EMBLEM SOPEBIHQ115 has excellent dry and wet opacity due to the blue-grey coated back, which covers underlying prints. In addition, this special coating improves sticking to the poster board. Prints with good contrast and vibrant colours are made possible by the double coating. A fast drying of the prints is also supported by the coating. Depending on the inks, hardly any white break occurs when processing EMBLEM SOPEBIHQ115. SOPEBIHQ115 as a pure paper product is very environmentally friendly, it is PVC-free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOPEBIHQ115
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	opak, mit Sperrschicht, wasserfest / waterproof, opaque, with barrier layer
Medientyp / type of media	Papier, blueback/ paper blueback
Anwendungen / application media	Plakatwände / billboards
Varianten / variants	1067 / 1372 / 1524 / 1600 mm



Solvent Value BlueBack

paper | matt | high opacity | water resistant | 115 g/m²

SOVBB ist ein mattes bis leicht glänzendes, weißes, gestrichenes Papier mit blauer Rückseite. Es ist für die Bedruckung mit lösungsmittelhaltigen Inkjet-Tinten geeignet. Auch mit UV-Tinten lässt es sich hervorragend bedrucken. Man erzielt eine sehr gute Farbsättigung und Farbbrillanz. Die matte bis leicht glänzende Oberfläche ist optimal auf die Bedürfnisse für die Plakatwerbung abgestimmt.

EMBLEM SOVBB is a matt to semi matt white paper with blue back side. It is useful for large format printing with solvent-, latex and UV curable inks. The finish is especially made for billboard application with high opacity.

Art.-Nr. / Prod.No.	SOVBB
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent
Medieneigenschaften / property media	opak, mit Sperrschicht, wasserfest / waterproof, opaque, with barrier layer
Medientyp / type of media	Papier, blueback/ paper blueback
Anwendungen / application media	Plakatwände / billboards
Varianten / variants	1067 / 1270 / 1372 / 1524 / 1600 / 3200 mm



Latex UV BlueBack 115

paper | matt | wet strength | high opacity | affichen | 115 g/m²

EMBLEM Latex UV Blueback ist ein weißes, einseitig gestrichenes Papier mit einer blaugrauen Rückseite. Die matte Oberfläche ist optimal auf die Bedürfnisse für Plakatwerbung abgestimmt. Durch die hohe Opazität, bedingt durch die eingefärbte Rückseite, eignet es sich besonders gut für Plakatierung im Innen- und Außenbereich.

Das Basispapier ist optimiert für die Bedruckung mit Latex und UV Druckern der aktuellen Generation. Damit können Drucke mit sehr guter Farbsättigung und Farbbrillanz produziert werden. In Abhängigkeit von den Tinten tritt bei der Verarbeitung des EMBLEM LUVBB115 kaum Weißbruch auf.

Aus Ökologischer Sicht ist LUVBB115 als reines Papierprodukt sehr umweltverträglich, es ist PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Latex UV Blueback is a white, one-side coated paper with a blue-grey back. The matt surface is optimally adapted to the needs of billboard advertising. Due to the high opacity, due to the coloured back, it is particularly suitable for indoor and outdoor billboarding.

The base paper is printable with Latex and UV inks of the current generation. In order of that it can be produced prints with a great colour saturation and brilliance. Considering the use of inks you will have almost no whitening while using the EMBLEM LUVBB115.

From an ecological point of view, LUVBB115 is very environmentally friendly as a pure paper product. It is PVC-free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	LUVBB115
Drucktechnologie / print technology	Latex, UV-curable
Medieneigenschaften / property media	opak, mit Sperrschicht, wasserfest / waterproof, opaque, with barrier layer
Medientyp / type of media	Papier, blueback/ paper blueback
Anwendungen / application media	Kurzfristige Einsätze in der Außenwerbung wie Plakatierung / short-term outdoor commercials like the use of billboards
Varianten / variants	1067 / 1270 / 1372 / 1524 / 1600 mm



Solvent WhiteBack Professional II

paper | matt | barrier coated | water resistant | 140 g/m²

EMBLEM Solvent WhiteBack PRO 2 ist ein matt weißes, barrieregestrichenes Papier für den Einsatz auf Druckern mit lösemittelbasierenden Tinten. Bereits mit EcoSolvent Tinten werden fotorealistische Drucke erzielt. Es ist aufgrund der hohen Opazität, besonders gut für Posteranwendungen im Innen- und Außenbereich geeignet.

EMBLEM Solvent WhiteBack PRO is a matt, white, barrier coated paper for solvent based inks. Because of the opacity it is suited for poster applications in- and outdoor. With eco solvent inks you get photorealistic prints. The specific surface permits a good ink coverage and brilliant colours.

Art.-Nr. / Prod.No.	SOWBPRO2
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	wasserfest, opak / waterproof, opaque
Medientyp / type of media	Papier / paper
Anwendungen / application media	Messe- und Ladenbau, Poster, Außenwerbung / POS + exhibit- on stand, poster, out-of-home advertising
Varianten / variants	762 / 1067 / 1270 / 1372 / 1524 / 1626 mm



Solvent WhiteBack High Quality II

paper | semi glossy | barrier coated | water resistant | 140 g/m²

EMBLEM Solvent WhiteBack HQ 2 ist ein semiglänzendes, weißes, barrieregestrichenes Papier für den Einsatz auf Druckern mit lösemittelbasierenden Tinten. Es ist auf Grund der hohen Opazität, besonders gut für Posteranwendungen im Innen- und Außenbereich geeignet. Bereits mit EcoSolvent Tinten werden fotorealistische Drucke erzielt.

Die spezielle Oberfläche ermöglicht eine besonders gute Farbsättigung und hervorragende Farbbrillanz. Somit ist SOWBHQ2 für anspruchsvolle Anwendungen ausgezeichnet einsetzbar.

EMBLEM Solvent WhiteBack HQ 2 is a semi glossy, white, barrier coated paper for solvent based inks. Because of the opacity it is well suited for poster applications in- and outdoor use. With eco solvent inks you get photorealistic prints. The specific surface permits a notable ink coverage and extreme brilliant colours. It is the perfect media for superior prints.

Art.-Nr. / Prod.No.	SOWBHQ2
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	wasserfest, opak / waterproof, opaque
Medientyp / type of media	Papier / paper
Anwendungen / application media	Messe- und Ladenbau, Poster Außenwerbung / POS + exhibit- on stand, poster, out-of-home advertising
Varianten / variants	762 / 1067 / 1270 / 1372 / 1524 / 1626 mm



Literal mistakes and errors excepted, our general terms and conditions apply.

Solvent Backlit & Poster Paper

paper | semi matt | homogeneous paper structure | 150 g/m²

EMBLEM Solvent Backlit Paper ist ein semimattes weißes Papier für den Einsatz auf Druckern mit lösemittelbasierenden Tinten. Aufgrund seiner homogenen Papierstruktur eignet es sich hervorragend für die Anwendung in Leuchtkästen. Durch die hohe Grammatur und Festigkeit bieten sich auch Poster- und Plakatanwendungen im Innen- und Außenbereich an. Die spezielle Oberfläche ermöglicht eine besonders gute Farbsättigung und hervorragende Farbbrillanz. Das EMBLEM SOBLP eignet sich ausgezeichnet für anspruchsvolle Anwendungen.

EMBLEM Solvent Backlit Paper is a white, semi matt paper for solvent based inks. Because of its homogeneous structure, it is an excellent paper for lightbox applications. It is also usable for poster prints and superior prints because of its high grammage and stiffness for in- and outdoor use.

The specific surface permits a notable ink coverage and extreme brilliant colours. So it is the perfect medium for superior prints.

Art.-Nr. / Prod.No.	SOBLP
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	transluzent, opak / translucent, opaque
Medientyp / type of media	Papier / paper
Anwendungen / application media	Poster, Leuchtkasten, Display / poster, lightbox, display
Varianten / variants	1270 / 1372 / 1524 / 1600 mm



Solvent Perfect Poster Paper High Quality 150

paper | semi matt | wet strength | 150 g/m²

EMBLEM Solvent Perfect Poster Paper High Quality 150 ist ein weißes, hochvolumiges Papier mit einer semimatten Oberfläche. Drucke mit guten Kontrasten und kräftigen Farben werden durch die zweifache Beschichtung möglich. Auch eine schnelle Trocknung der Drucke wird durch die Beschichtung unterstützt. Daher wird das SOPEPHQ150 für Posteranwendungen und Werbung im Innenbereich eingesetzt. Das Basispapier zeigt eine homogene Struktur bei Durchleuchtung. Gepaart mit der guten Festigkeit und hohen Dimensionsstabilität, selbst bei hoher Luftfeuchtigkeit, kann das SOPEPHQ150 auch in Leuchtkästen als Backlit eingesetzt werden. Dies wird auch noch durch die Nassfestigkeit unterstützt. SOPEPHQ150 ist als reines Papierprodukt sehr umweltverträglich, es ist PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent Perfect Poster Paper High Quality 150 is a white, high-volume paper with a semi-matt surface. Prints with good contrasts and strong colours are made possible by the double coating. A fast drying of the prints is also supported by the coating. Therefore, SOPEPHQ150 is used for poster applications and indoor advertising. The base paper shows a homogeneous structure when transilluminated. In combination with the good strength and high dimensional stability, even in high humidity, SOPEPHQ150 can also be used as backlit in light boxes. This is also supported by its wet strength. SOPEPHQ150 as a pure paper product is very environmentally friendly, it is PVC-free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOPEPHQ150
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	2-fach Beschichtet, schnelle Trocknung, opak / two-layer coating, fast drying, opaque
Medientyp / type of media	Papier / paper
Anwendungen / application media	Messe- und Ladenbau, Poster, Außenwerbung / POS + exhibition stand, poster, out-of-home advertising
Varianten / variants	1067 / 1372 / 1524 / 1600 mm



Irrtümer vorbehalten, es gelten unsere allgemeinen Geschäftsbedingungen.

Solvent Perfect Poster Paper 170

paper | matt | wet-strength | 170 g/m²

new

EMBLEM Solvent Perfekt Poster Paper 170 basiert auf einem weißen, einseitig gestrichenen Papier mit einer matten Oberfläche. Das hochvolumige Papier besitzt eine angenehme und wertige Haptik, die neben der guten Stabilität, bei Posteranwendungen sehr geschätzt wird. Die naturweiße Beschichtung ermöglicht kräftige Farbdrucke und Kontraste. Mit EMBLEM Solvent Perfekt Poster Paper 170 können fotorealistische Poster und Schilder für den Innenbereich erstellt werden, aber auch Drucke für den geschützten Außenbereich auf Grund der Nassfestigkeit des Papiers. Es kann mit handelsüblichen Solvent, Latex und UV Tinten bedruckt werden. Aus ökologischer Sicht ist das SOPEP170 als reines Papierprodukt sehr umweltverträglich, es ist PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent Perfekt Poster Paper 170 is based on a white, one-side coated paper with a matt surface. The high-volume paper has a pleasant and valuable feel, which, in addition to its good stability, is very much appreciated for poster applications. The natural white coating enables strong colour prints and contrasts. EMBLEM Solvent Perfekt Poster Paper 170 can be used to create photo-realistic posters and signs for indoor use, as well as prints for protected outdoor use due to the paper's wet strength. It can be printed with standard solvent, latex and UV inks. From an ecological point of view, SOPEP170 is very environmentally friendly as a pure paper product, it is PVC free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOPEP170
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent
Medieneigenschaften / property media	opak / opaque
Medientyp / type of media	Papier / paper
Anwendungen / application media	Messe- und Ladenbau, Poster, Außenwerbung / POS + exhibition stand, poster, out-of-home advertising
Varianten / variants	1067 / 1270 / 1372 / 1524 / 1600 mm



Solvent Value WhiteBack

paper | matt | water resistant | 150 g/m²

SOVWB ist ein mattes bis leicht glänzendes weißes, gestrichenes Papier. Es ist für die Bedruckung mit lösungsmittelhaltigen Inkjet- Tinten geeignet. Auch mit Latex- und UV-Tinten lässt es sich hervorragend bedrucken. Man erzielt eine sehr gute Farbsättigung und Farbbrillanz. Die matte bis leicht glänzende Oberfläche ist optimal auf die Bedürfnisse für die Plakatwerbung abgestimmt.

EMBLEM SOVWB is a matt to satin white paper. It is useful for large format printing with solvent- latex- and UV curable inks. The finish is especially made for poster application with high opacity.

Art.-Nr. / Prod.No.	SOVWB
Drucktechnologie / print technology	Latex, UV, Solvent
Medieneigenschaften / property media	wasserfest, einseitig gestrichen / waterproof, one-side coated
Medientyp / type of media	Papier / paper
Anwendungen / application media	Messe- und Ladenbau, Poster, Außenwerbung / POS + exhibition stand, poster, out-of-home advertising
Varianten / variants	1067 / 1270 / 1372 / 1524 / 1600 / 1828 / 3200 mm



Solvent Paper 135 Adhesive

paper | wet-strength | PVC free | permanent adhesive | 135 g/m²

EMBLEM Solvent Paper 135 Adhesive basiert auf einem nassfestem Papier, das selbstklebend ausgerüstet ist. Das Papier kann in Schneideplottern verarbeitet werden. Es kann für kurzfristige Anwendungen im Außenbereich eingesetzt werden. Das SOPA135ADH ist PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent Paper 135 Adhesive is based on a wet-strength paper, which is self-adhesive. The paper can be processed in cutting plotters. It can be used for short-term outdoor applications. The SOPA135ADH is PVC free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOPA135ADH
Drucktechnologie / print technology	Latex, UV, Mild Solvent, Solvent
Medieneigenschaften / property media	transparent, wasserfest, transparenter Kleber, selbstklebend / transparent, waterproof, transparent glue, selfadhesive
Medientyp / type of media	Papier / paper
Anwendungen / application media	Poster, Aufkleber, Etiketten / poster, sticker, labels
Varianten / variants	762 / 1372 / 1524 mm



Solvent Paper 150 FR

paper | matt | French M1 | halogen free | PVC free | 150 g/m²

EMBLEM Solvent Paper 150 FR ist ein mattes beschichtetes Papier und kann mit gängigen Solvent-, EcoSolvent-, Latex- und UV-Tinten beidseitig bedruckt werden. Das SOPA150FR ist schwer entflammbar. Dadurch eignet es sich besonders für die Verwendung in Innenräumen wie am POS und auf Messen. Es hat eine hohe Opazität und lässt sich ausgezeichnet bedrucken. Die schwere Entflammbarkeit - M1 - nach französischer Norm erhöht die Sicherheit bei Anwendungen im Innenbereich. Die halogenfreien Flammschutzmittel sind umweltverträglich und ungiftig. Alternativ können Sie ein schwer entflammbares Papier (M1) mit 230 g/m² erhalten - SOPA230DSFR.

EMBLEM Solvent Paper 150 FR is a matt, coated paper for printing with eco solvent, solvent, UV and latex based inks. Because of it's flame retardant SOPA150FR is an excellent medium for indoor use. It has a very high opacity and excellent printability. You can get a flame retardant paper (M1) with 230 g/m² - SOPA230DSFR alternatively.

Art.-Nr. / Prod.No.	SOPA150FR
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	schwer entflammbar, opak / flame retardant, opaque
Medientyp / type of media	Papier / paper
Anwendungen / application media	Kunstdruck, Messe- und Ladenbau, Poster, Display / POS + exhibition stand, art print, poster, display
Varianten / variants	1270 / 1372 / 1600 mm



Irrtümer vorbehalten, es gelten unsere allgemeinen Geschäftsbedingungen.

Solvent Paper 230 DS FR

paper | matt | French M1 | 2 side printable | halogen free | 230 g/m²

EMBLEM Solvent Paper 230 DS FR ist ein mattes, beschichtetes Papier und kann mit gängigen Solvent-, EcoSolvent-, Latex- und UV-Tinten beidseitig bedruckt werden. Die schwere Entflammbarkeit - M1 - nach französischer Norm erhöht die Sicherheit bei Anwendungen im Innenbereich. Die halogenfreien Flammschutzmittel sind umweltverträglich und ungiftig. Alternativ können Sie ein schwer entflammbares Papier (M1) mit 150 g/m² erhalten - SOPA150FR.

EMBLEM Solvent Paper 230 DSFR is a matt, coated paper for printing with eco solvent, solvent, UV and latex based inks. It has a very high opacity and excellent printability. Due to the very high opacity it is a perfect paper for both side printing. Because of its flame retardant properties SOPA230DSFR is an excellent media for indoor-use. You can get a flame retardant paper (M1) with 150 g/m² - SOPA150FR, alternatively.

Art.-Nr. / Prod.No.	SOPA230DSFR
Drucktechnologie / print technology	Latex, UV, Mild Solvent, Solvent
Medieneigenschaften / property media	schwer entflammbar, opak / flame retardant, opaque
Medientyp / type of media	Papier / paper
Anwendungen / application media	Kunstdruck, Messe- und Ladenbau, Poster, Display / POS + exhibition stand, art print, poster, display
Varianten / variants	1270 / 1372 / 1600 mm




Eco Recycle Paper 130

paper | 100 % recycled | PVC free | environmentally friendly | 130 g/m²

EMBLEM Eco Recycling Paper 130 ist ein recyceltes Papier, das zu 100 % aus Sekundär Rohstoffen gewonnen wird. Das Papier hat eine angenehme Haptik durch sein Volumen und einen speziellen Oberflächenstrich. Dieser sorgt auch für einen geringeren Farbverbrauch im Druck. Das EMBLEM ERP130 kann mit gängigen Latex und UV Tinten bedruckt werden. Aus ökologischer Sicht bietet das Papier einige Vorteile, da es Ressourcen schonend produziert wird. Bei der Herstellung werden rund 70 Prozent Wasser und 60 Prozent Energie im Vergleich zu Frischfaserpapier eingespart. Dadurch wird der CO2 Ausstoß reduziert und natürliche Ressourcen geschont. Außerdem wird zum Bleichen des Papiers keine Chlor oder halogenierten Bleichmittel eingesetzt. ERP130 ist sehr umweltverträglich, es ist PVC frei und FSC® Recycled (FSC-C119162) zertifiziert.

EMBLEM Eco Recycling Paper 130 is a recycled paper, which is made out of 100% secondary raw materials. The paper has a pleasant haptic by its volume and a special surface coating. This also ensures a lower ink consumption in printing. The EMBLEM ERP130 can be printed with latex and UV inks. From ecological point of view the paper offers some advantages, because it is produced saving. During the production about 70 percent of water and 60 percent energy are saved compared to fresh fibre paper. This reduces CO2 emissions and conserves natural resources. Furthermore, no chlorine or halogenated bleaching agents are used to bleach the paper. It is FSC® Recycled (FSC-C119162) certified.

Art.-Nr. / Prod.No.	ERP130
Drucktechnologie / print technology	Latex, UV
Medieneigenschaften / property media	opak, mit Blauer Engel ausgezeichnet / opaque, awarded with Blauer Engel
Medientyp / type of media	Papier / paper
Anwendungen / application media	fotorealistische Drucke, Poster, Werbung am POS, Display, Schilder / photorealistic prints, posters, POS advertising, displays, signs
Varianten / variants	914 / 1067 / 1600 mm



Solvent One For All Paper Satin 150 Neo

paper | satin | woodfree | plastic free | chlorine-free | 155 g/m²,

EMBLEM Solvent One For All Paper Satin 150 ist ein Papier für kommerzielle Poster Anwendungen, wenn Ausdrücke mit brillanten Farben gefordert sind. Der feine Papiercharakter bleibt unter der gleichmäßigen, satinierten Beschichtung erhalten. Das Anwendungsspektrum der EMBLEM SOFAP-Serie reicht vom Poster am POS bis hin zu anspruchsvollen Foto-Drucken. Das Basispaier besitzt eine gute Beständigkeit gegen Feuchtigkeit und kann im Innen- und Außenbereich eingesetzt werden. Durch eine spezielle Beschichtung auf der Rückseite wird das Papier gegen Verformung durch Wärme stabilisiert. Daher lässt sich dies Poster Papier besonders gut in Druckern der aktuellen Latex Generation bedrucken und zeichnet sich durch eine besonders gute Planlage aus. Aus Ökologischer Sicht ist die SOFAP-Serie als reines Papierprodukt sehr umweltverträglich, es ist PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent One For All Paper Satin 150 is a paper for commercial poster use when brilliant colors are a goal of the print. These papers are particularly easy to print in printers of the current latex generation. The base paper has a high water resistance and can be used indoors as well as outdoors. With its special coating on the back EMBLEM SOFAPSA150 is protected against deformations caused by heat. The SOFAP-Series is very environmentally friendly as a pure paper product when seen from an ecological point of view. It is PVC free and FSC® (FSCC119162) certified.

Art.-Nr. / Prod.No.	SOFAPSA150N
Drucktechnologie / print technology	Solvent, Eco-Solvent, UVC, Latex
Medieneigenschaften / property media	weiß, satin, opak / opaque, white, satin
Medientyp / type of media	Papier / paper
Anwendungen / application media	POS, Messe- und Ladenbau, Ausstellungsgrafiken/ POS + exhibition graphics, commercial posters
Varianten / variants	762 / 1067 / 1372 / 1524 / 1600 mm



Solvent One For All Paper Satin 200 Neo

paper | satin | woodfree | plastic free | chlorine-free | 195 g/m²

EMBLEM Solvent One For All Paper Satin 200 ist ein Papier für kommerzielle Poster Anwendungen, wenn Ausdrücke mit brillanten Farben gefordert sind. Der feine Papiercharakter bleibt unter der gleichmäßigen, satinierten Beschichtung erhalten. Das Anwendungsspektrum der EMBLEM SOFAP-Serie reicht vom Poster am POS bis hin zu anspruchsvollen Foto-Drucken. Das Basispaier besitzt eine gute Beständigkeit gegen Feuchtigkeit und kann im Innen- und Außenbereich eingesetzt werden. Durch eine spezielle Beschichtung auf der Rückseite wird das Papier gegen Verformung durch Wärme stabilisiert. Daher lässt sich dies Poster Papier besonders gut in Druckern der aktuellen Latex Generation bedrucken und zeichnet sich durch eine besonders gute Planlage aus. Aus Ökologischer Sicht ist die SOFAP-Serie als reines Papierprodukt sehr umweltverträglich, es ist PVC frei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent One For All Paper Satin 200 is a paper for commercial poster use when brilliant colors are a goal of the print. These papers are particularly easy to print in printers of the current latex generation. The base paper has a high water resistance and can be used indoors as well as outdoors. With its special coating on the back EMBLEM SOFAPSA200 is protected against deformations caused by heat. The SOFAP-Series is very environmentally friendly as a pure paper product when seen from an ecological point of view. It is PVC free and FSC® (FSCC119162) certified.

Art.-Nr. / Prod.No.	SOFAPSA200N
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	weiß, satin, opak / opaque, white, satin
Medientyp / type of media	Papier / paper
Anwendungen / application media	OS, Messe- und Ladenbau, Ausstellungsgrafiken/ POS + exhibition graphics, commercial posters
Varianten / variants	762 / 1067 / 1372 / 1524 / 1600 mm



Irrtümer vorbehalten, es gelten unsere allgemeinen Geschäftsbedingungen.

Solvent One For All Paper Glossy 150 Neo

paper | glossy | woodfree | plastic free | chlorine-free | 150 g/m²

new

EMBLEM Solvent One For All Paper Glossy 150 Neo ist ein Papier für kommerzielle Poster Anwendungen, wenn Ausdrücke mit brillanten Farben gefordert sind. Ein ausgewogenes Papiervolumen sorgt für eine angenehme Haptik des glänzend beschichteten Papiers. Das Anwendungsspektrum der EMBLEM SOFAP-Serie reicht vom Poster am POS bis hin zu anspruchsvollen Foto-Drucken. Das holz- und säurefreie Basispapier sorgt für ein stabiles Papierweiß bei längeren Anwendungszeiträumen. Das Papier wird sowohl im Innenbereich als auch im geschützten Außenbereich eingesetzt. Aus ökologischer Sicht ist die SOFAP-Serie als reines Papierprodukt sehr umweltverträglich, PVC frei, chlorfrei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent One For All Paper Glossy 150 Neo is a paper for commercial poster applications when prints with brilliant colours are required. A balanced paper volume ensures a pleasant feel of the glossy-coated paper. The application range of the EMBLEM SOFAP series goes from posters at the POS to demanding photo prints. The wood- and acid-free base paper ensures a stable paper white for longer periods of use. The paper is used both indoors and in protected outdoor areas. From an ecological point of view, the SOFAP series as a pure paper product is very environmentally friendly, PVC-free, chlorine-free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOFAPGL150N
Drucktechnologie / print technology	Solvent, Eco-Solvent, UVC, Latex
Medieneigenschaften / property media	weiß, satin, opak / opaque, white, satin
Medientyp / type of media	Papier / paper
Anwendungen / application media	Poster, Displays, POS, Plakate, Signage, Innen- und Außenwerbung, Ausstellungsgrafiken / posters, displays, POS, placards, signage, indoor and outdoor advertising, exhibition graphics
Varianten / variants	762 / 1372 / 1524 mm



Solvent One For All Paper Glossy 200 Neo

paper | glossy | woodfree | plastic free | chlorine-free | 195 g/m²

new

EMBLEM Solvent One For All Paper Glossy 200 Neo ist ein Papier für kommerzielle Poster Anwendungen, wenn Ausdrücke mit brillanten Farben gefordert sind. Ein ausgewogenes Papiervolumen sorgt für eine angenehme Haptik des glänzend beschichteten Papiers. Das Anwendungsspektrum der EMBLEM SOFAP-Serie reicht vom Poster am POS bis hin zu anspruchsvollen Foto-Drucken. Das holz- und säurefreie Basispapier sorgt für ein stabiles Papierweiß bei längeren Anwendungszeiträumen. Das Papier wird sowohl im Innenbereich als auch im geschützten Außenbereich eingesetzt. Aus ökologischer Sicht ist die SOFAP-Serie als reines Papierprodukt sehr umweltverträglich, PVC frei, chlorfrei und FSC® (FSC-C119162) zertifiziert.

EMBLEM Solvent One For All Paper Glossy 200 Neo is a paper for commercial poster applications when prints with brilliant colours are required. A balanced paper volume ensures a pleasant feel of the glossy-coated paper. The application range of the EMBLEM SOFAP series goes from posters at the POS to demanding photo prints. The wood- and acid-free base paper ensures a stable paper white for longer periods of use. The paper is used both indoors and in protected outdoor areas. From an ecological point of view, the SOFAP series as a pure paper product is very environmentally friendly, PVC-free, chlorine-free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOFAPGL200N
Drucktechnologie / print technology	Solvent, Eco-Solvent, UVC, Latex
Medieneigenschaften / property media	weiß, satin, opak / opaque, white, satin
Medientyp / type of media	Papier / paper
Anwendungen / application media	Poster, Displays, POS, Plakate, Signage, Innen- und Außenwerbung, Ausstellungsgrafiken / posters, displays, POS, placards, signage, indoor and outdoor advertising, exhibition graphics
Varianten / variants	762 / 1372 / 1524 mm



Literal mistakes and errors excepted, our general terms and conditions apply.

Solvent Poster Paper semi glossy

paper | semi glossy | barrier coated | water resistant | 200 g/m²

EMBLEM SOGLPP ist ein spezialbeschichtetes, wasserbeständiges Papier für die Bedruckung mit Solvent- und EcoSolvent-Tinten. Die Hauptanwendung für dieses Produkt ist die Erstellung von fotorealistischen Postern und Schildern für Innen- und Außenanwendungen. Die Drucke zeichnen sich zudem durch eine gute Kratzbeständigkeit aus.

EMBLEM SOGLPP is a special coated, waterresistant paper for digital printing with solvent and eco solvent inks. The main field of application for this paper is the production of posters and boards for indoor and outdoor applications.

Art.-Nr. / Prod.No.	SOGLPP
Drucktechnologie / print technology	Hard Solvent, Mild Solvent, Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	beschichtet, wasserfest / coated, waterproof
Medientyp / type of media	Papier / paper
Anwendungen / application media	Kunstdruck, Messe- und Ladenbau, Poster, Außenwerbung / art print, POS + exhibition stand, poster, out-of-home advertising
Varianten / variants	762 / 1067 / 1372 / 1524 / 1626 mm



Solvent Photo Paper 230 Glossy

photo paper | high gloss | RC basic paper | excellent flatness | 225 g/m²

EMBLEM Solvent Photo Paper 230 Glossy ist ein Fotopapier mit einer hoch glänzenden Oberfläche. Die Beschichtung wurde für die Bedruckung mit handelsüblichen EcoSolvent-, Solvent-, Latex- und UVC-Tinten konzipiert und hat eine gute Planlage. Die Tintenempfangsschicht ermöglicht intensive und brillante Farben für hoch aufgelöste Fotodrucke. Das hochwertige RC-Basispapier ist beidseitig mit einem PE-Film ausgerüstet, der dem EMBLEM Solvent Photo Paper 230 Glossy Stabilität und einen angenehmen Griff verleiht.

EMBLEM Solvent Photo Paper 230 Glossy trocknet schnell und lässt sich hervorragend weiterverarbeiten und laminieren.

EMBLEM Solvent Photo Paper 230 Glossy is a photo paper with a high glossy surface. The coating is made for common eco solvent-, solvent-, UV curable- and latex-based inks and has an excellent flatness. The ink receiving layer permits intensive and brilliant colours for high resolution photographic prints. The premium RC basic paper is mounted on both sides with PE film which brings stability and a pleasant touch.

EMBLEM Solvent Photo Paper 230 Glossy permits fast drying, excellent processing and easy lamination.

Art.-Nr. / Prod.No.	SOPHOPA230GL
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	hoch weiß, glänzend, / white, glossy
Medientyp / type of media	Papier / paper
Anwendungen / application media	Ladenbau, Poster, Schilder und Displays für die Innenanwendungen / photo realistic prints, shop window advertising, posters, presentations, signs and displays for indoor.
Varianten / variants	1372 mm



Solvent Photo Paper 230 Semi Glossy

photo paper | high gloss | RC basic paper | excellent flatness | 225 g/m²


EMBLEM Solvent Photo Paper 230 Semi Glossy ist ein Fotopapier mit einer Satin-Oberfläche. Die Beschichtung wurde für die Bedruckung mit handelsüblichen EcoSolvent-, Solvent-, Latex- und UVC-Tinten konzipiert und hat eine gute Planlage. Die Tintenempfangsschicht ermöglicht intensive und brillante Farben für hoch aufgelöste Fotodrucke. Das hochwertige RC-Basispapier ist beidseitig mit einem PE-Film ausgerüstet, der dem EMBLEM Solvent Photo Paper 230 Semi Glossy Stabilität und einen angenehmen Griff verleiht.

EMBLEM Solvent Photo Paper 230 Semi Glossy trocknet schnell und lässt sich hervorragend weiterverarbeiten und laminieren.

EMBLEM Solvent Photo Paper 230 Semi Glossy is a photo paper with a satin surface. The coating is made for common eco solvent-, solvent-, UV curable- and latex-based inks and has an excellent flatness. The ink receiving layer permits intensive and brilliant colours for high resolution photographic prints. The premium RC basic paper is mounted on both sides with PE film which brings stability and a pleasant touch.

EMBLEM Solvent Photo Paper 230 Semi Glossy permits fast drying, excellent processing and easy lamination.

Art.-Nr. / Prod.No.	SOPHOPA230SG
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	hoch weiß, semi glossy / highly white, semi glossy
Medientyp / type of media	Papier / paper
Anwendungen / application media	Ladenbau, Poster, Schilder und Displays für die Innenanwendungen / photo realistic prints, shop window advertising, posters, presentations, signs and displays for indoor.
Varianten / variants	1372 mm



Solvent Semi-Photo Paper Glossy

paper | glossy | plastic-free | 220 g/m²

EMBLEM Solvent Semi-Photo Papier Glossy ist ein hochwertiges, weißes, gestrichenes Papier mit einer glänzenden hoch-weißen Oberfläche. Die Beschichtung ist geeignet für eco-solvent-, solvent-, UV-härtende-, und latex-basierende Tinten. Mit diesem Papier kann man hochauflösende Druckqualitäten in z.B. 780 x 1080 dpi herstellen. Darum ist SOSPPGL besonders gut für Posteranwendungen im Innenbereich geeignet. Die spezielle Oberfläche ermöglicht eine gute Farbsättigung und brillante Ausdrücke.

EMBLEM Solvent Semi-Photo Paper Glossy is a high quality coated paper with a white glossy surface. It has a non reflecting surface and is made for printing with eco solvent-, solvent-, UV curable- and latex-based inks. SOSPPGL supports high resolution print quality such as 780 x 1080 dpi. Because of these facts SOSPPGL is well suited for indoor poster application.

The excellent surface provides a high colour saturation and extremely brilliant colours.

Art.-Nr. / Prod.No.	SOSPPGL
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	hoch weiß, glänzend, / highly white, glossy
Medientyp / type of media	Papier / paper
Anwendungen / application media	Ladenbau, Poster, Schilder und Displays für die Innenanwendungen / photo realistic prints, shop window advertising, posters, presentations, signs and displays for indoor.
Varianten / variants	1372 mm



Solvent Semi-Photo Paper Semi Matt

paper | semi matt | plastic-free | 220 g/m²

EMBLEM Solvent Semi-Photo Paper Semimatt ist ein hochwertiges, weißes, gestrichenes Papier mit einer semimatten Oberfläche. Die Beschichtung verhindert Reflexionen und ist geeignet für EcoSolvent-, solvent- UV-härtende-, und latex-basierende Tinten. Mit diesem Papier kann man hochauflösende Druckqualitäten in z.B. 780 x 1080 dpi herstellen. Darum ist SOSPPSM besonders gut für Posteranwendungen im Innenbereich geeignet. Die spezielle Oberfläche ermöglicht eine gute Farbsättigung und brillante Ausdrücke. EMBLEM Solvent Semi-Photo Papier Semimatt trocknet schnell und lässt sich hervorragend weiterverarbeiten und laminieren.

EMBLEM Solvent Semi-Photo Paper Semi Matt is a high quality coated paper with a white semi matt surface. It has a non reflecting surface and is made for printing with eco solvent-, solvent-, UV curable- and latex-based inks. SOSPPSM supports high resolution print quality such as 780 x 1080 dpi. Because of these facts SOSPPSM is well suited for indoor poster application. The excellent surface provides a high colour saturation and extreme brilliant colours.

Art.-Nr. / Prod.No.	SOSPPSM
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	hoch weiß, semimatt / white, semi matt
Medientyp / type of media	Papier / paper
Anwendungen / application media	Ladenbau, Poster, Schilder und Displays für die Innenanwendungen / photo realistic prints, shop window advertising, posters, presentations, signs and displays for indoor.
Varianten / variants	914 / 1372 / 1600 mm



Solvent Wall Decoration 180

non-woven paper | no glass fibre | B1 DIN 4102 | easily removable | 180 g/m²

EMBLEM Solvent Wall Decoration 180 ist eine Papier basierende Vliestapete für die individuelle Raumgestaltung. Die feine, matte, weiße Oberfläche der Vliestapete kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Die hochwertige Beschichtung des EMBLEM SOWADE180 ermöglicht eine gute Farbsättigung und brillante, fotorealistische Ausdrücke. Das Produkt ist frei von PVC, Weichmachern und Lösungsmitteln und ohne Zusatz von Schwermetallverbindungen und Formaldehyd. EMBLEM SOWADE180 ist dimensionsstabil, rissüberbrückend und lässt sich einfach verarbeiten. Die Tapete haftet auf glatten, leicht rauen, mit Binderfarbe gestrichenen Wandoberflächen oder Putzen. Aus ökologischer Sicht ist SOWADE180 sehr umweltverträglich und PVC frei. Die Tapete entspricht der Brandschutzklasse B1 nach DIN 4102 und kann in Innenräumen eingesetzt werden.

EMBLEM Solvent Wall Decoration 180 is a paper-based non-woven wallpaper for individual interior design. The fine, matt, white surface of the non-woven wallpaper can be printed with common eco solvent, solvent, latex and UVC inks. The high-quality coating of EMBLEM SOWADE180 enables good colour saturation and brilliant, photo-realistic prints. The product is free of PVC, plasticisers and solvents and without added heavy metal compounds and formaldehyde. EMBLEM SOWADE180 is dimensionally stable, crack-bridging and easy to apply. The wallpaper adheres to smooth, slightly rough wall surfaces or plasters painted with binder paint. From an ecological point of view, SOWADE180 is very environmentally friendly and PVC free. The wallpaper complies with fire protection class B1 according to DIN 4102 and can be used indoors.

Art.-Nr. / Prod.No.	SOWADE180
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	opak, schwer entflammbar, trocken ablösbar / opaque, flame retardant, dry strippability
Medientyp / type of media	Papier / paper
Anwendungen / application media	Tapete, Messe- und Ladenbau / wallpaper, POS + exhibition stand
Varianten / variants	1524 mm



Solvent Wall Decoration 200

non-woven paper | no glass fibre | C EN 13501 | easily remov. | 195 g/m²

EMBLEM Solvent Wall Decoration 200 ist eine Papier basierende Vliestapete für die individuelle Raumgestaltung. Die matte, weiße Oberfläche der voluminösen Vliestapete kann mit handelsüblichen EcoSolvent, Solvent, Latex und UVC Tinten bedruckt werden. Die wahrnehmbare Vliesstruktur der Tapete wirkt angenehm natürlich. Die Beschichtung der EMBLEM SOWADE200 ermöglicht einen großen Farbraum und brillante fotorealistische Ausdrücke. Das Produkt ist frei von PVC, Weichmachern und Lösungsmitteln und ohne Zusatz von Schwermetallverbindungen und Formaldehyd. EMBLEM SOWADE200 hat eine hohe Opazität und ist dimensionsstabil, rissüberbrückend und lässt sich einfach verarbeiten. Aus ökologischer Sicht ist SOWADE200 sehr umweltverträglich, PVC frei und FSC® (FSCC119162) zertifiziert.

EMBLEM Solvent Wall Decoration 200 is a paper-based non-woven wallpaper for individual interior design. The matt, white surface of the voluminous non-woven wallpaper can be printed with common eco solvent, solvent, latex and UVC inks. The perceptible non-woven structure of the wallpaper has a pleasantly natural effect. The coating of EMBLEM SOWADE200 enables a wide colour gamut and brilliant photo-realistic prints. The product is free of PVC, plasticisers and solvents and without the addition of heavy metal compounds and formaldehyde. EMBLEM SOWADE200 has a high opacity and is dimensionally stable, crack-bridging and easy to apply. From an ecological point of view, SOWADE200 is very environmentally friendly, PVC-free and FSC® (FSC-C119162) certified.

Art.-Nr. / Prod.No.	SOWADE200
Drucktechnologie / print technology	Latex, UV, Solvent, EcoSolvent
Medieneigenschaften / property media	opak, schwer entflammbar, trocken ablösbar / opaque, flame retardant, dry strippability
Medientyp / type of media	Papier / paper
Anwendungen / application media	Tapete, Messe- und Ladenbau / wallpaper, POS + exhibition stand
Varianten / variants	800 / 1600 mm



Latex-UV Wall Decoration 130 Neo

non-woven paper | no glass fibre | easily removable | 130 g/m²

EMBLEM Latex-UV Wall Decoration 130 Neo ist eine Papier basierende Vliestapete für die individuelle Raumgestaltung. Die matte, neutral weiße Oberfläche der Vliestapete kann mit handelsüblichen Latex und UVC Tinten bedruckt werden. Die Tapete hat eine angenehm weiche Haptik und eine spürbare Vliesstruktur, die eine hohe Wertigkeit vermitteln. Auf dem LUVWADE130N können hochwertige Drucke in fotorealistischer Qualität erstellt werden. Es ist frei von PVC, Weichmachern und Lösungsmitteln, ohne den Zusatz von Schwermetallverbindungen und Formaldehyd. EMBLEM LUVWADE130 hat eine hohe Opazität und ist rissüberbrückend. Es lässt sich einfach verarbeiten. Die Tapete haftet auf glatten, leicht rauen, mit Binderfarbe gestrichenen Wandoberflächen oder Putzen. Sie lässt sich auch gut trocken abziehen. Aus ökologischer Sicht ist LUVWADE130N sehr umweltverträglich, PVC frei.

EMBLEM Latex-UV Wall Decoration 130 Neo is a paper-based non-woven wallpaper for individual interior design. The matt, neutral white surface of the non-woven wallpaper can be printed with common latex and UVC inks. The wallpaper has a pleasantly soft feel and a noticeable non-woven structure that gives it a high sense of value. High-quality prints in photo-realistic quality can be produced on the LUVWADE130N. It is free of PVC, plasticisers and solvents, without the addition of heavy metal compounds and formaldehyde. EMBLEM LUVWADE130 has a high opacity and is crack-bridging. It is easy to apply. The wallpaper adheres to smooth, slightly rough wall surfaces or plasters painted with binder paint. It can also be easily removed dry. From an ecological point of view, LUVWADE130N is very environmentally friendly, PVC-free.

Art.-Nr. / Prod.No.	LUVWADE130N
Drucktechnologie / print technology	UV, Latex
Medieneigenschaften / property media	opak, schwer entflammbar, trocken ablösbar / opaque, flame retardant, dry strippability
Medientyp / type of media	Papier / paper
Anwendungen / application media	Tapete, Kunstdruck, Messe- und Ladenbau, Poster / wallpaper, art print, POS + exhibition stand, poster
Varianten / variants	800 / 1600 mm



Latex-UV Wall Decoration 180 Neo

non-woven paper | no glass fibre | C EN 13501 | easily removable | 180 g/m²

EMBLEM Latex-UV Wall Decoration 180 Neo ist eine Papier basierende Vliestapete für die individuelle Raumgestaltung. Die weiche, matte, weiße Oberfläche der Vliestapete kann mit handelsüblichen Latex und UVC Tinten bedruckt werden. Sie hat eine angenehme Vliesstruktur, die zusammen mit dem Mattgrad reflexionsarme Installationen zulässt. Auf der hochwertigen Beschichtung können Tapeten in fotorealistischer Druckqualität bei hohen Tintenaufträgen ohne Ausbluten erzeugt werden. Das Produkt ist frei von PVC, Weichmachern und Lösungsmitteln und ohne Zusatz von Schwermetallverbindungen und Formaldehyd. EMBLEM LUVWADE180N ist dimensionsstabil, rissüberbrückend und lässt sich einfach verarbeiten. Aus ökologischer Sicht ist LUVWADE180N sehr umweltverträglich und PVC frei.

EMBLEM Latex-UV Wall Decoration 180 Neo is a paper-based non-woven wallpaper for individual interior design. The soft, matt, white surface of the non-woven wallpaper can be printed with common latex and UVC inks. It has a pleasant non-woven structure which, together with the matt grade, allows for low-reflection installations. On the high-quality coating, wallpapers can be produced in photo-realistic print quality with high ink applications without bleeding. The product is free of PVC, plasticisers and solvents and without the addition of heavy metal compounds and formaldehyde. EMBLEM LUVWADE180N is dimensionally stable, crack-bridging and easy to apply. From an ecological point of view, LUVWADE180N is very environmentally friendly and PVC-free.

Art.-Nr. / Prod.No.	LUVWADE180N
Drucktechnologie / print technology	UV, Latex
Medieneigenschaften / property media	opak, schwer entflammbar, trocken ablösbar / opaque, flame retardant, dry strippability
Medientyp / type of media	Papier / paper
Anwendungen / application media	Tapete, Kunstdruck, Messe- und Ladenbau, Poster / wallpaper, art print, POS + exhibition stand, poste
Varianten / variants	800 / 1600 mm



Irrtümer vorbehalten, es gelten unsere allgemeinen Geschäftsbedingungen.

Der neue Easylam 160TW mit Querschneider



Absenkbarer
Tisch mit
Querschneider
Funktion



Aufnahme
für App Tape



Touchpanel mit
Rollenlängen-
einstellung und
Geschwindigkeits-
regulierung



Fußschalter
zum Schließen
der Walzen



Professioneller Laminator mit bis 55°C beheizbarer oberer Walze

- Motorunterstütztes Heben und Senken der Walzen mit automatischem Andruck
- Temperatureinstellungen in 5 Stufen für eine optimale Veredelung
- Verbrauchsanzeige des Laminats bis zu 50m ermöglicht eine bequeme Übersicht
- Zwei Funktionen in einem Gerät, eine Seite Laminator und eine Seite Querschneider

Für jede Anwendung den richtigen Kaltlaminator

Expert 80C



Laminierbreite 80cm

Easylam 140C



Laminierbreite 140cm

Easylam 160TC



Laminierbreite 160cm

notes

This image shows a full page of blank graph paper. The grid consists of small, equal-sized squares formed by thin, dark gray lines. The grid covers the entire area of the page, with no margins or other markings present.

notes

This image shows a full page of blank graph paper. The grid consists of small, equal-sized squares formed by thin, dark gray lines. The grid covers the entire area of the page, with no margins or other markings present.



HIGH PERFORMANCES FOR VISUAL COMMUNICATION

Print Media · Tools & Supplies · Hardware · Ink · Software

Tel. +49 4193 995-0 · Gutenbergstraße 15 · D-24558 Henstedt-Ulzburg

www.dataplot.de

EMBLEM is a trademark of DATAPLOT