

## SAFETY DATA SHEET

 Print Date
 Revision Date
 Revision Number

 Apr-21-2016
 Apr-21-2016
 1.1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product code 24646

Product name Light Black

Product category Optimizer IV Eco Solvent Ink for Roland XR, XF, RF, VS-i Series

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use Printing operations

## 1.3 Details of the supplier of the safety data sheet

DATAPLOT GmbH Gutenbergstraße 15 D-24558 Henstedt-Ulzburg Germany

Tel.: +49 4193-9950 Fax: +49 4193-995220

For further information, please contact

Contact person Dataplot: +49 4193-9950 E-mail address info@dataplot.de

## 1.4 Emergency telephone number

Giftinformationszentrum Mainz, Germany

Tel: +49 6131 19240

## **Section 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

According to Regulation (FC) No 1272/2008

According to Regulation (EC) NO 1272/2006	
Serious eye damage/eye irritation	Category 1 - (H318)
Reproductive toxicity	Category 1B - (H360)

#### 2.2 Label elements



Signal Word Danger

## **Hazard Statements**

H318 - Causes serious eye damage

H360 - May damage fertility or the unborn child

## Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

24646 - Light Black Revision Date Apr-21-2016

#### do. Continue rinsing

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P202 - Do not handle until all safety precautions have been read and understood

#### 2.3 Other Hazards

General Hazards No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

Component	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.	Note
Diethylene glycol diethyl ether	203-963-7	112-36-7	30 - 60	Eye Irrit. 2 (H319)	No data available	
Butyrolactone	202-509-5	96-48-0	10 - 30	Acute Tox. 4 (H302) Eye Dam. 1 (H318) STOT SE 3 (H336)	No data available	1
Tetraglyme	205-594-7	143-24-8	10 - 30	Repr. 1B (H360)	No data available	

Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation develops and

persists.

**Skin Contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Remove

contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.

Inhalation Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or

stopped, administer artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. Never give

anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

None under normal use conditions.

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **Section 5: FIRE FIGHTING MEASURES**

## 5.1 Extinguishing media

#### **Suitable Extinguishing Media**

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## **Unsuitable Extinguishing Media**

No information available.

## 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

## 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

24646 - Light Black Revision Date Apr-21-2016

## Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

## 6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

## 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

## 6.4 Reference to other sections

See Section 12 for more information.

## **Section 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.

## 7.3 Specific end use(s)

Exposure Scenario

No information available.

**Risk Management Methods** 

(RMM)

The information required is contained in this Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

**Derived No Effect Level (DNEL)**No information available.

No information available.

24646 - Light Black Revision Date Apr-21-2016

(PNEC)

8.2 Exposure controls

**Engineering Measures** Provide a good standard of general ventilation. Natural ventilation is from doors, windows

etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In

case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

**Eye/face Protection** Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear

suitable face shield. Ensure that eyewash stations and safety showers are close to the

workstation location.

**Skin Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved **Respiratory Protection** 

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before

eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of

No data available

equipment, work area and clothing is recommended.

**Environmental exposure controls** No information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

**Physical State** Liquid Colored **Appearance** 

No information available No information available Odor **Odor Threshold** 

Remarks • Method Property Values

No data available Melting point/freezing point No data available

**Boiling point/Boiling Range** > 149 °C / 300 °F Flash Point 64 °C / 147 °F

Closed cup (Minimum) No data available **Evaporation rate** 

Flammability Limit in Air

Upper flammability limit No data available No data available Lower flammability limit

**Vapor Pressure** No data available **Vapor Density** No data available

**Specific Gravity** 0.97

Water Solubility No data available Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available

Dynamic viscosity No data available **Explosive Properties** 

**Oxidizing Properties** No data available

9.2 Other information

**Softening Point** No data available

## Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

No information available.

10.2 Chemical Stability

Revision Date Apr-21-2016

24646 - Light Black

Stable under normal conditions.

## 10.3 Possibility of Hazardous Reactions

None under normal processing.

#### 10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

## 10.5 Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

## 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

## Section 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## **Acute Toxicity**

InhalationThere is no data for this product.Eye ContactThere is no data for this product.Skin ContactThere is no data for this product.IngestionThere is no data for this product.

**Unknown Acute Toxicity** 53.9 % of the mixture consists of ingredient(s) of unknown toxicity.

## The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 4,679.00 mg/kg

#### Unknown Acute Toxicity

53.9 % of the mixture consists of ingredient(s) of unknown toxicity.

43.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

53.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

53.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

53.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

53.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component	Oral LD50
Butyrolactone 96-48-0	1540 mg/kg (Rat)
Tetraglyme 143-24-8	5140 mg/kg (Rat)

Component	Inhalation LC50
Butyrolactone	>2.68 mg/L (Rat) 4 h
96-48-0	

Skin corrosion/irritationThere is no data for this product.Eye damage/irritationThere is no data for this product.SensitisationThere is no data for this product.Mutagenic EffectsThere is no data for this product.Carcinogenic effectsThere is no data for this product.Reproductive EffectsThere is no data for this product.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard

There is no data for this product.
There is no data for this product.
There is no data for this product.

## **Section 12: ECOLOGICAL INFORMATION**

## 12.1 Toxicity

None known

## **Unknown Aquatic Toxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Butyrolactone	72h EC50 Desmodesmus subspicatus: 360 mg/L
96-48-0	96h EC50 Desmodesmus subspicatus: 79 mg/L

Component	Fish
Butyrolactone	96h LC50 Leuciscus idus: 220 - 460 mg/L [static]
96-48-0	

Component	Crustacea
Butyrolactone	48h EC50 Daphnia magna Straus: >500 mg/L
96-48-0	

## 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

Component	Partition coefficient
Butyrolactone	-0.566
96-48-0	

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## 12.6 Other adverse effects.

No information available.

## **Section 13: DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

Waste from Residues / Unused Contain and dispose of waste according to local regulations.

**Products** 

**Contaminated Packaging** 

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## Section 14: TRANSPORT INFORMATION

Not Regulated **ADR** Printing Ink 14.2 Proper Shipping Name

Not Regulated ICAO / IATA / IMDG / IMO Printing Ink 14.2 Proper Shipping Name

## **Section 15: REGULATORY INFORMATION**

24646 - Light Black Revision Date Apr-21-2016

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

#### **International Inventories**

For further information, please contact: Supplier (manufacturer/importer/downstream user/distributor)

## 15.2 Chemical Safety Assessment

No information available.

## **Section 16: OTHER INFORMATION**

## Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

H360 - May damage fertility or the unborn child if inhaled

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Revision Date Apr-21-2016

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**