

# SAFETY DATA SHEET

Print Date Apr-21-2016 Revision Date Apr-21-2016 Revision Number

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Product code Product name Product category

22415 Yellow Eco Solvent Ink for Roland (OSI-RO)

 1.2 Relevant identified uses of the substance or mixture and uses advised against

 Recommended use
 Printing operations

## 1.3 Details of the supplier of the safety data sheet

DATAPLOT GmbH Gutenbergstraße 15 D-24558 Henstedt-Ulzburg Germany Tel.: +49 4193-9950 Fax: +49 4193-995220

For further information, please contactContact personDataplot: +49 4193-9950E-mail addressinfo@dataplot.de

## 1.4 Emergency telephone number

Giftinformationszentrum Mainz, Germany Tel: +49 6131 19240

## Section 2: HAZARDS IDENTIFICATION

# **2.1 Classification of the substance or mixture**

ACCOLUTING TO REGULATION (EC) NO 1272/2008	
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H336)

#### 2.2 Label elements



Signal Word Danger

#### Hazard Statements

H318 - Causes serious eye damage H336 - May cause drowsiness or dizziness

## Precautionary Statements - EU (§28, 1272/2008)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### 2.3 Other Hazards

General Hazards

No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Component	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.	Note
Diethylene glycol diethyl ether	203-963-7	112-36-7	30 - 60	Eye Irrit. 2 (H319)	No data available	
Butyrolactone	202-509-5	96-48-0	10 - 30	Acute Tox. 4 (H302) Eye Dam. 1 (H318) STOT SE 3 (H336)	No data available	1
Ethylene glycol monobutyl ether acetate	203-933-3	112-07-2	5 - 10	Acute Tox. 4 (H312) Acute Tox. 4 (H332)	No data available	1
Triethylene glycol monobutyl ether	205-592-6	143-22-6	1 - 5	Eye Dam. 1 (H318)	No data available	
Dimethyl Succinate	203-419-9	106-65-0	1 - 5	Not Classified	No data available	1
Dimethyl Glutarate	214-277-2	1119-40-0	1 - 5	Not Classified	No data available	1

Note

1. Substance with a Community workplace exposure limit

#### Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

None under normal use conditions.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## Section 5: FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

No information available.

#### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

#### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

#### 6.4 Reference to other sections

See Section 12 for more information.

## Section 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.

#### 7.3 Specific end use(s)

Exposure Scenario Risk Management Methods (RMM) No information available. The information required is contained in this Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Exposure limits**

Component	The United Kingdom
Ethylene glycol monobutyl ether acetate	STEL: 50 ppm
112-07-2	STEL: 332 mg/m <sup>3</sup>
	TWA: 20 ppm
	TWA: 133 mg/m <sup>3</sup>
	Skin
0	
Component	France
Ethylene glycol monobutyl ether acetate	TWA/VME: 2 ppm (indicative limit)
112-07-2	TWA/VME: 13.3 mg/m <sup>3</sup> (indicative limit)
	STEL/VLCT: 30 ppm (indicative limit)
	STEL/VLCT: 199.8 mg/m <sup>3</sup> (indicative limit)
	Skin
Component	Germany
Ethylene glycol monobutyl ether acetate	TWA/MAK: 10 ppm

112-07-2	TWA/MAK: 66 mg/m <sup>3</sup>
	Peak: 20 ppm
	Peak: 132 mg/m <sup>3</sup>
	TWA/AGW: 20 ppm
	TWA/AGW: 130 mg/m <sup>3</sup>
	Skin
Dimethyl Succinate	TWA/AGW: 1.2 ppm
106-65-0	TWA/AGW: 8 mg/m <sup>3</sup>
Dimethyl Glutarate	TWA/AGW: 1.2 ppm
1119-40-0	TWA/AGW: 8 mg/m <sup>3</sup>
Component	Spain
Ethylene glycol monobutyl ether acetate	STEL/VLA-EC: 50 ppm
112-07-2	STEL/VLA-EC: 333 mg/m <sup>3</sup>
	TWA/VLA-ED: 20 ppm
	TWA/VLA-ED: 133 mg/m <sup>3</sup>
	Skin
Component	Italy
Ethylene glycol monobutyl ether acetate	TWA: 20 ppm
112-07-2	TWA: 133 mg/m <sup>3</sup>
	STEL: 50 ppm
	STEL: 333 mg/m <sup>3</sup>
	Skin
Component	Portugal
Ethylene glycol monobutyl ether acetate	TWA/VLE-MP: 20 ppm
112-07-2	
Component	The Netherlands
Ethylene glycol monobutyl ether acetate	STEL: 333 mg/m <sup>3</sup>
112-07-2	TWA: 135 mg/m <sup>3</sup>
	Skin
	OKIN
Component	Finland
Ethylene glycol monobutyl ether acetate	TWA: 20 ppm
112-07-2	TWA: 20 ppm TWA: 130 mg/m <sup>3</sup>
	STEL: 50 ppm
	STEL: 330 mg/m <sup>3</sup>
	Skin
	•••••
Component	Denmark
Ethylene glycol monobutyl ether acetate	TWA: 20 ppm
112-07-2	TWA: 20 ppm TWA: 130 mg/m <sup>3</sup>
112-07-2	
	Skin
	Skin
Component	
Component	Austria
Ethylene glycol monobutyl ether acetate	Austria STEL/KZW: 40 ppm
	Austria STEL/KZW: 40 ppm STEL/KZW: 270 mg/m <sup>3</sup>
Ethylene glycol monobutyl ether acetate	Austria STEL/KZW: 40 ppm STEL/KZW: 270 mg/m <sup>3</sup> TWA/TMW: 20 ppm
Ethylene glycol monobutyl ether acetate	Austria STEL/KZW: 40 ppm STEL/KZW: 270 mg/m <sup>3</sup> TWA/TMW: 20 ppm TWA/TMW: 133 mg/m <sup>3</sup>
Ethylene glycol monobutyl ether acetate	Austria STEL/KZW: 40 ppm STEL/KZW: 270 mg/m <sup>3</sup> TWA/TMW: 20 ppm
Ethylene glycol monobutyl ether acetate 112-07-2	Austria STEL/KZW: 40 ppm STEL/KZW: 270 mg/m <sup>3</sup> TWA/TMW: 20 ppm TWA/TMW: 133 mg/m <sup>3</sup> Skin
Ethylene glycol monobutyl ether acetate 112-07-2 Component	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm
Ethylene glycol monobutyl ether acetate 112-07-2 Component	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate 112-07-2	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³         Skin
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate 112-07-2 Component	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³         Skin
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³         Skin
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate 112-07-2 Component	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³         Skin         Poland         NDSCh: 300 mg/m³         TWA/NDS: 100 mg/m³
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³         Skin
Ethylene glycol monobutyl ether acetate 112-07-2  Component Ethylene glycol monobutyl ether acetate 112-07-2  Component Ethylene glycol monobutyl ether acetate 112-07-2	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³         Skin         Poland         NDSCh: 300 mg/m³         Skin
Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate 112-07-2 Component Ethylene glycol monobutyl ether acetate	Austria         STEL/KZW: 40 ppm         STEL/KZW: 270 mg/m³         TWA/TMW: 20 ppm         TWA/TMW: 133 mg/m³         Skin         Switzerland         STEL/KZW: 20 ppm         STEL/KZW: 132 mg/m³         TWA/MAK: 10 ppm         TWA/MAK: 66 mg/m³         Skin         Poland         NDSCh: 300 mg/m³         TWA/NDS: 100 mg/m³

112-07-2		TWA: 65 mg/m <sup>3</sup>
		Skin
omponent		Ireland
thylene glycol monobutyl ether acetate		TWA: 20 ppm
112-07-2		TWA: 133 mg/m <sup>3</sup>
		STEL: 50 ppm
		STEL: 333 mg/m <sup>3</sup>
		Skin
component		Australia TWA
thylene glycol monobutyl ether acetate		TWA: 20 ppm
112-07-2		TWA: 133 mg/m <sup>3</sup>
Component		Australia STEL
Ethylene glycol monobutyl ether acetate		STEL: 50 ppm
		STEL: 30 ppm STEL: 333 mg/m <sup>3</sup>
3.2 Exposure controls Engineering Measures	etc. Controlled ventilation mea advised to consider national O	neral ventilation. Natural ventilation is from doors, windows ins air is supplied or removed by a powered fan. Users are occupational Exposure Limits or other equivalent values. In wear suitable respiratory equipment.
	etc. Controlled ventilation mea advised to consider national O case of insufficient ventilation,	Ins air is supplied or removed by a powered fan. Users are occupational Exposure Limits or other equivalent values. In
	etc. Controlled ventilation mea advised to consider national O case of insufficient ventilation, Wear safety glasses with side	ccupational Exposure Limits or other equivalent values. In
Engineering Measures Personal protective equipment	etc. Controlled ventilation mea advised to consider national O case of insufficient ventilation, Wear safety glasses with side suitable face shield. Ensure th workstation location. Wear impervious protective clo	Ins air is supplied or removed by a powered fan. Users are inccupational Exposure Limits or other equivalent values. In wear suitable respiratory equipment. shields (or goggles). If splashes are likely to occur:. Wear at eyewash stations and safety showers are close to the othing, including boots, gloves, lab coat, apron or coveralls.
Engineering Measures Personal protective equipment Eye/face Protection	etc. Controlled ventilation mea advised to consider national O case of insufficient ventilation, Wear safety glasses with side suitable face shield. Ensure th workstation location. Wear impervious protective clo as appropriate, to prevent skin If exposure limits are exceeded	Ins air is supplied or removed by a powered fan. Users are inccupational Exposure Limits or other equivalent values. In wear suitable respiratory equipment. shields (or goggles). If splashes are likely to occur:. Wear at eyewash stations and safety showers are close to the othing, including boots, gloves, lab coat, apron or coveralls, in contact. d or irritation is experienced, NIOSH/MSHA approved be worn. Respiratory protection must be provided in

Environmental exposure controls No information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Colored
Odor	No information available	Odor Threshold	No information available
Property	Values	Remarks • Method	
pH		No data available	
Melting point/freezing point		No data available	
Boiling point/Boiling Range	> 149 °C / 300 °F		
Flash Point	82 °C / 180 °F	Closed cup (Minimum)	
Evaporation rate		No data available	
Flammability Limit in Air			
Upper flammability limit		No data available	
Lower flammability limit		No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity	1		

Revision Date Apr-21-2016

Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive Properties Oxidizing Properties

No data available No data available

9.2 Other information Softening Point

No data available

## Section 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

No information available.

#### 10.2 Chemical Stability

Stable under normal conditions.

#### 10.3 Possibility of Hazardous Reactions

None under normal processing.

#### 10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

#### 10.5 Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

#### 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

## Section 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### Acute Toxicity

Inhalation	There is no data for this product.
Eye Contact	There is no data for this product.
Skin Contact	There is no data for this product.
Ingestion	There is no data for this product.
Unknown Acute Toxicity	55.08 % of the mixture consists of ingredient(s) of unknown toxicity.
The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	2,238.00 mg/kg
ATEmix (dermal)	7,007.00 mg/kg
ATEmix (inhalation-dust/mist)	7.91 mg/L
ATEmix (inhalation-vapor)	58.00 mg/L

#### Unknown Acute Toxicity

55.08 % of the mixture consists of ingredient(s) of unknown toxicity.
50.58 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
50.58 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
55.08 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
55.08 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
55.08 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (uppor).

Component		Oral LD50
Butyrolactone 96-48-0		1540 mg/kg (Rat)
Ethylene glycol monobutyl ether ace 112-07-2	otate	1600 mg/kg (Rat)
Triethylene glycol monobutyl ether 143-22-6		5300 mg/kg (Rat)
Dimethyl Succinate 106-65-0		>5000 mg/kg (Rat)
Dimethyl Glutarate 1119-40-0		8191 mg/kg (Rat)
Component		LD50 Dermal
Ethylene glycol monobutyl ether ace 112-07-2	etate	1480 mg/kg (Rabbit)
Triethylene glycol monobutyl ether 143-22-6		3480 mg/kg (Rabbit)
Dimethyl Succinate 106-65-0		>5000 mg/kg (Rabbit)
Component		Inhalation LC50
Butyrolactone 96-48-0		>2.68 mg/L (Rat)4 h
Dimethyl Glutarate 1119-40-0		>5.6 mg/L (Rat)4 h
Skin corrosion/irritation Eye damage/irritation Sensitisation	There is no data for this product. There is no data for this product. There is no data for this product.	
Mutagenic Effects There is no data for this product.		

Eye damage/irritation	There is no data for this product.
Sensitisation	There is no data for this product.
Mutagenic Effects	There is no data for this product.
Carcinogenic effects	There is no data for this product.
Reproductive Effects	There is no data for this product.
STOT - single exposure	There is no data for this product.
STOT - repeated exposure	There is no data for this product.
Aspiration hazard	There is no data for this product.

## Section 12: ECOLOGICAL INFORMATION

# 12.1 Toxicity None known

## Unknown Aquatic Toxicity

0.01 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Butyrolactone	72h EC50 Desmodesmus subspicatus: 360 mg/L
96-48-0	96h EC50 Desmodesmus subspicatus: 79 mg/L
Ethylene glycol monobutyl ether acetate	72h EC50 Desmodesmus subspicatus: >500 mg/L
112-07-2	
Triethylene glycol monobutyl ether	72h EC50 Desmodesmus subspicatus: 500 mg/L
143-22-6	
Component	Fish
Butyrolactone	96h LC50 Leuciscus idus: 220 - 460 mg/L [static]
96-48-0	
Triethylene glycol monobutyl ether	96h LC50 Leuciscus idus: 2200 - 4600 mg/L [static]
143-22-6	96h LC50 Pimephales promelas: 2400 mg/L
	96h LC50 Pimephales promelas: 2400 mg/L [static]
Dimethyl Succinate	96h LC50 Brachydanio rerio: 50 - 100 mg/L [static]
106-65-0	
Dimethyl Glutarate	96h LC50 Pimephales promelas: 19.6 - 26.2 mg/L [static]
1119-40-0	

Component	Crustacea
Butyrolactone	48h EC50 Daphnia magna Straus: >500 mg/L
96-48-0	
Triethylene glycol monobutyl ether	48h EC50 Daphnia magna: 500 mg/L
143-22-6	
Dimethyl Glutarate	48h EC50 Daphnia magna: 122.1 - 163.5 mg/L
1119-40-0	

## 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

Component	Partition coefficient
Butyrolactone	-0.566
96-48-0	
Ethylene glycol monobutyl ether acetate	1.51
112-07-2	
Triethylene glycol monobutyl ether	0.51
143-22-6	
Dimethyl Succinate	0.19
106-65-0	

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### 12.6 Other adverse effects.

No information available.

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

**Waste from Residues / Unused** Contain and dispose of waste according to local regulations.

#### Products

Contaminated Packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14: TRANSPORT INFORMATION

ADR 14.2 Proper Shipping Name Not Regulated Printing Ink

ICAO / IATA / IMDG / IMO 14.2 Proper Shipping Name Not Regulated Printing Ink

## Section 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

#### International Inventories

For further information, please contact: Supplier (manufacturer/importer/downstream user/distributor)

#### 15.2 Chemical Safety Assessment

No information available.

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under sections 2 and 3

H312 - Harmful in contact with skin H332 - Harmful if inhaled

H319 - Causes serious eye irritation

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H336 - May cause drowsiness or dizziness

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value

#### Revision Date Apr-21-2016

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet