## SAFETY DATA SHEET

Published DateRevision DateRevision NumberAug-17-2020Aug-17-20202.5

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product code DP26390
Product name Light Magenta
Product category Optimizer M64

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use Printing operations

## 1.3 Details of the supplier of the safety data sheet

DATAPLOT GmbH Gutenbergstraße 15 D-24558 Henstedt-Ulzburg Germany

Tel.: +49 4193-9950 Fax: +49 4193-995220

For further information, please contact

Contact personDataplot: +49 4193-9950E-mail addressinfo@dataplot.de

## 1.4 Emergency telephone number

Giftinformationszentrum Mainz, Germany

Tel: +49 6131 19240

## Section 2: HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

According to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation Category 1 - (H318)

## 2.2 Label elements



Signal Word
Danger

## **Hazard Statements**

H318 - Causes serious eye damage

#### **Precautionary Statements**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

\_\_\_\_\_

Continue rinsing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3 Other Hazards

General Hazards No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Component	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.	Note
Diethylene glycol diethyl ether	203-963-7	112-36-7	60 - 100	Eye Irrit. 2 (H319)	01-2119969946-13- xxxx	
Butyrolactone	202-509-5	96-48-0	5 - 10	Acute Tox. 4 (H302) Eye Dam. 1 (H318) STOT SE 3 (H336)	01-2119471839-21- xxxx	1
Dipropylene glycol monomethyl ether	252-104-2	34590-94-8	1 - 5	Not Classified	01-2119450011-60- xxxx	1

Note

#### Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation develops and

persists.

**Skin Contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Remove

contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.

**Inhalation** Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or

stopped, administer artificial respiration. Get medical attention immediately.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately. Never give

anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

None under normal use conditions.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **Section 5: FIRE FIGHTING MEASURES**

## 5.1 Extinguishing media

#### Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## **Unsuitable Extinguishing Media**

No information available.

#### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

REACH No: Registration number(s) may not be provided because substance(s) are exempted or not yet required to be registered under REACH 1. Substance with a Community workplace exposure limit

\_\_\_\_\_

## 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

## 6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

#### 6.4 Reference to other sections

See Section 12 for more information.

## **Section 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.

## 7.3 Specific end use(s)

**Exposure scenario** No information available.

Risk Management Methods The information required is contained in this Safety Data Sheet.

(RMM)

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Exposure limits**

Component	European Union
Dipropylene glycol monomethyl ether	TWA: 50 ppm
34590-94-8	TWA: 308 mg/m <sup>3</sup>
	Skin
Component	The United Kingdom
Dipropylene glycol monomethyl ether	STEL: 150 ppm
34590-94-8	STEL: 924 mg/m <sup>3</sup>
	TWA: 50 ppm
	TWA: 308 mg/m <sup>3</sup>
	Skin
Component	France
Dipropylene glycol monomethyl ether	TWA/VME: 50 ppm restrictive limit
34590-94-8	TWA/VME: 308 mg/m <sup>3</sup> restrictive limit
	Skin
Component	Germany

\_\_\_\_\_

\_

Butyrolactone 96-48-0	Skin
Dipropylene glycol monomethyl ether	TWA/MAK: 50 ppm
34590-94-8	TWA/MAK: 310 mg/m <sup>3</sup>
	TWA/AGW: 50 ppm
	TWA/AGW: 310 mg/m <sup>3</sup>
	Peak: 50 ppm
	Peak: 310 mg/m <sup>3</sup>
Component	Spain
Dipropylene glycol monomethyl ether	TWA/VLA-ED: 50 ppm
34590-94-8	TWA/VLA-ED: 308 mg/m <sup>3</sup>
	Skin
Component	Italy
Dipropylene glycol monomethyl ether	TWA: 50 ppm
34590-94-8	TWA: 308 mg/m <sup>3</sup>
	Skin
Component	Portugal
Dipropylene glycol monomethyl ether	TWA/VLE-MP: 50 ppm
34590-94-8	TWA/VLE-MP: 308 mg/m <sup>3</sup>
	STEL/VLE-CD: 150 ppm
	Skin
Component	The Netherlands
Dipropylene glycol monomethyl ether	TWA: 300 mg/m <sup>3</sup>
34590-94-8	Trivit 333 mg/m
Component	Finland
Butyrolactone	TWA: 50 ppm
96-48-0	TWA: 14 mg/m <sup>3</sup>
	STEL: 250 ppm
	STEL: 70 mg/m <sup>3</sup>
	Skin
Dipropylene glycol monomethyl ether	TWA: 50 ppm
34590-94-8	TWA: 310 mg/m <sup>3</sup>
	Skin
Component	Denmark
Dipropylene glycol monomethyl ether	TWA: 50 ppm
34590-94-8	TWA: 309 mg/m <sup>3</sup>
	Skin
Component	Austria
Dipropylene glycol monomethyl ether	STEL/KZW: 100 ppm
34590-94-8	STEL/KZW: 614 mg/m <sup>3</sup>
	TWA/TMW: 50 ppm
	TWA/TMW: 307 mg/m <sup>3</sup>
	Skin
Component	Switzerland
Dipropylene glycol monomethyl ether	TWA/MAK: 50 ppm aerosol, vapour
34590-94-8	TWA/MAK: 300 mg/m <sup>3</sup> aerosol, vapour
	STEL/KZW: 50 ppm aerosol, vapour
	STEL/KZW: 300 mg/m³ aerosol, vapour
Component	Poland
Dipropylene glycol monomethyl ether	TWA/NDS: 240 mg/m <sup>3</sup>
34590-94-8	STEL/NDSCh : 480 mg/m³
Component	Norway
Dipropylene glycol monomethyl ether	TWA: 50 ppm
34590-94-8	TWA: 300 mg/m <sup>3</sup>
0-1000 0-10	Skin
Component	Ireland
Dipropylene glycol monomethyl ether	TWA: 50 ppm
Dipropylene glycol monometnyl etner	TWA: 50 ppm TWA: 308 mg/m <sup>3</sup>
J4J3U-34-0 	STEL: 150 ppm
	STEL: 924 mg/m³ Skin
	Экш

Component	Australia TWA
Dipropylene glycol monomethyl ether	TWA: 50 ppm
34590-94-8	TWA: 308 mg/m <sup>3</sup>

\_\_\_\_\_

**Derived No Effect Level (DNEL)** 

Component	DNEL - Dermal	DNEL - Inhalation
	(Workers)	(Workers)
Diethylene glycol diethyl ether	3.43 mg/kg	50.05 mg/m <sup>3</sup>
112-36-7	(Systemic long term)	(Systemic long term)
Butyrolactone	19 mg/kg	130 mg/m <sup>3</sup>
96-48-0	(Systemic long term)	(Systemic long term)
		958 mg/m <sup>3</sup>
		(Systemic acute/short term)
Dipropylene glycol monomethyl ether	283 mg/kg	308 mg/m <sup>3</sup>
34590-94-8	(Systemic long term)	(Systemic long term)

Predicted No Effect Concentration No information available.

(PNEC)

## 8.2 Exposure controls

**Engineering Measures** 

Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

## Personal protective equipment

**Eye/Face Protection** 

Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that evewash stations and safety showers are close to the workstation location.

**Eye Protection** 

Safety glasses with side-shields. Goggles. Face-shield. Avoid contact with eyes. Ensure that eyewash stations and safety showers are close to the workstation location.

**Skin Protection** 

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Hand Protection** 

Chemical resistant protective gloves.

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding >480 minutes of permeation time): eg. nitrile rubber (0.4 mm), chloroprene

rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers. Taking into account the varying conditions, the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time

determined through testing.

Due to different glove types, the manufacturer's directions for use should be observed. Replace gloves immediately when torn or any change in appearance is noticed such as

dimension, color, flexibility.

**Respiratory Protection** 

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

**Environmental exposure controls** 

No information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

\_\_\_\_\_\_

\_

9.1 Information on basic physical and chemical properties

Physical StateLiquidAppearanceColoredOdorNo information availableOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** No data available

Melting Point / Freezing Point No data available

Boiling Point / Boiling Range > 149 °C / 300 °F

Flash Point 64 °C / 147 °F Closed cup (Minimum)

Evaporation rate No data available

Flammability Limit in Air
Upper flammability limit
No data available

Lower flammability limit

Vapor Pressure

No data available

No data available

Vapor Density
No data available
Specific Gravity
0.95

Water SolubilityNo data availableSolubility in other solventsNo data availablePartition coefficient: n-octanol/waterNo data availableAutoignition TemperatureNo data availableDecomposition temperatureNo data availableKinematic viscosityNo data availableDynamic viscosityNo data available

Explosive Properties No data available
Oxidizing Properties No data available

9.2 Other information

Softening Point No data available

## Section 10: STABILITY AND REACTIVITY

## 10.1 Reactivity

No information available.

## 10.2 Chemical Stability

Stable under normal conditions.

## 10.3 Possibility of Hazardous Reactions

None under normal processing.

## 10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

#### 10.5 Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

#### 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

## **Section 11: TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

#### **Acute Toxicity**

\_\_\_\_\_

\_

InhalationSpecific test data for the substance or mixture is not available.Eye ContactSpecific test data for the substance or mixture is not available.Skin ContactSpecific test data for the substance or mixture is not available.IngestionSpecific test data for the substance or mixture is not available.

**Unknown Acute Toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity.

## The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 5,030.00

#### Unknown Acute Toxicity

- 0 % of the mixture consists of ingredient(s) of unknown toxicity.
- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component	Oral LD50
Diethylene glycol diethyl ether	= 4970 mg/kg (Rat)
112-36-7	
Butyrolactone	= 1540 mg/kg (Rat)
96-48-0	
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)
34590-94-8	

Component	Dermal LD50
Butyrolactone	> 5640 mg/kg (Rabbit)
96-48-0	
Dipropylene glycol monomethyl ether	= 9500 mg/kg (Rabbit)
34590-94-8	

Component	Inhalation LC50
Butyrolactone	> 5100 mg/m³ (Rat ) 4 h
96-48-0	

**Skin corrosion/irritation** Specific test data for the substance or mixture is not available.

**Eye damage/irritation** Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components).

SensitizationSpecific test data for the substance or mixture is not available.Mutagenic EffectsSpecific test data for the substance or mixture is not available.Carcinogenic effectsSpecific test data for the substance or mixture is not available.Reproductive EffectsSpecific test data for the substance or mixture is not available.

**STOT - single exposure**Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Aspiration hazard
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.

## Section 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Specific test data for the substance or mixture is not available.

#### **Unknown Aquatic Toxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

\_\_\_\_\_

_	_

Component	Algae/aquatic plants
Butyrolactone	96h EC50 Desmodesmus subspicatus: = 79 mg/L
96-48-0	72h EC50 Desmodesmus subspicatus: = 360 mg/L

Component	Fish
Butyrolactone	96h LC50 Lepomis macrochirus: = 56 mg/L [static]
96-48-0	
Dipropylene glycol monomethyl ether	96h LC50 Pimephales promelas: > 10000 mg/L (static)
34590-94-8	

Component	Crustacea
Butyrolactone 96-48-0	48h EC50 Daphnia magna Straus: > 500 mg/L
Dipropylene glycol monomethyl ether 34590-94-8	48h LC50 Daphnia magna: = 1919 mg/L

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

No information available.

Component	Partition coefficient
Butyrolactone 96-48-0	-0.566
Dipropylene glycol monomethyl ether 34590-94-8	-0.064

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## 12.6 Other adverse effects.

No information available.

## **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste from residues/unused

products

Contain and dispose of waste according to local regulations.

**Contaminated Packaging** 

Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **Section 14: TRANSPORT INFORMATION**

**Note:** This information is not intended to convey all specific transportation requirements relating to

this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation information can be found in the specific regulations for your mode of transportation. It is the responsibility of the transporting organization to follow all applicable laws, regulations and

rules relating to the transportation of the material.

ADR Not Regulated

\_

14.2 **Proper Shipping Name** Printing Ink

ICAO / IATA / IMDG / IMONot Regulated14.2 Proper Shipping NamePrinting Ink

## **Section 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **European Union**

#### **International Inventories**

For further information, please contact: Supplier (manufacturer/importer/downstream user/distributor)

#### 15.2 Chemical Safety Assessment

No information available.

## **Section 16: OTHER INFORMATION**

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H318 - Causes serious eye damage H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Revision Date Aug-17-2020

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**