

EMBLEM Water Rollup Film Silverback

EMBLEM WARFSB is a special coated PET-film with a good flatness. The high opacity comes from the silver metallic coloured back side. The coating is featured by minor reflections, brilliant colours and good scratch resistance. It can be printed on with usual waterbased dye and pigment inks.

Matchcode:	WARFSB
Material:	PET compound with silver metallic coloured back side
Finish:	matt
Colour:	white
Thickness:	175 µm
Lamination:	cold, warm
Flame retardant:	no
Standard roll width:	36", 42"
Standard roll length:	20 m
Storage:	cool and dry environment, at 15-25°C, 50% rel. humidity
Shelf life:	18 month in original packing

COMPATIBLE INKS:

Dye:	yes
Pigment:	yes

Different printers, inks, resolutions and printing qualities result into numerous different printing parameters. In addition, there are numerous factors influencing processing and the application of our materials. For this reason, we cannot make specific statements as to drying times and maximum ink absorption. For this reason, we recommend you to perform own tests in order to verify the desired results. Our product specifications are not to be understood as legally binding guarantees assuring specific characteristics. Any liabilities and guarantees, as well as claims for compensation beyond the value of the product itself are excluded.

EMBLEM Water Rollup Film Silverback

Description:

EMBLEM WARFSB is a special coated PET-film with a good flatness. The high opacity comes from the silver metallic coloured back side. The coating is featured by minor reflections, brilliant colours and good scratch resistance. It can be printed on with usual waterbased dye and pigment inks.

Because of the good flatness EMBLEM WARFSB has no side curl (tubing). Therefore it is the ideal solution for rollup systems.

Processing:

To avoid mechanical influences lamination is advisable at all. The lamination can be done right to edges or over the edges. The user should check before using what is more appropriate. Every print which has been produced with dye-based ink has to be laminated to protect it against bleaching by UV radiation and ozone. The lamination may have influences on the flatness of the film.

To avoid fingerprints the use of cotton-gloves is advisable.

Application:

Typical applications for WARFSB are rollup systems, displays, POS, posters, signs, exhibition panels.