

SAFETY DATA SHEET

Published Date
Aug-17-2020

Revision Date
Aug-17-2020

Revision Number
2.5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product code **DP26378**
Product name **Black**
Product category **Optimizer TR**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use Printing operations

1.3 Details of the supplier of the safety data sheet

DATAPLOT GmbH
Gutenbergstraße 15
D-24558 Henstedt-Ulzburg
Germany
Tel.: +49 4193-9950
Fax: +49 4193-995220

For further information, please contact

Contact person Dataplot: +49 4193-9950
E-mail address info@dataplot.de

1.4 Emergency telephone number

Giftinformationszentrum Mainz, Germany
Tel: +49 6131 19240

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

2.2 Label elements



Signal Word
Danger

Hazard Statements

H318 - Causes serious eye damage
H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P273 - Avoid release to the environment
 P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3 Other Hazards

Other Hazards Harmful to aquatic life.
General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures**

Component	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.	Note
Diethylene glycol diethyl ether	203-963-7	112-36-7	60 - 100	Eye Irrit. 2 (H319)	01-2119969946-13-xxxx	
Butyrolactone	202-509-5	96-48-0	10 - 30	Acute Tox. 4 (H302) Eye Dam. 1 (H318) STOT SE 3 (H336)	01-2119471839-21-xxxx	1
Triethylene glycol monobutyl ether	205-592-6	143-22-6	5 - 10	Eye Dam. 1 (H318)	01-2119475107-38-xxxx	
Carbon black	215-609-9	1333-86-4	1 - 5	Not Classified	01-2119384822-32-xxxx	1
2,5-Furandione, telomer with 1,1'-(1,1-dimethyl-3-methylene-1,3-propanediyl)bis(benzene) and ethenylbenzene, 3-(dimethylamino)propyl imide, imide with polyethylenepolypropyleneglycol 2-aminopropyl Me ether, 2-[(C10-16-alkyloxy)methyl]oxirane-quat ernized, benzoates (salts)	-	NOT ESTABLISHED	1 - 5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available	

Note

REACH No: Registration number(s) may not be provided because substance(s) are exempted or not yet required to be registered under REACH
 1. Substance with a Community workplace exposure limit

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General Advice Show this safety data sheet to the doctor in attendance.
Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

None under normal use conditions.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

6.4 Reference to other sections

See Section 12 for more information.

Section 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.

7.3 Specific end use(s)

Exposure scenario

No information available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure limits

Component	The United Kingdom
Carbon black 1333-86-4	STEL: 7 mg/m ³ TWA: 3.5 mg/m ³
Component	France
Carbon black 1333-86-4	TWA/VME: 3.5 mg/m ³
Component	Germany
Butyrolactone 96-48-0	Skin
Component	Spain
Carbon black 1333-86-4	TWA/VLA-ED: 3.5 mg/m ³
Component	Portugal
Carbon black 1333-86-4	TWA/VLE-MP: 3 mg/m ³
Component	Finland
Butyrolactone 96-48-0	TWA: 50 ppm TWA: 14 mg/m ³ STEL: 250 ppm STEL: 70 mg/m ³ Skin
Carbon black 1333-86-4	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³
Component	Denmark
Carbon black 1333-86-4	TWA: 3.5 mg/m ³
Component	Poland
Carbon black 1333-86-4	TWA/NDS: 4 mg/m ³ inhalable fraction
Component	Norway
Carbon black 1333-86-4	TWA: 3.5 mg/m ³
Component	Ireland
Carbon black 1333-86-4	TWA: 3 mg/m ³ inhalable fraction STEL: 15 mg/m ³ inhalable fraction
Component	Australia TWA
Carbon black 1333-86-4	TWA: 3 mg/m ³

Derived No Effect Level (DNEL)

Component	DNEL - Dermal (Workers)	DNEL - Inhalation (Workers)
Diethylene glycol diethyl ether 112-36-7	3.43 mg/kg (Systemic long term)	50.05 mg/m ³ (Systemic long term)
Butyrolactone 96-48-0	19 mg/kg (Systemic long term)	130 mg/m ³ (Systemic long term) 958 mg/m ³ (Systemic acute/short term)
Triethylene glycol monobutyl ether 143-22-6	208 mg/kg (Systemic long term)	195 mg/m ³ (Systemic long term)
Carbon black 1333-86-4	No data found	2 mg/m ³ (Systemic long term) 2 mg/m ³ (Local long term)

Predicted No Effect Concentration (PNEC) No information available.

8.2 Exposure controls

Engineering Measures

Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised

to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles). If splashes are likely to occur: Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye Protection

Safety glasses with side-shields. Goggles. Face-shield. Avoid contact with eyes. Ensure that eyewash stations and safety showers are close to the workstation location.

Skin Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Hand Protection

Chemical resistant protective gloves.
Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding >480 minutes of permeation time): eg. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers. Taking into account the varying conditions, the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.
Due to different glove types, the manufacturer's directions for use should be observed. Replace gloves immediately when torn or any change in appearance is noticed such as dimension, color, flexibility.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Colored
Odor	No information available	Odor Threshold	No information available
Property	Values	Remarks • Method	
pH		No data available	
Melting Point / Freezing Point		No data available	
Boiling Point / Boiling Range	> 149 °C / 300 °F		
Flash Point	78 °C / 172 °F	Tag closed cup (Minimum)	
Evaporation rate		No data available	
Flammability Limit in Air			
Upper flammability limit		No data available	
Lower flammability limit		No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity	0.97		
Water Solubility		No data available	

Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive Properties	No data available
Oxidizing Properties	No data available

9.2 Other information

Softening Point	No data available
-----------------	-------------------

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

No information available.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of Hazardous Reactions

None under normal processing.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO₂). Carbon monoxide.

Section 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects**Acute Toxicity**

Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Unknown Acute Toxicity 1.62 % of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3,443.00

Unknown Acute Toxicity

- 1.62 % of the mixture consists of ingredient(s) of unknown toxicity.
- 1.62 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 1.62 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 1.62 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 1.62 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
- 1.62 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component	Oral LD50
Diethylene glycol diethyl ether 112-36-7	= 4970 mg/kg (Rat)
Butyrolactone 96-48-0	= 1540 mg/kg (Rat)
Triethylene glycol monobutyl ether 143-22-6	= 5300 mg/kg (Rat)
Carbon black 1333-86-4	> 15400 mg/kg (Rat)

Component	Dermal LD50
Butyrolactone 96-48-0	> 5640 mg/kg (Rabbit)
Triethylene glycol monobutyl ether 143-22-6	> 2000 mg/kg (Rabbit)

Component	Inhalation LC50
Butyrolactone 96-48-0	> 5100 mg/m ³ (Rat) 4 h
Carbon black 1333-86-4	> 4.6 mg/m ³ (Rat) 4 h

Skin corrosion/irritation
Eye damage/irritation

Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available. Causes serious eye damage.
(based on components).

Sensitization
Mutagenic Effects
Carcinogenic effects
Reproductive Effects

Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard

Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.

Section 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Specific test data for the substance or mixture is not available. Harmful to aquatic life with long lasting effects. (based on components).

Unknown Aquatic Toxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Butyrolactone 96-48-0	96h EC50 <i>Desmodesmus subspicatus</i> : = 79 mg/L 72h EC50 <i>Desmodesmus subspicatus</i> : = 360 mg/L
Triethylene glycol monobutyl ether 143-22-6	72h EC50 <i>Desmodesmus subspicatus</i> : > 500 mg/L
2,5-Furandione, telomer with 1,1'-(1,1-dimethyl-3-methylene-1,3-propanediyl)bis(benzene) and ethenylbenzene, 3-(dimethylamino)propyl imide, imide with polyethylenepolypropyleneglycol 2-aminopropyl Me ether, 2-[(C10-16-alkyloxy)methyl]oxirane-quaternized, benzoates (salts) NOT ESTABLISHED	72h EC50 <i>Pseudokirchneriella subcapitata</i> : = 0.25 mg/L

Component	Fish
Butyrolactone 96-48-0	96h LC50 <i>Lepomis macrochirus</i> : = 56 mg/L [static]

Triethylene glycol monobutyl ether 143-22-6	96h LC50 Pimephales promelas: = 2400 mg/L 96h LC50 Pimephales promelas: = 2400 mg/L (static)
--	---

Component	Crustacea
Butyrolactone 96-48-0	48h EC50 Daphnia magna Straus: > 500 mg/L
Triethylene glycol monobutyl ether 143-22-6	48h EC50 Daphnia magna: > 500 mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

Component	Partition coefficient
Butyrolactone 96-48-0	0.566
Triethylene glycol monobutyl ether 143-22-6	0.51

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects.

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste from residues/unused products	Contain and dispose of waste according to local regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORT INFORMATION

Note: This information is not intended to convey all specific transportation requirements relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation information can be found in the specific regulations for your mode of transportation. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

ADR Not Regulated
 14.2 Proper Shipping Name Printing Ink

ICAO / IATA / IMDG / IMO Not Regulated
 14.2 Proper Shipping Name Printing Ink

Section 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture*****European Union*****International Inventories**

For further information, please contact: Supplier (manufacturer/importer/downstream user/distributor)

15.2 Chemical Safety Assessment

No information available.

Section 16: OTHER INFORMATION**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under sections 2 and 3**

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value

Revision Date Aug-17-2020

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet