

Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

EMBLEM Sally Clean 25646

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Washing and cleaning products (including solvent based products)

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Street : DATAPLOT GmbH
Gutenbergstrasse15
Postal code/city : 24558 Henstedt-Ulzburg - Germany
Telephone : +49 4193 - 995-0
Telefax : +49 4193-995-220
Information contact : Info@dataplot.de

1.4 Emergency telephone number

Giftinformationszentrum Mainz all days a year 24 hours: Telephone +49 6131 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

None

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Special rules for supplemental label elements for certain mixtures

EUH210 Safety data sheet available on request.

2.3 Other hazards

None

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Hazardous ingredients

WHITE MINERAL OIL (PETROLEUM) ; REACH registration No. : 01-2119487078-27-XXXX ; EC No. : 232-455-8; CAS No. : 8042-47-5

Weight fraction : $\geq 5 - < 10$ %

Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

ALCOHOLS, C16-18- AND C18 UNSAT., ETHOXY., PROPOX. ; EC No. : 932-102-4; CAS No. : 677026-24-3

Weight fraction : $\geq 1 - < 5$ %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Aquatic Acute 1 ; H400

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

Remove casualty to fresh air and keep warm and at rest.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

None

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO₂) Sand Nitrogen Extinguishing blanket

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon dioxide (CO₂) Carbon monoxide.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed.

7.2 Conditions for safe storage, including any incompatibilities

Keep/Store only in original container. Protect against Frost

Hints on joint storage

Storage class (TRGS 510) : 12

7.3 Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection



Wear suitable safety goggles in case of splash.

Suitable eye protection
EN 166.

Skin protection

Hand protection



Wear protective gloves in case of longer lasting skin contact.

Suitable gloves type : EN 374.

Suitable material : NBR (Nitrile rubber)

Breakthrough time (maximum wearing time) : 480 min.

Thickness of the glove material : 0.4 mm

Remark : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

General health and safety measures

Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. P362+P364 - Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

8.3 Additional information

No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : white

Odour : characteristic

Safety relevant basis data

Initial boiling point and boiling range :	(1013 hPa)	ca.	100	°C
Flash point :				not relevant
Lower explosion limit :				not relevant
Upper explosion limit :				not relevant
Vapour pressure :	(50 °C)			No data available
Density :	(20 °C)	ca.	0,94	g/cm ³
Solvent separation test :	(20 °C)			not relevant
pH :		ca.	11,4	
Flow time :	(20 °C)		23	s DIN-cup 4 mm

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

Maximum VOC content (EC) : < 1 Wt %
Maximum VOC content (Switzerland) : < 1 Wt %

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

Parameter : ATEmix calculated
Exposure route : Oral
Effective dose : > 2000 mg/kg

Acute dermal toxicity

Parameter : ATEmix calculated
Exposure route : Dermal
Effective dose : > 2000 mg/kg

Acute inhalation toxicity

Parameter : ATEmix calculated
Exposure route : Inhalation
Effective dose : > 20 mg/l

11.2 Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

11.3 Other adverse effects

May be absorbed through the skin. Repeated exposure may cause skin dryness or cracking.

11.4 Additional information

Preparation not tested. The statement is derived from the properties of the single components.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter : LC50 (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Species : Leuciscus idus (golden orfe)
Evaluation parameter : Acute (short-term) fish toxicity

Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

Effective dose : > 100 mg/l
Exposure time : 96 h
Evaluation : Harmless to fish up to the concentration tested.
Method : OECD 203
Parameter : LC50 (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : > 100 mg/l
Exposure time : 48 h
Evaluation : Harmless to daphnia up to the tested concentration.
Method : OECD 202
Parameter : EC50 (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : > 1000 mg/l
Exposure time : 21 d
Method : OECD 211
Parameter : LC50 (ALCOHOLS, C16-18- AND C18 UNSAT., ETHOXY., PROPOX. ; CAS No. : 677026-24-3)
Species : Cyprinus carpio (Common Carp)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : > 1 - 10 mg/l
Exposure time : 96 h
Method : OECD 203

Acute (short-term) daphnia toxicity

Parameter : EC50 (ALCOHOLS, C16-18- AND C18 UNSAT., ETHOXY., PROPOX. ; CAS No. : 677026-24-3)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : > 0,1 - 1 mg/l
Exposure time : 48 h
Method : OECD 202

Acute (short-term) algae toxicity

Parameter : EC50 (ALCOHOLS, C16-18- AND C18 UNSAT., ETHOXY., PROPOX. ; CAS No. : 677026-24-3)
Species : Desmodesmus subspicatus
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : > 0,1 - 1 mg/l
Exposure time : 72 h
Method : OECD 201

Bacteria toxicity

Parameter : EC50 (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Species : Bacteria toxicity
Effective dose : > 1000 mg/l
Exposure time : 40 h
Parameter : EC10 (ALCOHOLS, C16-18- AND C18 UNSAT., ETHOXY., PROPOX. ; CAS No. : 677026-24-3)
Species : Pseudomonas putida
Evaluation parameter : Bacteria toxicity
Effective dose : > 2000 mg/l
Exposure time : 5,33 h

12.2 Persistence and degradability

Biodegradation

Parameter : Biodegradation (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Inoculum : Degree of elimination
Evaluation parameter : Aerobic
Effective dose : 24 %

Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

Exposure time : 28 d
Method : OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C
Parameter : Biodegradation (ALCOHOLS, C16-18- AND C18 UNSAT., ETHOXY., PROPOX. ; CAS No. : 677026-24-3)
Inoculum : Biodegradation
Evaluation parameter : Aerobic
Effective dose : > 70 %
Exposure time : 28 d
Evaluation : Readily biodegradable (according to OECD criteria).
Method : OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A
Parameter : Biodegradation (ALCOHOLS, C16-18- AND C18 UNSAT., ETHOXY., PROPOX. ; CAS No. : 677026-24-3)
Inoculum : Biodegradation
Evaluation parameter : Aerobic
Effective dose : > 60 %
Exposure time : 28 d
Evaluation : Readily biodegradable (according to OECD criteria).
Method : OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C

According to the recipe, contains no AOX. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. List of proposed waste codes/waste designations in accordance with EWC

13.1 Waste treatment methods

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29* - detergents containing dangerous substances.

Waste code packaging

15 01 02 - plastic packaging.

Waste treatment options

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

SECTION 14: Transport information

14.1 UN number

No dangerous goods in sense of this transport regulation.

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

14.4 Packing group

No dangerous goods in sense of this transport regulation.

14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Other regulations (EU)

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Labelling for contents according to regulation (EC) No. 648/2004

< 5 % non-ionic surfactants
15 - 30 % aliphatic hydrocarbons

National regulations

AT: Labelling according to Austrian regulations (Chemikaliengesetz/ChemV).

CH: Chemikalienverordnung (ChemV) and Chemikalien-Risikoreduktions-Verordnung (Chem RRV) are complied.

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

Other regulations, restrictions and prohibition regulations

Betriebssicherheitsverordnung (BetrSichV)

No flammable liquid according to BetrSichV.

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX: adsorbable organohalogenes

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CLP: Classification Labelling and Packaging (Regulation (EC) No. 1272/2008)

EAK / AVV: europäischer Abfallschlüsselkatalog (european waste catalogue)

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

RCP: reciprocal calculation procedure

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : EMBLEM Cleaner for stainless steel and metal surface 25646
Revision date : 02.10.2017
Print date : 04.10.2017

Version (Revision) : 1.0.1 (1.0.0)

Concerning the International Transport of Dangerous Goods by Rail)
TRGS: Technische Regel für den Umgang mit Gefahrstoffen
VbF: Verordnung über brennbare Flüssigkeiten
VOC: volatile organic compound
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse (water hazardous class)

16.3 Key literature references and sources for data

DGUV: GESTIS-Stoffdatenbank
ECHA: Classification And Labelling Inventory
ECHA: Registered Substances
ECHA: Registered Substances
EC: Safety Data Sheet of Suppliers
ESIS: European Chemical Substances Information System
GDL: Gefahrstoffdatenbank der Länder
UBA Rigoletto: Wassergefährdende Stoffe

16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H400	Very toxic to aquatic life.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
