# SAFETY DATA SHEET

Published Date Aug-17-2020 Revision Date Aug-17-2020 Revision Number 2.5

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product code	DP26377
Product name	Yellow
Product category	Optimizer TR

 1.2 Relevant identified uses of the substance or mixture and uses advised against

 Recommended use
 Printing operations

### 1.3 Details of the supplier of the safety data sheet

DATAPLOT GmbH Gutenbergstraße 15 D-24558 Henstedt-Ulzburg Germany Tel.: +49 4193-9950 Fax: +49 4193-995220

### For further information, please contact

Contact person E-mail address Dataplot: +49 4193-9950 info@dataplot.de

### 1.4 Emergency telephone number

Giftinformationszentrum Mainz, Germany Tel: +49 6131 19240

## Section 2: HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

According to Regulation (EC) NO 1272/2008	
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

### 2.2 Label elements



Danger

### Hazard Statements

H318 - Causes serious eye damage

H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

### 2.3 Other Hazards

Other Hazards General Hazards Harmful to aquatic life. No information available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Component	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH No.	Note
Diethylene glycol diethyl ether	203-963-7	112-36-7	60 - 100	Eye Irrit. 2 (H319)	01-2119969946-13- xxxx	
Butyrolactone	202-509-5	96-48-0	10 - 30	Acute Tox. 4 (H302) Eye Dam. 1 (H318) STOT SE 3 (H336)	01-2119471839-21- xxxx	1
Triethylene glycol monobutyl ether	205-592-6	143-22-6	5 - 10	Eye Dam. 1 (H318)	01-2119475107-38- xxxx	
<ul> <li>2,5-Furandione, telomer with</li> <li>1,1'-(1,1-dimethyl-3-methylene-1,3-propa nediyl)bis(benzene) and</li> <li>ethenylbenzene,</li> <li>3-(dimethylamino)propyl imide, imide</li> <li>with polyethylenepolypropyleneglycol</li> <li>2-aminopropyl Me ether,</li> <li>2-[(C10-16-alkyloxy)methyl]oxirane-quat</li> <li>ernized, benzoates (salts)</li> </ul>	-	NOT ESTABLISHED	1 - 5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available	

Note

REACH No: Registration number(s) may not be provided because substance(s) are exempted or not yet required to be registered under REACH 1. Substance with a Community workplace exposure limit

### Full text of H- and EUH-phrases: see section 16

### Section 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

None under normal use conditions.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

### Section 5: FIRE FIGHTING MEASURES

# 5.1 Extinguishing media

### Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

No information available.

### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

### 6.4 Reference to other sections

See Section 12 for more information.

### Section 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.

### 7.3 Specific end use(s)

Exposure scenario	No information available.
Risk Management Methods	The information required is contained in this Safety Data Sheet.
(RMM)	

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### **Exposure limits**

Component	Germany
Butyrolactone	Skin
96-48-0	
Component	Finland
Butyrolactone	TWA: 50 ppm
96-48-0	TWA: 14 mg/m <sup>3</sup>
	STEL: 250 ppm
	STEL: 70 mg/m <sup>3</sup>
	Skin

### Derived No Effect Level (DNEL)

Component	DNEL - Dermal	DNEL - Inhalation	
-	(Workers)	(Workers)	
Diethylene glycol diethyl ether	3.43 mg/kg	50.05 mg/m <sup>3</sup>	
112-36-7	(Systemic long term)	(Systemic long term)	
Butyrolactone	19 mg/kg	130 mg/m <sup>3</sup>	
96-48-0	(Systemic long term)	(Systemic long term)	
		958 mg/m <sup>3</sup>	
		(Systemic acute/short term)	
Friethylene glycol monobutyl ether	208 mg/kg	195 mg/m <sup>3</sup>	
143-22-6	(Systemic long term)	(Systemic long term)	

**Predicted No Effect Concentration** No information available. (PNEC)

### 8.2 Exposure controls

Engineering Measures

Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment Eye/Face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye Protection	Safety glasses with side-shields. Goggles. Face-shield. Avoid contact with eyes. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Hand Protection	Chemical resistant protective gloves. Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding >480 minutes of permeation time): eg. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers. Taking into account the varying conditions, the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Due to different glove types, the manufacturer's directions for use should be observed. Replace gloves immediately when torn or any change in appearance is noticed such as dimension, color, flexibility.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls No information available.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Colored
Odor	No information available	Odor Threshold	No information available
Property_	Values	Remarks • Method	_
pH		No data available	
Melting Point / Freezing Point		No data available	
Boiling Point / Boiling Range	> 149 °C / 300 °F		
Flash Point	78 °C / 172 °F	Tag closed cup (Minim	um)
Evaporation rate		No data available	
Flammability Limit in Air			
Upper flammability limit		No data available	
Lower flammability limit		No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity	0.97		
Water Solubility		No data available	
Solubility in other solvents		No data available	
Partition coefficient: n-octanol/wat	ter	No data available	
Autoignition Temperature		No data available	
Decomposition temperature		No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	
Explosive Properties	No data available		
Oxidizing Properties	No data available		

#### 9.2 Other information Softening Point

No data available

# Section 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

No information available.

### 10.2 Chemical Stability

Stable under normal conditions.

### 10.3 Possibility of Hazardous Reactions

None under normal processing.

### 10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### 10.5 Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

### 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

### Section 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute Toxicity	
Inhalation Eye Contact Skin Contact	Specific test data for the substance or mixture is not available. Specific test data for the substance or mixture is not available. Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Unknown Acute Toxicity	1.2 $\%$ of the mixture consists of ingredient(s) of unknown toxicity.
The following values are calculate ATEmix (oral)	d based on chapter 3.1 of the GHS document 3,446.00

### Unknown Acute Toxicity

1.2 % of the mixture consists of ingredient(s) of unknown toxicity.

1.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

1.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

1.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

1.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

1.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component	Oral LD50
Diethylene glycol diethyl ether	= 4970 mg/kg (Rat)
112-36-7	
Butyrolactone	= 1540 mg/kg (Rat)
96-48-0	
Triethylene glycol monobutyl ether	= 5300 mg/kg (Rat)
143-22-6	

Component	Dermal LD50
Butyrolactone 96-48-0	> 5640 mg/kg (Rabbit)
Triethylene glycol monobutyl ether 143-22-6	> 2000 mg/kg (Rabbit)

Component	Inhalation LC50
Butyrolactone	> 5100 mg/m³ (Rat)4 h
96-48-0	

Skin corrosion/irritation Specific test data for the substance or mixture is not available. Eye damage/irritation Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Specific test data for the substance or mixture is not available. Sensitization **Mutagenic Effects** Specific test data for the substance or mixture is not available. **Carcinogenic effects** Specific test data for the substance or mixture is not available. **Reproductive Effects** Specific test data for the substance or mixture is not available. STOT - single exposure Specific test data for the substance or mixture is not available. STOT - repeated exposure Specific test data for the substance or mixture is not available. Specific test data for the substance or mixture is not available. Aspiration hazard

### Section 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Specific test data for the substance or mixture is not available. Harmful to aquatic life with long lasting effects. (based on components).

#### Unknown Aquatic Toxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Butyrolactone	96h EC50 Desmodesmus subspicatus: = 79 mg/L
96-48-0	72h EC50 Desmodesmus subspicatus: = 360 mg/L
Triethylene glycol monobutyl ether	72h EC50 Desmodesmus subspicatus: > 500 mg/L
143-22-6	
2,5-Furandione, telomer with	72h EC50 Pseudokirchneriella subcapitata: = 0.25 mg/L
1,1'-(1,1-dimethyl-3-methylene-1,3-propanediyl)bis(benzene) and	
ethenylbenzene, 3-(dimethylamino)propyl imide, imide with	
polyethylenepolypropyleneglycol 2-aminopropyl Me ether,	
2-[(C10-16-alkyloxy)methyl]oxirane-quaternized, benzoates (salts)	
NOT ESTABLISHED	

Component	Fish
Butyrolactone 96-48-0	96h LC50 Lepomis macrochirus: = 56 mg/L [static]
, , , , , , , , , , , , , , , , , , , ,	96h LC50 Pimephales promelas: = 2400 mg/L 96h LC50 Pimephales promelas: = 2400 mg/L (static)

Component	Crustacea
Butyrolactone 96-48-0	48h EC50 Daphnia magna Straus: > 500 mg/L
Triethylene glycol monobutyl ether 143-22-6	48h EC50 Daphnia magna: > 500 mg/L

### 12.2 Persistence and degradability

No information available.

### 12.3 Bioaccumulative potential

No information available.	
Component	Partition coefficient
Butyrolactone 96-48-0	-0.566
Triethylene glycol monobutyl ether 143-22-6	0.51

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### 12.6 Other adverse effects.

No information available.

### Section 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Waste from residues/unused	Contain and dispose of waste according to local regulations.			
products Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.			
Section 14: TRANSPORT INFORMATION				
Note:	This information is not intended to convey all specific transportation requirements relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation information can be found in the specific regulations for your mode of transportation. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.			
ADR	Not Regulated			
14.2 <b>Proper Shipping Name</b>	Printing Ink			
ICAO / IATA / IMDG / IMO	Not Regulated			
14.2 Proper Shipping Name	Printing Ink			

### Section 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **European Union**

### **International Inventories**

For further information, please contact: Supplier (manufacturer/importer/downstream user/distributor)

### 15.2 Chemical Safety Assessment

No information available.

# Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3 H302 - Harmful if swallowed H318 - Causes serious eye damage H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects		
Legend- Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTIONTWATWA (time-weighted average)STELSTEL (Short Term Exposure Limit)CeilingMaximum limit value		

**Revision Date** 

Aug-17-2020

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet