

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version	Revision Date:	Date of last issue: 20.01.2021	GB:IE:MT / EN
1.2	20.01.2021	Date of first issue: 17.09.2018	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	:	INK-3604
Trade name	:	MS41 YELLOW

**1.2 Relevant identified uses of the substance or mixture and uses advised against** Use of the Substance/ Mixture : Digital Printing

### 1.3 Details of the supplier of the safety data sheet

Company	 : MUTOH Europe nv
	Archimedesstraat 13,
	8400 Oostende, Belgium

Telephone	:	+32 (0) 59 56 14 00
E-mail address	:	sds@mutoh.eu
Further information obtainable	:	sds@mutoh.co.jp
from		

### 1.4 Emergency telephone number

+32 (0) 59 56 14 00 During normal opening times

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2H315: Causes skin irritation.Eye irritation, Category 2H319: Causes serious eye irritation.Reproductive toxicity, Category 1BH360FD: May damage fertility. May damage the unborn child.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger
Hazard statements	:	<ul> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H360FD May damage fertility. May damage the unborn child.</li> </ul>
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protec-tion/ face protection.
		<b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P308 + P313 IF exposed or concerned: Get medical advice/ attention P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention.



Hazardous components which must be listed on the label: bis(2-(2-methoxy)ethyl)ether

Additional Labelling: Restricted to professional users.

### 2.3 Other hazards

Vapours may form explosive mixture with air.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Bis(2-ethoxyethyl) ether	112-36-7	Skin Irrit. 2; H315	>= 20 - < 30
	203-963-7		
bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8	Repr. 1B; H360FD	>= 10 - < 20
	205-594-7		
Propylene carbonate	108-32-7	Eye Irrit. 2; H319	>= 1 - < 10
	203-572-1		
	607-194-00-1		
Gamma-Butyrolactone	96-48-0	Acute Tox. 4; H302	>= 1 - < 3
	202-509-5	Eye Dam. 1; H318	
		STOT SE 3; H336	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

<b>4.1 Description of first aid measures</b> General advice :	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders :	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
If inhaled :	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact :	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed :	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
4.2 Most important symptoms and effe	ects, both acute and delayed

Risks : Causes skin irritation. Causes serious eye irritation.



May damage fertility. May damage the unborn child.

### 4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

Treatment

#### 5.1 Extinguishing media Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : High volume water jet 5.2 Special hazards arising from the substance or mixture Specific hazards during : Do not use a solid water stream as it may scatter and spread firefighting fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. Hazardous combustion products : Carbon oxides Nitrogen oxides (NOx) Metal oxides 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Use personal protective equipment. Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	<ul> <li>Remove all sources of ignition.</li> <li>Use personal protective equipment.</li> <li>Follow safe handling advice and personal protective equipment recommendations.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
6.3 Methods and material for con	tainment and cleaning up
Methods for cleaning up	<ul> <li>Non-sparking tools should be used.</li> <li>Soak up with inert absorbent material.</li> <li>Suppress (knock down) gases/vapours/mists with a water spray jet.</li> </ul>

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of



this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Technical measures	: See Engineering measures under EXPOSURE CONTROLS/ PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation.
Advice on safe handling	<ul> <li>Do not get on skin or clothing.</li> <li>Do not breathe vapours or spray mist.</li> <li>Do not swallow.</li> <li>Do not get in eyes.</li> <li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li> <li>Keep container tightly closed.</li> <li>Keep away from heat and sources of ignition.</li> <li>Take precautionary measures against static discharges.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Hygiene measures	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
7.2 Conditions for safe storage, incl Requirements for storage areas and containers	
Advice on common storage	<ul> <li>Do not store with the following product types: Strong oxidizing agents</li> <li>Organic peroxides</li> <li>Explosives</li> <li>Gases</li> </ul>
7.3Specific end use(s) Specific use(s)	: No data available
SECTION 8: Exposure controls/	personal protection

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.1.1 Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

### 8.1.2 Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure	Potential health effects	Value
		routes		
Bis(2-ethoxyethyl) ether	Workers	Inhalation	Long-term systemic effects	50.5 mg/m3
	Workers	Skin contact	Long-term systemic	3.43 mg/kg

# MUTOH

			effects	bw/day
	Consumers	Inhalation	Long-term systemic effects	5.96 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1.71 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1.71 mg/kg bw/day
bis(2-(2- methoxyethoxy)ethyl)ether	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Skin contact	Long-term systemic effects	3 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.5 µg/m3
	Consumers	Skin contact	Long-term systemic effects	0.001 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.001 mg/kg bw/day
Propylene carbonate	Workers	Inhalation	Long-term systemic effects	176 mg/m3
	Workers	Inhalation	Long-term local ef-fects	20 mg/m3
	Workers	Skin contact	Long-term systemic effects	50 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef-fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	43.5 mg/m3
	Consumers	Ingestion	Long-term systemic effects	25 mg/kg bw/day
Gamma-Butyrolactone	Workers	Inhalation	Long-term systemic effects	130 mg/m3
	Workers	Inhalation	Acute systemic ef-fects	958 mg/m3
	Workers	Skin contact	Long-term systemic effects	19 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	28 mg/m3
	Consumers	Inhalation	Acute systemic ef-fects	340 mg/m3
	Consumers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	8 mg/kg bw/day

## 8.1.3 Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(2-(2-	Fresh water	32 mg/l
methoxyethoxy)ethyl)ether		
	Freshwater - intermittent	50 mg/l
	Marine water	3.2 mg/l
	Sewage treatment plant	500 mg/l
	Fresh water sediment	127 mg/kg dry weight (d.w.)
	Marine sediment	12.7 mg/kg dry weight (d.w.)
	Soil	6.7 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	8.32 mg/kg food
Propylene carbonate	Sewage treatment plant	7400 mg/l
	Fresh water	0.9 mg/l
	Marine water	0.09 mg/l
	Intermittent use/release	9 mg/l
	Soil	0.81 mg/kg
Gamma-Butyrolactone	Fresh water	0.056 mg/l
	Marine water	0.0056 mg/l



Intermittent use/release	0.56 mg/l
Sewage treatment plant	452 mg/l
Fresh water sediment	0.24 mg/kg
Marine sediment	0.02 mg/kg
Soil	0.0147 mg/kg

### 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations. Use with local exhaust ventilation.

Personal protective equipment Eye protection :	Wear the following personal protective equipment: Safety goggles
Hand protection Material :	Chemical-resistant gloves
Remarks :	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.
Skin and body protection :	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing, unless assessment demonstrates that the risk of explosive atmospheres or flash fires is low Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type :	Combined particulates and organic vapour type (A-P)

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	Yellow
Odour	:	slight
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point or initial boiling point and boiling range	:	No data available
Flammability	:	Not applicable
Upper explosion limit	:	No data available

# МИТОН

Lower explosion limit	:	No data available
Flash point	:	>= 70 °C Method: Seta closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
рН	:	No data available
Kinematic viscosity	:	No data available
Solubility Water solubility	:	soluble
Solubility in other solvents	:	soluble Solvent: organic solvents
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density	:	0.9 - 1.1 g/cm3
Relative vapour density	:	No data available
Particle characteristics	:	Not applicable
9.2 Other information Evaporation rate	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

## **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> Not classified as a reactivity haza	ard	
<b>10.2 Chemical stability</b> Stable under normal conditions.		
<b>10.3 Possibility of hazardous reacti</b> Hazardous reactions	on :	<b>s</b> Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
<b>10.4 Conditions to avoid</b> Conditions to avoid	:	Heat, flames and sparks.
<b>10.5 Incompatible materials</b> Materials to avoid	:	Oxidizing agents

## **10.6 Hazardous decomposition products** No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**



<b>.1 Information on hazard classes a</b> Information on likely routes of : exposure	<b>as defined in Regulation (EC) No 1272/2008</b> Inhalation Skin contact Ingestion Eye contact
<b>Acute toxicity</b> Not classified based on available in	nformation.
Product: Acute oral toxicity :	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Components: Bis(2-ethoxyethyl) ether: Acute oral toxicity :	LD50 (Rat): 4,970 mg/kg
<b>bis(2-(2-methoxyethoxy)ethyl)et</b> Acute oral toxicity	<b>her:</b> LD50 (Rat): 3,850 mg/kg
Acute inhalation toxicity :	LC50 (Rat): > 11 mg/l Exposure time: 7 h Test atmosphere: vapour Method: OECD Test Guideline 403 Remarks: Based on data from similar materials
Acute dermal toxicity :	LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials
Propylene carbonate: Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity :	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
Gamma-Butyrolactone: Acute oral toxicity :	LD50 (Rat): 1,582 mg/kg
Acute inhalation toxicity :	LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Skin corrosion/irritation Causes skin irritation.	
<u>Components:</u> Bis(2-ethoxyethyl) ether:	
Result : Remarks :	Skin irritation Based on data from similar materials
<b>bis(2-(2-methoxyethoxy)ethyl)et</b> Species	her: Rabbit
Method :	OECD Test Guideline 404
Result	:No skin irritation
Propylene carbonate:	Dahhit
Species : Result :	Rabbit No skin irritation
Gamma-Butyrolactone:	
Species : Result :	Rabbit No skin irritation



### Serious eye damage/eye irritation

Causes serious eye irritation.

### **Components:**

Bis(2-ethoxyethyl)	) ether:
Snacias	

Dis(z-chioxychiyi) chici.				
Species	: Rabbit			
Method	: OECD Test Guideline 405			
Result	: No eye irritation			
bis(2-(2-methoxvethoxv)ethvl)ether:				

Species	:	Rabbit	
Method	:	OECD Test Guideline 405	
Result	:	No eye irritation	

### **Propylene carbonate:**

Species Method Result	: Rabbit : OECD Test G : Irritation to ey	uideline 405 es, reversing within 21 days

### Gamma-Butyrolactone:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

## <u>Components:</u> Bis(2-ethoxyethyl) ether:

Dis(z-euloxyeulyi) eulei.		
Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

### bis(2-(2-methoxyethoxy)ethyl)ether:

Test Type :	Local lymph node assay (LLNA)
Exposure routes :	Skin contact
Species :	Mouse
Method :	OECD Test Guideline 429
Result :	negative
Remarks :	Based on data from similar materials

### Gamma-Butyrolactone:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative

### Germ cell mutagenicity

Not classified based on available information.

### **Components: Bis(2-ethoxyethyl) ether:**



Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo :	Remarks: Based on data from similar materials Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
bis(2-(2-methoxyethoxy)ethyl)et	her:
Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: positive
Genotoxicity in vivo :	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (vapour) Result: negative Remarks: Based on data from similar materials
Propylene carbonate:	
Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection
	Result: negative
Gamma-Butyrolactone:	
Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
<b>Carcinogenicity</b> Not classified based on available in	nformation.
Components:Propylene carbonate:SpeciesApplication RouteExposure timeResult	Mouse Skin contact 2 Years negative
Gamma-Butyrolactone: Species :	Rat



Application Route Exposure time Result	: Ingestion : 103 weeks : negative
<b>Reproductive toxicity</b> May damage fertility. May dam	age the unborn child.
Components: Bis(2-ethoxyethyl) ether: Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative
bis(2-(2-methoxyethoxy)ethy Effects on fertility	I)ether: : Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: positive
Effects on foetal develop- ment	<ul> <li>Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Method: OECD Test Guideline 414 Result: positive Remarks: Based on data from similar materials</li> <li>Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive Remarks: Based on data from similar materials</li> <li>Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: positive Remarks: Based on data from similar materials</li> </ul>
Reproductive toxicity - As- sessment	: Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.
Propylene carbonate: Effects on foetal develop -ment	: Test Type: Embryo-foetal development Species: Rat, female Application Route: Ingestion Result: negative
Gamma-Butyrolactone: Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion



Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

### STOT - single exposure

Not classified based on available information.

#### Components:

Gamma-Butyrolactone: Assessment

: May cause drowsiness or dizziness.

### **STOT - repeated exposure** Not classified based on available information.

### **Components:**

bis(2-(2-methoxyethoxy)ethyl)ether: Assessment : No

No significant health effects observed in animals at concentra-tions of 100 mg/kg bw or less.

### **Repeated dose toxicity**

### Components:

Bis(2-ethoxyethyl) ether:		
Species	:	Rat
NOAEL	:	2.49 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 412

### bis(2-(2-methoxyethoxy)ethyl)ether:

Species	:	Rat
NOAEL	:	250 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days
Method	:	OECD Test Guideline 407
Remarks	:	Based on data from similar materials

### Propylene carbonate:

Species	:	Rat
NOAEL	:	> 5,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

### Gamma-Butyrolactone:

Species	:	Rat
NOAEL	:	225 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

### Aspiration toxicity

Not classified based on available information.

### **11.2 Information on toxicological effects**

Endocrine disrupting properties : No data available

Other information : No data available



## **SECTION 12: Ecological information**

## 12.1 Toxicity

<u>Components:</u> Bis(2-ethoxyethyl) ether:		
Toxicity to fish	:	LC50 : > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 : 6,600 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	NOEC : > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC10: > 1 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (water flea) Remarks: Based on data from similar materials
<b>bis(2-(2-methoxyethoxy)ethy</b> Toxicity to fish	l)eth :	<b>her:</b> LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7,467 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 8,996 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Pseudokirchneriella subcapitata (green algae)): 2,871 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 : > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: > 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
<b>Propylene carbonate:</b> Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	ErC50 (Desmodesmus subspicatus (green algae)): > 900 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 25,619 mg/l Exposure time: 16 h



Gamma-Butyrolactone: Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 56 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
		NOEC (Desmodesmus subspicatus (green algae)): 31.25 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	IC50 : 4,518 mg/l Exposure time: 40 h
12.2 Persistence and degradability	/	
<u>Components:</u> Bis(2-ethoxyethyl) ether: Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F
<b>bis(2-(2-methoxyethoxy)ethyl</b> Biodegradability	)eth :	ner: Result: Inherently biodegradable. Method: OECD Test Guideline 302B Remarks: Based on data from similar materials
<b>Propylene carbonate:</b> Biodegradability	:	Result: Readily biodegradable. Biodegradation: 87.7 %

Biodegradability	 Result: Readily blodegradable.
	Biodegradation: 87.7 %
	Exposure time: 29 d
	Method: OECD Test Guideline 301B

Gamma-Butyrolactone:	
Biodegradability	

Biodegradability	:	Result: Readily biodegradable.
		Biodegradation: 77 %
		Exposure time: 14 d
		Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

Components: Bis(2-ethoxyethyl) ether: Partition coefficient: n- octanol/water	:	log Pow: 0.39

## **bis(2-(2-methoxyethoxy)ethyl)ether:**

Partition coefficient: n-	:	log Pow: -0.84
octanol/water		

### Propylene carbonate:

Partition coefficient: n-	:	log Pow: -0.41
octanol/water		

## Gamma-Butyrolactone:

Partition coefficient: n-	:	log Pow: -0.566
octanol/water		



## 12.4 Mobility in soil

No data available

- 12.5 Results of PBT and vPvB assessment Not relevant
- 12.6 Endocrine disrupting properties No data available
- 12.7 Other adverse effects No data available

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

i waste treatment methods		
Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.
Waste Code	:	08 03 12, waste ink containing hazardous substances

### **SECTION 14: Transport information**

- 14.1 UN number or ID number Not regulated as dangerous goods
- 14.2 UN proper shipping name Not regulated as dangerous goods
- 14.3 Transport hazard class(es) Not regulated as dangerous goods
- 14.4 Packing group Not regulated as dangerous goods
- 14.5 Environmental hazards Not regulated as dangerous goods
- 14.6 Special precautions for user Not applicable
- 14.7 Maritime transport in bulk according to IMO instruments : Not applicable for product as supplied. Remarks

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH - Candidate List of Substances of Very High : bis(2-(2-methoxyethoxy)ethyl)ether Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation

: Not applicable



(Annex XIV)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EC) No 850/2004 on persistent organic pol- lutants	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances. Not applicable

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

Other information	:	Items where changes have been made to the previous version
		are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H336 :	May cause drowsiness or dizziness.
H360FD :	May damage fertility. May damage the unborn child.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
IE OEL	:	Ireland. List of Chemical Agents and Occupational Exposure
		Limit Values - Schedule 1
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulaion; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European



Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---	--

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Repr. 1B	H360FD	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.